

Cypress Grove
**Health Risk
Assessment**

*Prepared for City of Tustin,
Planning Department*



March 28, 2025

Prepared by

Elaina Chambers,
Air Quality Specialist

Tanya Kalaskar,
Associate Environmental Planner II

Contact:
techservices@EPDSolutions.com

E | P | D
SOLUTIONS, INC

949.794.1180
3333 Michelson Drive, Suite 500
Irvine, CA 92612

EPDSolutions.com

©EPD Solutions, Inc.

TABLE OF CONTENTS

1. Introduction	3
1.1 Access and Parking.....	8
1.2 Purpose of the Report	8
1.3 Summary of the Results	9
2. Health Risk Assessment	10
2.4 SCAQMD Significance Thresholds	10
Project-Level	10
Cumulative.....	11
2.5 Health Risk Estimation Methodology	11
Cancer Risk.....	11
Chronic Non-Cancer Hazard.....	15
2.6 Estimation of Project DPM Emissions.....	15
Construction DPM Emissions	15
Construction Equipment Emission Inventory Development	16
Atmospheric Dispersion Methodology	20
2.7 Receptors.....	21
3. Results of the Health Risk Assessment	24
3.1 Project-Level Risk Results	24
3.2 Project Mitigation	26
4. Conclusion	29
5. References	30

Figures

Figure 1: Project Location.....	4
Figure 2: Project Site Aerial.....	5
Figure 3: Conceptual Site Plan	6
Figure 4: Locations of the Project’s Construction On-Site and Off-Site DPM Emission Sources ...	19
Figure 5: Locations of Air Dispersion Model Receptors	23
Figure 6: Construction Model Output.....	25
Figure 7: Mitigated Construction Model Output.....	28

Tables

Table 1: Exposure Assumptions for Cancer Risk–OEHHA/SCAQMD Guidance.....	14
Table 2: Construction Schedule	16
Table 3: Proposed Project Construction Equipment Inventory	17

Table 4: Proposed Construction Vehicle Use	18
Table 5: Project On-Site and Off-Site Construction Source DPM Daily Emissions	18
Table 6: General Modeling Assumptions	20
Table 7: Summary of Construction Emissions Source Configuration	21
Table 8: Summary of Proposed Project Construction Health Risk	24
Table 9: Summary of Proposed Project Construction Cancer Risk: Mitigated.....	27

Appendices

APPENDIX A.1 – CALEEMOD OUTPUT FOR PROJECT CONSTRUCTION
APPENDIX A.2 – CALEEMOD OUTPUT FOR MITIGATED PROJECT CONSTRUCTION
APPENDIX B.1 – AERMOD CONSTRUCTION MODEL OUTPUT
APPENDIX B.2 – AERMOD MITIGATED CONSTRUCTION MODEL OUTPUT
APPENDIX C.1 – ESTIMATION OF PROJECT CONSTRUCTION DPM EMISSIONS
APPENDIX C.2 – ESTIMATION OF MITIGATED PROJECT CONSTRUCTION DPM EMISSIONS
APPENDIX D.1 – ESTIMATION OF CONSTRUCTION HEALTH RISK
APPENDIX D.2 – ESTIMATION OF MITIGATED CONSTRUCTION HEALTH RISK


1. INTRODUCTION

This Health Risk Assessment (HRA) evaluates the potential impacts of the proposed Cypress Grove Residential Project (proposed Project) in the City of Tustin (City) within Orange County. The Project site is bordered to the west by Prospect Avenue, to the south by 17th Street, to the east by Howland Way, and to the north by Arbolada Way. The Project site is located in the southeast corner of the 17th Street and Prospect Avenue intersection. Regional access is available via State Route 55 (SR 55), approximately 0.5 miles west of the site as depicted in Figure 1, *Project Location* and Figure 2, *Project Site Aerial*.

The 8.54-acre Project site is comprised of five parcels identified as Assessor's Parcel Numbers (APNs) 407-401-12 through -17 with multiple addresses: 17772, 17862, 17822, 17782, and 17852 located on 17th Street. The Project site is currently occupied by five buildings that provide a total of 193,000 SF of office space. The Project proposes to demolish the office buildings that currently occupy the site. The Project proposes the construction of 145 for-sale residential units, consisting of 62 single-family cluster units and 83 townhome-style residential condominium units, with a net density of 17.06 dwelling units per acre (du/ac), along with associated landscaping, parking, and recreational space, as shown in Figure 3, *Conceptual Site Plan*.

The Project site is located in the South Coast Air Basin (SCAB), which is within the jurisdiction of the South Coast Air Quality Management District (SCAQMD).

Figure 1: Project Location



Legend

 Project Site




Figure 2: Project Site Aerial



Legend

 Project Site




Figure 3: Conceptual Site Plan



Conceptual Site Plan

LEGEND

- Townhomes
- Cluster

This page intentionally left blank.

1.1 Access and Parking

Access to the site would be provided via a driveway on Prospect Avenue. The existing driveway on 17th Street would be closed off and no longer accessible. Onsite drive aisles would provide residents and guests with access to visitor spaces and residential garages. The Project would provide garage parking at a rate of two spaces per residential unit and guest parking at 0.25 stall per townhome residential unit, for a total of 290 enclosed residential parking spaces and 42 designated guest parking spaces via street parking along the internal drive aisle.

1.2 Purpose of the Report

To support the CEQA document for the proposed Project, this report evaluates the potential health impacts to sensitive receptors from the construction of the Project. This HRA focuses on the emissions of diesel particulate matter (DPM) from the Project's construction health risk impact of surrounding land uses on the residential Project on a day-to-day basis. DPM has been identified by the California Air Resources Board (CARB) as a carcinogenic substance responsible for nearly 70% of the airborne cancer risk in California (California Air Resources Board, 2017). The estimated health risk impacts from the Project construction were compared to the health risk significance thresholds recommended by the SCAQMD for use in CEQA assessments.

This HRA employed the following tools to estimate the health impacts of the Project:

- The California Air Pollution Control Officers Association California Emissions Estimator Model (CalEEMod, Version 2022.1) to calculate exhaust emissions from mobile sources such as diesel trucks and construction equipment such as crawler tractors and cranes during the construction of the Project.
- The U.S. Environmental Protection Agency (EPA) AMS/EPA Regulatory Model (AERMOD Version 23132) air dispersion model to estimate DPM impacts to sensitive receptors.
- Cancer Risk Methodology from the California Office of Environmental Health Hazards Assessment (OEHHA) (California Office of Environmental Health Hazards Assessment, 2015) and the SCAQMD (South Coast Air Quality Management District, 2017).

1.3 Summary of the Results

The Project's estimated maximum construction DPM emissions would exceed the lifetime cancer risk threshold of 10 in one million at the maximum impacted sensitive receptor, resulting in a significant construction health risk impact. However, the Project's maximum impacted worker receptor cancer risk and the Project's non-cancer hazard index (HI) would not exceed the non-cancer health risk significance threshold of 1.0. The Project's maximum construction health risks are summarized below.

Maximum Project Construction Unmitigated Health Risk Results:

- Sensitive/residential receptor for the lifetime exposure duration: 17.75 in one million
- Worker receptor: 0.19 in one million
- Sensitive receptor chronic non-cancer HI: 0.03
- Worker receptor chronic non-cancer HI: 0.01

To mitigate the significant construction health risk impact, the following mitigation measure is proposed:

MM AQ-1: Tier 4 Construction Equipment: The proposed Project shall utilize Tier 4 Final or superior equipment for engines exceeding 100 horsepower (hp). If construction equipment cannot meet Tier 4 Final engine certification standards, the Project representative or contractor must provide a future study with written findings, backed by substantial evidence, for approval by the City of Tustin before resorting to alternative technologies or strategies. Potential alternative strategies may encompass the use of Tier 4 Interim equipment, reducing the number and/or horsepower rating of construction equipment, or limiting simultaneous equipment operation. All equipment must undergo tuning and adhere to the manufacturer's recommended maintenance schedule and specifications. Maintenance records for each piece of equipment, along with those of their contractors, must be available for inspection and kept on-site for a minimum of two years following construction completion.

The mitigated cancer risk results with the implementation of MM AQ-1 are presented below. As the Project's chronic non-cancer risk, adult cancer risk, and worker cancer risk results are below the significance threshold, these calculations are not presented below; however, with the implementation of MM AQ-1, the HI and cancer risk would decrease and continue to have a less-than-significant impact.

Project Construction Mitigated Health Risk Results:

- Sensitive/residential receptor for the lifetime exposure duration: 9.13 in one million.

Therefore, the construction of the proposed Project would result in a less than significant project-level result with the implementation of MM AQ-1: Tier 4 Construction Equipment.

2.HEALTH RISK ASSESSMENT

A HRA is a guide that helps determine whether the risks from current or future exposures to a toxic chemical or substance in the environment could affect the health of a population. In general, the quantification of risk from the development of a project depends on the following factors:

- Identification of the toxic air contaminants (TACs) that may be present in the air;
- Estimation of the amount of TACs released from all emission sources using emission models;
- Estimation of the airborne concentrations of TACs in the geographic area of concern using air dispersion models using information about emissions, source locations, weather, and other factors;
- Estimation of the level of exposure to different concentrations of the TACs at different geographic locations and their consequential health impacts.

Thus, a HRA identifies the TACs that could affect public health, identifies the sources and quantities of the TAC emissions, estimates where the emissions are transported by prevailing meteorological conditions, and assesses the consequential health impacts due to the identified exposures.

The State of California Office of Environmental Health Hazards Assessment (OEHHA) has developed methods for conducting HRAs. As defined under the Air Toxics "Hot Spots" Information and Assessment Act:

"A health risk assessment means a detailed, comprehensive analysis prepared pursuant to Section 44361 to evaluate and predict the dispersion of hazardous substances in the environment and the potential for exposure of human populations and to assess and quantify both the individual and population-wide health risks associated with those levels of exposure" (California Health and Safety Code).

The methodology used to estimate health risks and hazards that could potentially affect nearby sensitive receptors from the emissions of TACs is described below. The methodology included assumptions regarding emission source quantification, configurations and locations, receptor locations, air dispersion modeling, and health risk modeling. As noted above, this HRA focused on DPM emissions that the CARB has identified as the principal airborne carcinogenic substance in California. For purposes of this HRA, DPM was assumed to be comprised of PM₁₀ vehicle exhaust emissions.

2.4 SCAQMD Significance Thresholds

Project-Level

The City of Tustin has not adopted a numerical significance threshold for cancer risk or non-cancer hazards. Therefore, the significance thresholds recommended by the SCAQMD were used for this assessment. The relevant significance thresholds are provided below:

- Cancer Risk: ten (10) persons per million population as the maximum acceptable incremental cancer risk due to exposure to TACs
- Non-Cancer Hazard Index (HI): 1.0

These thresholds are discussed further in Section 2.2, *Health Risk Estimation Methodology*.

Cumulative

The SCAQMD conducted an analysis of the cumulative effects of TACs within the SCAB as part of its *Multiple Air Toxics Exposure Study in the South Coast Air Basin* (MATES-V, the draft version of this MATES study series) (South Coast Air Quality Management District, 2021). The MATES-V Study expresses cumulative TAC impacts in terms of potential increased cancer risks. Cumulative impact thresholds derive from this study, since the Project site is within the MATES-V Study area. The MATES-V Study estimates the cumulative TAC-source cancer risk for the localized area encompassing the Project site ranges from 300 to 400 in one million. DPM-source cancer risks are reflected in the area's ambient cumulative cancer risk along with all other TAC-source risks and account for the predominance (68%) of the total risk. A cancer risk upper limit of 400 in a million was assumed to comprise the impact from existing TAC emission sources in the region without the impacts from the Project.

The TAC emissions inventory used in the MATES-V study to estimate health impacts was representative of emissions for the year 2018. In addition to the MATES-V cumulative TAC-source cancer risk noted above, other new or proposed potential TAC-generating projects (related projects) in the Project area not included in the MATES V study could contribute to cumulative TAC impacts. The SCAQMD has published a white paper on addressing cumulative impacts from air pollution (South Coast Air Quality Management District, 2003). The white paper recommends a 1,000-foot distance from a proposed project to identify other development projects that could contribute to cumulative impacts (South Coast Air Quality Management District, 2019). The 1,000-foot evaluation distance is supported by research-based findings concerning TAC emission dispersion rates from roadways and large sources, showing that emissions diminish substantially between 500 and 1,000 feet from emission sources. While the cumulative analysis incorporates future emissions within 1,000 feet of the source, the project-specific and cumulative significance thresholds of 10 in one million remain the same.

2.5 Health Risk Estimation Methodology

Cancer Risk

Cancer risks are estimated as the upper-bound incremental probability that an individual would develop cancer due to exposure to potential carcinogens over a specified exposure duration. The estimated risk is expressed as a probability since there is no level below which some level of impact may occur. The cancer risk attributed to a chemical is calculated by multiplying the chemical intake or dose at the human exchange boundaries (e.g., lungs) by the chemical-specific cancer potency factor (CPF). A risk level of 10 in one million implies a likelihood that up to 10 people in a population of one million equally exposed people could contract cancer if exposed continuously (24 hours per day) to the levels of TACs over a specified duration of time. This risk is an excess cancer risk in addition to any environmental cancer risk borne by a person not exposed to these air toxins.

The exposure dose is the amount of a chemical taken into the body at a given time. In particular, the exposure dose through inhalation ($Dose_{air}$) is a function of the breathing rate, the exposure frequency, and the concentration of exposures. Breathing rates change over time for different age groups and are determined for specific age groups. The $Dose_{air}$ is calculated for each of the following age groups: third trimester to birth, and 0 to 2, 2 to 16, and 16 to 30 years of age. The OEHHA recommends that the 30-year exposure duration be used as the basis for public notification and risk reduction audits and plans (California Office

of Environmental Health Hazards Assessment, 2015). The risks for each age group are summed together to provide a total estimate of lifetime cancer risks for sensitive receptors. To estimate the cancer risk, the $Dose_{air}$ is estimated by applying the following equation to the DPM concentration at each receptor as calculated by the air dispersion model:

$$Dose_{air} = C_{DPM} \times DBR_i \times A \times EF_i \quad (EQ-1)$$

Where:

$Dose_{air}$ = dose through inhalation (mg/kg/day)

C_{DPM} = period average concentration of DPM as estimated by the air dispersion model ($\mu\text{g}/\text{m}^3$)

DBR = daily breathing rate for each age group (liters/kg-day)—see Table 1

A = Inhalation absorption factor (unitless = 1)

EF = exposure frequency (days per year)

i – number of age groups

The dose is multiplied by the cancer potency factor, the age sensitivity factors (ASF), the exposure duration (ED), and the fraction of time spent at home (FAH, for sensitive/residential receptors only) divided by averaging time (AT) to arrive at an estimate of cancer risk:

$$\text{Cancer Risk} = Dose_{air,i} \times CPF \times ASF_i \times ED_i \times FAH_i/AT \quad (EQ-2)$$

Where:

Cancer Risk = Total individual excess inhalation cancer risk, defined as the cancer risk a hypothetical individual faces if exposed to carcinogenic emissions from a particular source for specified exposure durations; this risk is summed over all age groups; cancer risk is expressed in terms of risk per million exposed individuals.

$Dose_{air,i}$ = inhalation dose through inhalation (mg/kg-day)

CPF = inhalation cancer potency factor (mg/kg-day)⁻¹

ASF_i = age sensitivity factors (see Table 1)

ED_i = exposure duration (years)—see Table 1

AT = averaging time of lifetime cancer risk (70 years or 25550 days)

FAH_i = fraction of time spent at home—see Table 1

n = number of age groups

While the OEHHA recommends that the 30-year exposure duration be used as the basis for public notification and risk reduction audits and plans, the Project's construction duration is expected to only span 1.27 years, and no significant DPM emissions are anticipated to occur after the completion of the Project's construction during the operation of the Project. Thus, for the remainder of this report, the lifetime cancer risk will refer to the construction's time span of 1.27 years.

Thus, for the purpose of this HRA, the exposure duration for sensitive/residential receptors' lifetime cancer risk was assumed to analyze a daily construction duration of eight hours, five days a week, as a reasonable assumption for the site's construction operation hours and was assumed to span the duration of a third trimester pre-birth in 2026 (the Project's starting year of construction) through 2027, when the Project's

construction would conclude. Estimates of cancer risk were also provided for informational purposes for adult exposure, also spanning the duration of construction.

Table 1 provides the values for the various cancer risk parameters shown in equations EQ-1 and EQ-2 for the receptor groups examined in this assessment for the construction of the Project. For DPM, the value of the CPF is 1.1 milligrams per kilogram per day.

Table 1: Exposure Assumptions for Cancer Risk–OEHHA/SCAQMD Guidance

Age Group	Exposure Frequency, EF		Exposure Duration (ED) (Years)	Age Sensitivity Factors (ASF)	Fraction Time at Home (FAH)	Daily Breathing Rate ¹ (DBR) (l/kg-day)
	Hours/Day	Days/Year				
Sensitive/Residential Receptor – Pre-birth to Adult (30-year duration)						
3 rd Trimester to Birth	8	250	0.25	10	1	361
0 to 2 years	8	250	1.02	10	1	1,090
2 to 16 years	8	250		3	1	745
16 to 30 years	8	250		1	0.73	335
Sensitive Receptor/Residential Child (9-year duration)						
3 rd Trimester to Birth	8	250	0.25	10	1	361
0 to 2 years	8	250	1.02	10	1	1,090
2 to 9 years	8	250		3	1	861
Sensitive Receptor/Residential Receptor – Adult (30-year duration)						
17 years and older	8	250	1.27	1	0.73	335
Worker Receptor (25-years duration)						
17 years and older	8	250	1.27	1		230

Notes:

¹ Daily breathing rates are representative of the 95th percentile for sensitive/residential receptors.

(L/kg-day) = liters per kilogram body weight per day

Source: SCAQMD Rule 1401

Chronic Non-Cancer Hazard

TACs can also cause chronic (long-term) effects on non-cancer illnesses such as reproductive effects, birth defects, or adverse environmental effects. Non-cancer health risks are conveyed in terms of the HI. A ratio of the predicted concentration of the facility's reported TAC emissions to a concentration is considered acceptable to public health professionals. A significant risk is defined as an HI of 1.0 or greater. An HI of less than 1 indicates that no significant health risks are expected from the facility's TAC emissions. The following equation gives the relationship for the non-cancer hazards for TACs:

$$HI = C_{ann}/REL \quad (EQ-3)$$

Where:

HI = Hazard Index: an expression of the potential for chronic non-cancer health risks

C_{ann} = Annual average TAC concentration ($\mu\text{g}/\text{m}^3$)

REL = Reference Exposure Level: the DPM concentration at which no adverse health effects are anticipated

As predicted by the air dispersion model, annual concentrations of DPM are used to estimate chronic non-cancer hazards. The OEHHA has defined a REL for DPM of $5 \mu\text{g}/\text{m}^3$.

2.6 Estimation of Project DPM Emissions

Construction DPM Emissions

Construction emissions were calculated using the latest CalEEMod Version 2022.1. DPM construction emissions were based on the CalEEMod construction runs for the proposed construction schedule and equipment inventory, using exhaust PM_{10} construction emissions to represent DPM emissions. Construction-related DPM emissions are expected to primarily occur as a function of heavy-duty equipment that would operate on-site during the construction phase. Additional DPM emissions would occur from the operation of construction vehicles that travel to/from the Project during construction (haul trucks, vendor trucks, and worker vehicles).

These travel link assumptions can be found in Appendix C.1 and C.2.

Construction Equipment Emission Inventory Development

The first requirement to conduct the HRA involves identifying and quantifying the sources of construction DPM emissions from the Project, also termed an emissions inventory. Each piece of equipment that emits DPM is identified in terms of its location and physical characteristics (release height, release temperature, etc.) and the chemical nature of the emissions. The predominant sources of DPM emissions resulting from the construction of the Project derive from the heavy-duty diesel trucks that travel to, from, and within the Project site each day, as well as the off-road construction equipment used during the six construction phases: demolition, site preparation, grading, building construction, paving, and architectural coating. The Project's DPM exhaust emissions were calculated using the PM₁₀ exhaust emissions calculated from CalEEMod. Table 2 shows the Project's construction schedule and Table 3, *Proposed Project Construction Equipment Inventory*, presents the Project's proposed CalEEMod default construction equipment. Table 4, *Proposed Construction Vehicle Use*, shows the proposed construction vehicle use for worker, vendor, and hauling trips. Table 5 depicts the maximum daily on-site and off-site DPM emissions during the Project's construction. Figure 4, *Locations of the Project's Construction On-Site and Off-Site DPM Emission Sources*, provides the locations of the on-site and off-site construction DPM emission sources.

Table 2: Construction Schedule

Activity	Start Date	End Date	Total Working Days
Demolition	6/1/2026	9/11/2026	75
Site Preparation	9/12/2026	9/25/2026	10
Grading	9/26/2026	10/23/2026	20
Building Construction	10/24/2026	9/10/2027	230
Paving	9/11/2027	10/8/2027	20
Architectural Coating	10/9/2027	11/12/2027	25

Source: See CalEEMod Output in Appendix A.1.

Table 3: Proposed Project Construction Equipment Inventory

Activity	Days of Construction	Equipment	Number	Hours per day	Horsepower	Load Factor
Demolition	75	Concrete/Industrial Saws	1	8	33	0.73
		Excavators	3	8	36	0.38
		Rubber Tired Dozers	2	8	367	0.4
		Crushing/proc. Equipment	1	8	200	0.6
Site Preparation	10	Rubber Tired Dozers	3	8	367	0.4
		Crawler Tractors	4	8	84	0.37
		Other Construction Equipment	1	8	82	0.42
Grading	20	Excavators	1	8	36	0.38
		Graders	1	8	148	0.41
		Rubber Tired Dozers	1	8	367	0.4
		Crawler Tractors	3	8	87	0.43
Building Construction	230	Cranes	1	8	367	0.29
		Forklifts	3	8	82	0.2
		Generator Sets	1	8	14	0.74
		Tractors/Loaders/Backhoes	3	8	84	0.37
		Welders	1	8	46	0.45
Paving	20	Pavers	2	8	81	0.42
		Paving Equipment	2	8	89	0.36
		Rollers	2	8	36	0.38
Architectural Coating	25	Air Compressors	1	8	37	0.48

Source: See CalEEMod Output in Appendix A.1.

Table 4: Proposed Construction Vehicle Use

Activity	Daily Worker Trips	Daily Vendor Trips	Total Haul Trips
Demolition	18	0	314
Site Preparation	20	0	0
Grading	15	0	269
Building Construction	82	16	0
Paving	15	0	0
Architectural Coating	16	0	0


Source: See CalEEMod Output in Appendix A.1.

Table 5: Project On-Site and Off-Site Construction Source DPM Daily Emissions

Activity	Working Days	On-Site	Off-Site	Total
		Maximum Daily DPM Emissions (pounds/day)	Maximum Daily DPM Emissions (pounds/day)	Maximum Daily Construction Emissions (pounds/day)
2026				
Demolition	75	0.91	0.28	
Site Preparation	10	1.86	<0.01	
Grading	20	1.04	0.24	
Building Construction	94	0.41	<0.01	
Maximum Daily Construction Emissions 2026		1.86	0.28	
2027				
Building Construction	136	0.36	<0.01	
Paving	20	0.30	<0.01	
Architectural Coating	25	0.03	<0.01	
Maximum Daily Construction Emissions 2027		0.36	<0.01	0.37
2026-2027 Maximum Daily Construction Emissions (pounds/day)				2.14

Source: See Data Attachment in Appendix C.1.

Figure 4: Locations of the Project's Construction On-Site and Off-Site DPM Emission Sources



Atmospheric Dispersion Methodology

Atmospheric dispersion modeling is the mathematical simulation of how air pollutants disperse in the ambient atmosphere. The modeling is performed with computer programs that solve algorithms simulating the movement and dispersion of air pollutants. The air dispersion model uses emissions from various emission sources and meteorological data such as wind speed and direction, air temperature, and atmospheric mixing rates to estimate the air pollutant impacts at various geographic locations (referred to as receptor locations).

Tables 6 and 7 provide the general assumptions applied in the AERMOD model (Version 23132). The AERMOD output sheets can be found in Appendix B for construction, respectively.

Table 6: General Modeling Assumptions

Feature	Assumption
Terrain Processing	Complex terrain; elevations were obtained for the Project site using the EPA AERMAP terrain data pre-processor Version 18081; Data Set: USGS_NED_13_n34w118.tif.
Land Use	Urban – Based on land use patterns surrounding the Project site.
Meteorological Data	The John Wayne International Airport National Weather Service (NWS) Station was used for the years of 2012-2016 as representative of meteorological conditions on the Project site.
Receptor Locations	A uniform network grid was used to include all existing residences and worker locations surrounding the Project site. Additional receptors were located at nearby residences and the nearby hospital. Receptors were placed at ground level.
Population	Orange County: ~3.136 million

Source: See Data Attachment in Appendix B.1.

Table 7: Summary of Construction Emissions Source Configuration

Emission Source Type	Geometric Configuration	Relevant Assumptions
Construction Sources	Polygon Area Source	<ul style="list-style-type: none"> • Size of the construction area source was the size of the Project area to be constructed (8.54 acres, 34,560 m²). • Construction equipment emission source release height – 5 meters. • Emissions generated from the CalEEMod model. • Construction operation: Assumed 8 hours per day, 5 days a week.
On-Site and Off-Site Construction Vehicle Traffic	Line Area Source	<ul style="list-style-type: none"> • Line source release height of 3.11 meters (10.2 feet) with a plume height of 6.2 meters (20.4 feet) (from EPA Haul Roads Calculator). • Equipment/Vehicle types: see Table 3, <i>Proposed Project Construction Equipment Inventory</i>. • The assumed off-site routes used are as follows: <ul style="list-style-type: none"> ○ Off-Site 1: Project Site to/from 17th Avenue Junction. 100% ○ Off-Site 2: 17th Avenue Junction to/from State Route 55 (SR-55) Northbound Ramp. 50% ○ Off-Site 3: 17th Avenue Junction to/from SR-55 Southbound 55. 50% • Construction operation: Assumed 8 hours per day, 5 days a week.


Source: See Data Attachment in Appendix B.1 and C.1.

2.7 Receptors

The SCAQMD defines a sensitive receptor as any residence, including private homes, condominiums, apartments, and living quarters, schools, preschools, daycare centers, and health facilities such as hospitals or retirement and nursing homes. A sensitive receptor includes long-term care hospitals, hospices, prisons, and dormitories, or similar live-in housing. For the purpose of this HRA, sensitive receptors were placed within the air dispersion model at the locations of the closest existing residences and other establishments or residences nearest to the Project site that qualify as sensitive receptors. Receptor points were placed on existing residences, schools, healthcare facilities along the Project’s travel routes, as well as the closest worker receptors to the Project’s boundary. In addition, a uniform grid network of receptors was placed over the Project site to complete the receptor network. These receptors were used to evaluate the health risk during the Project’s construction, including on-site source emissions and along the off-site Project routes. The closest receptors to the Project site and the Project’s on-site and off-site travel links approximate the maximum DPM emissions from the construction of the Project and thus yield the highest cancer risk values. The nearest sensitive receptors to the Project site consist of a residential home located approximately 1.52 meters (5 feet) south of the Project site, with additional residential homes located approximately 6.79 meters (22.28 feet) south of the Project’s southern boundary. However, the most impacted sensitive receptor for this analysis was determined to be a different residence, about 5.24 meters (17 feet) east of the Project boundary. The nearest worker receptor was determined to be 37.1 meters (122 feet) west of the Project boundary line, at

a commercial shopping center on the corner of Baseline Avenue and Sultana Avenue. Figure 5, *Locations of Air Dispersion Model Receptors*, shows the receptor locations included in the HRA and highlights the closest and maximum impacted receptors.

Figure 5: Locations of Air Dispersion Model Receptors



3.RESULTS OF THE HEALTH RISK ASSESSMENT

3.1 Project-Level Risk Results

Tables 8 presents a summary of the cancer risks resulting from the Project's construction DPM emissions, along with the SCAQMD health risk significance thresholds. As shown in Tables 8, the estimated maximum cancer risk for construction is 17.75 in one million for sensitive/residential receptors. The estimated maximum cancer risk for worker receptors during construction is 0.19 in one million. In addition, the Project's maximum estimated construction results for non-cancer health risk are 0.03, for the maximum impacted sensitive receptor, which is below the significance threshold of 1.0.

The Project would have a less-than-significant result related to non-cancer health risks. However, the estimated maximum construction cancer risk would exceed the 10 in one million threshold. Mitigation would be implemented to reduce this impact as discussed in Section 3.2, *Project Mitigation*. Figure 6, *Construction Model Output*, displays the total emission contour output for the Project's construction model.


Table 8: Summary of Proposed Project Construction Health Risk

Receptor	Cancer Risk (per million)		Exceeds Significance Threshold?
	Maximum Lifetime Proposed Project Risk	Significance Threshold	
Maximum Impacted Sensitive Receptor – Infant to Adult (30 years)	17.75	10	Yes
Maximum Impacted Sensitive Receptor – Adult	0.50	10	No
Maximum Impacted Worker Receptor	0.19	10	No
Receptor	Chronic Non-Cancer Hazard Index		Exceeds Significance Threshold?
	Maximum Lifetime Proposed Project Risk	Significance Threshold	
Maximum Impacted Sensitive Receptor – Infant to Adult (30 years)	0.03	1.0	No
Maximum Impacted Sensitive Receptor – Adult	0.03	1.0	No
Maximum Impacted Worker Receptor	0.01	1.0	No

Source: See Data Attachment in Appendix D.1.

The SCAB has a nonattainment status, meaning the SCAB does not meet national air quality standards for certain criteria pollutants. Project-specific thresholds were established at levels intended to reduce cumulative health risk impacts. Therefore, project-specific thresholds are the same as cumulative thresholds. Since the Project would not exceed project-level thresholds, it would also have a less-than-significant cumulative for cancer and non-cancer health risks.

Figure 6: Construction Model Output



3.2 Project Mitigation

Per SCAG's 4.0 Mitigation Measure (MM) AQ-1, projects are required to utilize Tier 4 Final or superior equipment for engines exceeding 100 horsepower (hp) (South Coast Association of Governments (SCAG), 2020).If construction equipment cannot meet Tier 4 Final engine certification standards, the Project representative or contractor must provide a future study with written findings, backed by substantial evidence, for approval by SCAG before resorting to alternative technologies or strategies. Potential alternative strategies may encompass the use of Tier 4 Interim equipment, reducing the number and/or horsepower rating of construction equipment, or limiting simultaneous equipment operation. All equipment must undergo tuning and adhere to the manufacturer's recommended maintenance schedule and specifications. Maintenance records for each piece of equipment, along with those of their contractors, must be available for inspection and kept on-site for a minimum of two years following construction completion. An exception to this requirement may be considered if a project can demonstrate that Tier 4 engines are unnecessary to reduce emissions below significance thresholds. Since the cancer risk and non-cancer HI for the unmitigated operational results are below the SCAQMD significance threshold, these calculations were intentionally omitted as they are compliant without mitigation.

The updated cancer risk for the construction and combined construction and operation impacts with the implementation of Tier 4 mitigation measures was calculated and is shown in Table 9. As noted in Table 9, the proposed Project's mitigated construction maximum cancer risk results are 9.13 in one million, below the utilized SCAQMD threshold of 10 in one million for the proposed Project. Thus, the impact would be less than significant with the implementation of MM AQ-1.

The Project's chronic non-cancer risk, adult cancer risk, and worker cancer risk results are below the significance threshold. However, with the implementation of MM AQ-1, the HI and cancer risk would decrease and continue to have a less-than-significant impact. Figure 7, *Mitigated Construction Model Output*, displays the total emission contour output for the Project's mitigated construction model.

Table 9: Summary of Proposed Project Construction Cancer Risk: Mitigated


Receptor	Cancer Risk (per million)		Exceeds Significance Threshold?
	Maximum Lifetime Proposed Project Risk	Significance Threshold	
Maximum Impacted Sensitive Receptor – Infant to Adult	9.13	10	No

Note: Modeling and calculations of Table 9 utilizes mitigation measures, which requires and makes use of AQ-1 Tier 4 equipment for engines 100 horsepower and higher.

Note: Any results from the unmitigated construction risk that complied with the 10 in one million significance threshold or HI<1.0 were omitted from the mitigated tables as the results had a less than significant impact, it should be noted that these health risk results would be further reduced with the implementation of mitigation.

Source: See Data Attachment in Appendix D.2

Figure 7: Mitigated Construction Model Output



4.CONCLUSION

The Project's estimated maximum construction DPM emissions would exceed the lifetime cancer risk threshold of 10 in one million at the maximum impacted sensitive receptor, resulting in a significant construction health risk impact. However, the Project's maximum impacted worker receptor cancer risk and the Project's non-cancer HI would not exceed the non-cancer health risk significance threshold of 1.0. The Project's maximum construction health risks are summarized below.

Maximum Project Construction Unmitigated Health Risk Results:

- Sensitive/residential receptor for the lifetime exposure duration: 17.75 in one million
- Worker receptor: 0.19 in one million
- Sensitive receptor chronic non-cancer HI: 0.03
- Worker receptor chronic non-cancer HI: 0.01

To mitigate the significant construction health risk impact, the following mitigation measure is proposed:

MM AQ-1: Tier 4 Construction Equipment: The proposed Project shall utilize Tier 4 Final or superior equipment for engines exceeding 100 horsepower (hp). If construction equipment cannot meet Tier 4 Final engine certification standards, the Project representative or contractor must provide a future study with written findings, backed by substantial evidence, for approval by the City of Tustin before resorting to alternative technologies or strategies. Potential alternative strategies may encompass the use of Tier 4 Interim equipment, reducing the number and/or horsepower rating of construction equipment, or limiting simultaneous equipment operation. All equipment must undergo tuning and adhere to the manufacturer's recommended maintenance schedule and specifications. Maintenance records for each piece of equipment, along with those of their contractors, must be available for inspection and kept on-site for a minimum of two years following construction completion.

The mitigated cancer risk results with the implementation of MM AQ-1 are presented below. As the Project's chronic non-cancer risk, adult cancer risk, and worker cancer risk results are below the significance threshold, these calculations are not presented below; however, with the implementation of MM AQ-1, the HI and cancer risk would decrease and continue to have a less-than-significant impact.

Project Construction Mitigated Health Risk Results:

- Sensitive/residential receptor for the lifetime exposure duration: 9.13 in one million.

Therefore, the construction of the proposed Project would result in a less than significant project-level result with the implementation of MM AQ-1: Tier 4 Construction Equipment.

5. REFERENCES

- South Coast Association of Governments (SCAG). (2020). *Connect SoCal PEIR Addendum*. Retrieved from https://scag.ca.gov/sites/main/files/file-attachments/fpeir_connectsocial_addendum_4_mitigationmeasures.pdf?1606004420
- California Air Resources Board. (2017). *Study Links California Regulations, Dramatic Declines in Cancer Risk from Exposure to Air Toxics*. Retrieved from <https://ww2.arb.ca.gov/news/study-links-california-regulations-dramatic-declines-cancer-risk-exposure-air-toxics>
- California Health and Safety Code. (n.d.). *Section 44306 Chapter 1252. (1987) AB 2588*.
- California Office of Environmental Health Hazards Assessment. (2015). *Risk Assessment Guidelines, Guidance Manual for Preparation of Health Risk Assessments. Page 8-6*.
- California Office of Environmental Health Hazards Assessment. (2015). *Risk Assessment Guidelines, Guidance Manual for Preparation of Health Risk Assessments*. Retrieved from Air Toxics Hot Spots Program : <https://oehha.ca.gov/media/downloads/cnr/2015guidancemanual.pdf>
- South Coast Air Quality Management District . (2019). *CEQA Comment Letter, Mitigated Negative Declaration (MND) for the Proposed Alder II Warehouse Project*. . Retrieved from <http://www.aqmd.gov/docs/default-source/ceqa/comment-letters/2019/january/SBC181221-08.pdf?sfvrsn=8>.
- South Coast Air Quality Management District. (2003). *White Paper on Potential Control Strategies to Address Cumulative Impacts from Air Pollution*.
- South Coast Air Quality Management District. (2017). Retrieved from Risk Assessment Procedures for Rules 1401, 1401.1, 1402, and 212, Version 8.1.
- South Coast Air Quality Management District. (2021). *Multiple Air Toxics Exposure Study in the South Coast Air Basin (MATES-V)*. . Retrieved from <http://www.aqmd.gov/home/air-quality/air-quality-studies/health-studies/mates-v>

APPENDIX A.1 – CALEEMOD OUTPUT FOR PROJECT CONSTRUCTION

25-011 Proposed Cypress Grove Project PM10E Detailed Report

Table of Contents

1. Basic Project Information
 - 1.1. Basic Project Information
 - 1.2. Land Use Types
 - 1.3. User-Selected Emission Reduction Measures by Emissions Sector
2. Emissions Summary
 - 2.1. Construction Emissions Compared Against Thresholds
 - 2.2. Construction Emissions by Year, Unmitigated
 - 2.4. Operations Emissions Compared Against Thresholds
 - 2.5. Operations Emissions by Sector, Unmitigated
3. Construction Emissions Details
 - 3.1. Demolition (2026) - Unmitigated
 - 3.3. Site Preparation (2026) - Unmitigated
 - 3.5. Grading (2026) - Unmitigated
 - 3.7. Building Construction (2026) - Unmitigated
 - 3.9. Building Construction (2027) - Unmitigated

3.11. Paving (2027) - Unmitigated

3.13. Architectural Coating (2027) - Unmitigated

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

4.3. Area Emissions by Source

4.3.1. Unmitigated

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

5. Activity Data

5.1. Construction Schedule

5.2. Off-Road Equipment

5.2.1. Unmitigated

5.3. Construction Vehicles

5.3.1. Unmitigated

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

5.5. Architectural Coatings

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

5.6.2. Construction Earthmoving Control Strategies

5.7. Construction Paving

5.8. Construction Electricity Consumption and Emissions Factors

5.9. Operational Mobile Sources

5.9.1. Unmitigated

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.2. Architectural Coatings

5.10.3. Landscape Equipment

5.11. Operational Energy Consumption

5.11.1. Unmitigated

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

5.13. Operational Waste Generation

5.13.1. Unmitigated

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

5.16.2. Process Boilers

5.17. User Defined

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

5.18.2. Sequestration

5.18.2.1. Unmitigated

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

6.2. Initial Climate Risk Scores

6.3. Adjusted Climate Risk Scores

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

7.6. Health & Equity Custom Measures

8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	25-011 Proposed Cypress Grove Project PM10E
Construction Start Date	6/1/2026
Operational Year	2027
Lead Agency	City of Tustin
Land Use Scale	Project/site
Analysis Level for Defaults	County
Windspeed (m/s)	2.50
Precipitation (days)	2.20
Location	33.758903885169794, -117.82133906390618
County	Orange
City	Tustin
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	5969
EDFZ	7
Electric Utility	Southern California Edison
Gas Utility	Southern California Gas
App Version	2022.1.1.29

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
Single Family Housing	62.0	Dwelling Unit	3.56	108,732	46,131	—	185	—

Condo/Townhouse	83.0	Dwelling Unit	1.76	159,696	0.00	—	247	—
Other Asphalt Surfaces	2.86	Acre	2.86	0.00	0.00	—	—	—
Parking Lot	40.0	Space	0.36	0.00	0.00	—	—	—

1.3. User-Selected Emission Reduction Measures by Emissions Sector

No measures selected

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Daily, Summer (Max)	—	—	—	—	—	—
Unmit.	41.1	34.2	1.86	10.4	4.46	22,701
Daily, Winter (Max)	—	—	—	—	—	—
Unmit.	41.9	29.6	1.28	8.62	3.54	22,661
Average Daily (Max)	—	—	—	—	—	—
Unmit.	11.3	10.0	0.37	3.04	0.95	4,587
Annual (Max)	—	—	—	—	—	—
Unmit.	2.07	1.83	0.07	0.55	0.17	759
Exceeds (Daily Max)	—	—	—	—	—	—
Threshold	100	550	—	150	55.0	—
Unmit.	No	No	—	No	No	—
Exceeds (Average Daily)	—	—	—	—	—	—
Threshold	100	550	—	150	55.0	—
Unmit.	No	No	—	No	No	—

2.2. Construction Emissions by Year, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Year	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Daily - Summer (Max)	—	—	—	—	—	—
2026	41.1	34.2	1.86	10.4	4.46	22,701
2027	10.9	18.3	0.37	1.57	0.63	4,203
Daily - Winter (Max)	—	—	—	—	—	—
2026	41.9	29.6	1.28	8.62	3.54	22,661
2027	10.9	17.8	0.37	1.57	0.63	4,148
Average Daily	—	—	—	—	—	—
2026	11.3	10.0	0.37	3.04	0.95	4,587
2027	5.89	9.60	0.20	0.82	0.33	2,181
Annual	—	—	—	—	—	—
2026	2.07	1.83	0.07	0.55	0.17	759
2027	1.07	1.75	0.04	0.15	0.06	361

2.4. Operations Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Daily, Summer (Max)	—	—	—	—	—	—
Unmit.	3.63	36.4	0.15	7.09	1.91	9,993
Daily, Winter (Max)	—	—	—	—	—	—
Unmit.	3.76	26.3	0.14	7.09	1.90	9,671
Average Daily (Max)	—	—	—	—	—	—
Unmit.	3.62	30.8	0.14	6.64	1.78	9,315
Annual (Max)	—	—	—	—	—	—
Unmit.	0.66	5.63	0.02	1.21	0.33	1,542

Exceeds (Daily Max)	—	—	—	—	—	—
Threshold	55.0	550	—	150	55.0	—
Unmit.	No	No	—	No	No	—
Exceeds (Average Daily)	—	—	—	—	—	—
Threshold	55.0	550	—	150	55.0	—
Unmit.	No	No	—	No	No	—
Exceeds (Annual)	—	—	—	—	—	—
Threshold	—	—	—	—	—	3,000
Unmit.	—	—	—	—	—	No

2.5. Operations Emissions by Sector, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Daily, Summer (Max)	—	—	—	—	—	—
Mobile	2.36	27.6	0.04	6.99	1.80	7,479
Area	0.08	8.23	< 0.005	< 0.005	< 0.005	22.1
Energy	1.10	0.47	0.09	0.09	0.09	2,189
Water	—	—	—	—	—	83.8
Waste	—	—	—	—	—	208
Refrig.	—	—	—	—	—	1.92
Stationary	0.09	0.10	0.01	0.01	0.01	8.42
Total	3.63	36.4	0.15	7.09	1.91	9,993
Daily, Winter (Max)	—	—	—	—	—	—
Mobile	2.57	25.7	0.04	6.99	1.80	7,179
Area	0.00	0.00	0.00	0.00	0.00	0.00
Energy	1.10	0.47	0.09	0.09	0.09	2,189
Water	—	—	—	—	—	83.8
Waste	—	—	—	—	—	208

Refrig.	—	—	—	—	—	1.92
Stationary	0.09	0.10	0.01	0.01	0.01	8.42
Total	3.76	26.3	0.14	7.09	1.90	9,671
Average Daily	—	—	—	—	—	—
Mobile	2.43	24.7	0.04	6.55	1.69	6,814
Area	0.05	5.64	< 0.005	< 0.005	< 0.005	15.1
Energy	1.10	0.47	0.09	0.09	0.09	2,189
Water	—	—	—	—	—	83.8
Waste	—	—	—	—	—	208
Refrig.	—	—	—	—	—	1.92
Stationary	0.03	0.03	< 0.005	< 0.005	< 0.005	2.88
Total	3.62	30.8	0.14	6.64	1.78	9,315
Annual	—	—	—	—	—	—
Mobile	0.44	4.51	0.01	1.19	0.31	1,128
Area	0.01	1.03	< 0.005	< 0.005	< 0.005	2.50
Energy	0.20	0.09	0.02	0.02	0.02	362
Water	—	—	—	—	—	13.9
Waste	—	—	—	—	—	34.5
Refrig.	—	—	—	—	—	0.32
Stationary	0.01	0.01	< 0.005	< 0.005	< 0.005	0.48
Total	0.66	5.63	0.02	1.21	0.33	1,542

3. Construction Emissions Details

3.1. Demolition (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Onsite	—	—	—	—	—	—

Daily, Summer (Max)	—	—	—	—	—	—
Off-Road Equipment	20.7	19.0	0.84	0.84	0.78	3,438
Demolition	—	—	—	6.95	1.05	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—
Off-Road Equipment	4.24	3.91	0.17	0.17	0.16	707
Demolition	—	—	—	1.43	0.22	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—
Off-Road Equipment	0.77	0.71	0.03	0.03	0.03	117
Demolition	—	—	—	0.26	0.04	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—
Worker	0.05	0.92	0.00	0.23	0.05	231
Vendor	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	10.3	4.55	0.11	2.39	0.75	9,052
Daily, Winter (Max)	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—
Worker	0.01	0.17	0.00	0.05	0.01	45.8
Vendor	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	2.21	0.94	0.02	0.49	0.15	1,858
Annual	—	—	—	—	—	—
Worker	< 0.005	0.03	0.00	0.01	< 0.005	7.58
Vendor	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.40	0.17	< 0.005	0.09	0.03	308

3.3. Site Preparation (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Onsite	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—
Off-Road Equipment	36.3	33.1	1.86	1.86	1.71	5,872
Dust From Material Movement	—	—	—	5.66	2.69	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—
Off-Road Equipment	0.99	0.91	0.05	0.05	0.05	161
Dust From Material Movement	—	—	—	0.16	0.07	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—
Off-Road Equipment	0.18	0.17	0.01	0.01	0.01	26.6
Dust From Material Movement	—	—	—	0.03	0.01	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—
Worker	0.06	1.05	0.00	0.26	0.06	264
Vendor	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—
Worker	< 0.005	0.03	0.00	0.01	< 0.005	6.97
Vendor	0.00	0.00	0.00	0.00	0.00	0.00

Hauling	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—
Worker	< 0.005	< 0.005	0.00	< 0.005	< 0.005	1.15
Vendor	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00

3.5. Grading (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Onsite	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—
Off-Road Equipment	19.1	19.1	1.04	1.04	0.96	3,146
Dust From Material Movement	—	—	—	2.28	0.94	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—
Off-Road Equipment	19.1	19.1	1.04	1.04	0.96	3,146
Dust From Material Movement	—	—	—	2.28	0.94	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—
Off-Road Equipment	1.04	1.05	0.06	0.06	0.05	172
Dust From Material Movement	—	—	—	0.13	0.05	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—
Off-Road Equipment	0.19	0.19	0.01	0.01	0.01	28.5
Dust From Material Movement	—	—	—	0.02	0.01	—

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—
Worker	0.05	0.79	0.00	0.20	0.05	198
Vendor	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	22.0	9.73	0.24	5.10	1.60	19,358
Daily, Winter (Max)	—	—	—	—	—	—
Worker	0.05	0.68	0.00	0.20	0.05	188
Vendor	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	22.8	9.81	0.24	5.10	1.60	19,328
Average Daily	—	—	—	—	—	—
Worker	< 0.005	0.04	0.00	0.01	< 0.005	10.5
Vendor	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	1.26	0.54	0.01	0.28	0.09	1,060
Annual	—	—	—	—	—	—
Worker	< 0.005	0.01	0.00	< 0.005	< 0.005	1.73
Vendor	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.23	0.10	< 0.005	0.05	0.02	175

3.7. Building Construction (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Onsite	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—
Off-Road Equipment	10.7	14.1	0.41	0.41	0.38	2,639
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—

Off-Road Equipment	1.44	1.90	0.06	0.06	0.05	356
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—
Off-Road Equipment	0.26	0.35	0.01	0.01	0.01	59.0
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—
Worker	0.29	3.73	0.00	1.07	0.25	1,029
Vendor	0.52	0.25	< 0.005	0.14	0.04	507
Hauling	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—
Worker	0.04	0.52	0.00	0.14	0.03	141
Vendor	0.07	0.03	< 0.005	0.02	0.01	68.6
Hauling	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—
Worker	0.01	0.10	0.00	0.03	0.01	23.4
Vendor	0.01	0.01	< 0.005	< 0.005	< 0.005	11.4
Hauling	0.00	0.00	0.00	0.00	0.00	0.00

3.9. Building Construction (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Onsite	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—
Off-Road Equipment	10.2	14.0	0.36	0.36	0.34	2,639
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—

Off-Road Equipment	10.2	14.0	0.36	0.36	0.34	2,639
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—
Off-Road Equipment	5.04	6.95	0.18	0.18	0.17	1,306
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—
Off-Road Equipment	0.92	1.27	0.03	0.03	0.03	216
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—
Worker	0.25	4.06	0.00	1.07	0.25	1,066
Vendor	0.48	0.24	< 0.005	0.14	0.04	498
Hauling	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—
Worker	0.25	3.49	0.00	1.07	0.25	1,012
Vendor	0.50	0.24	< 0.005	0.14	0.04	497
Hauling	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—
Worker	0.14	1.80	0.00	0.53	0.12	509
Vendor	0.25	0.12	< 0.005	0.07	0.02	246
Hauling	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—
Worker	0.03	0.33	0.00	0.10	0.02	84.2
Vendor	0.05	0.02	< 0.005	0.01	< 0.005	40.8
Hauling	0.00	0.00	0.00	0.00	0.00	0.00

3.11. Paving (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Onsite	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—
Off-Road Equipment	6.94	9.95	0.30	0.30	0.27	1,516
Paving	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—
Off-Road Equipment	6.94	9.95	0.30	0.30	0.27	1,516
Paving	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—
Off-Road Equipment	0.38	0.55	0.02	0.02	0.02	83.1
Paving	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—
Off-Road Equipment	0.07	0.10	< 0.005	< 0.005	< 0.005	13.8
Paving	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—
Worker	0.04	0.74	0.00	0.20	0.05	195
Vendor	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—
Worker	0.05	0.64	0.00	0.20	0.05	185
Vendor	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—

Worker	< 0.005	0.04	0.00	0.01	< 0.005	10.3
Vendor	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—
Worker	< 0.005	0.01	0.00	< 0.005	< 0.005	1.70
Vendor	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00

3.13. Architectural Coating (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Onsite	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—
Off-Road Equipment	1.11	1.50	0.03	0.03	0.02	179
Architectural Coatings	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—
Off-Road Equipment	0.08	0.10	< 0.005	< 0.005	< 0.005	12.2
Architectural Coatings	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—
Off-Road Equipment	0.01	0.02	< 0.005	< 0.005	< 0.005	2.03
Architectural Coatings	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—

Worker	0.05	0.70	0.00	0.21	0.05	202
Vendor	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—
Worker	< 0.005	0.05	0.00	0.01	< 0.005	14.1
Vendor	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—
Worker	< 0.005	0.01	0.00	< 0.005	< 0.005	2.33
Vendor	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Daily, Summer (Max)	—	—	—	—	—	—
Single Family Housing	1.21	14.1	0.02	3.58	0.92	3,832
Condo/Townhouse	1.15	13.4	0.02	3.41	0.88	3,647
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00
Total	2.36	27.6	0.04	6.99	1.80	7,479
Daily, Winter (Max)	—	—	—	—	—	—
Single Family Housing	1.31	13.2	0.02	3.58	0.92	3,678
Condo/Townhouse	1.25	12.5	0.02	3.41	0.88	3,501

Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00
Total	2.57	25.7	0.04	6.99	1.80	7,179
Annual	—	—	—	—	—	—
Single Family Housing	0.24	2.42	< 0.005	0.64	0.17	605
Condo/Townhouse	0.21	2.09	< 0.005	0.55	0.14	523
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00
Total	0.44	4.51	0.01	1.19	0.31	1,128

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Daily, Summer (Max)	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	408
Condo/Townhouse	—	—	—	—	—	364
Other Asphalt Surfaces	—	—	—	—	—	0.00
Parking Lot	—	—	—	—	—	13.1
Total	—	—	—	—	—	785
Daily, Winter (Max)	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	408
Condo/Townhouse	—	—	—	—	—	364
Other Asphalt Surfaces	—	—	—	—	—	0.00
Parking Lot	—	—	—	—	—	13.1
Total	—	—	—	—	—	785
Annual	—	—	—	—	—	—

Single Family Housing	—	—	—	—	—	67.5
Condo/Townhouse	—	—	—	—	—	60.2
Other Asphalt Surfaces	—	—	—	—	—	0.00
Parking Lot	—	—	—	—	—	2.17
Total	—	—	—	—	—	130

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Daily, Summer (Max)	—	—	—	—	—	—
Single Family Housing	0.60	0.26	0.05	0.05	0.05	764
Condo/Townhouse	0.50	0.21	0.04	0.04	0.04	641
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00
Total	1.10	0.47	0.09	0.09	0.09	1,405
Daily, Winter (Max)	—	—	—	—	—	—
Single Family Housing	0.60	0.26	0.05	0.05	0.05	764
Condo/Townhouse	0.50	0.21	0.04	0.04	0.04	641
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00
Total	1.10	0.47	0.09	0.09	0.09	1,405
Annual	—	—	—	—	—	—
Single Family Housing	0.11	0.05	0.01	0.01	0.01	126
Condo/Townhouse	0.09	0.04	0.01	0.01	0.01	106
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00
Total	0.20	0.09	0.02	0.02	0.02	233

4.3. Area Emissions by Source

4.3.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Daily, Summer (Max)	—	—	—	—	—	—
Hearths	0.00	0.00	0.00	0.00	0.00	0.00
Consumer Products	—	—	—	—	—	—
Architectural Coatings	—	—	—	—	—	—
Landscape Equipment	0.08	8.23	< 0.005	< 0.005	< 0.005	22.1
Total	0.08	8.23	< 0.005	< 0.005	< 0.005	22.1
Daily, Winter (Max)	—	—	—	—	—	—
Hearths	0.00	0.00	0.00	0.00	0.00	0.00
Consumer Products	—	—	—	—	—	—
Architectural Coatings	—	—	—	—	—	—
Total	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—
Hearths	0.00	0.00	0.00	0.00	0.00	0.00
Consumer Products	—	—	—	—	—	—
Architectural Coatings	—	—	—	—	—	—
Landscape Equipment	0.01	1.03	< 0.005	< 0.005	< 0.005	2.50
Total	0.01	1.03	< 0.005	< 0.005	< 0.005	2.50

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
----------	-----	----	-------	-------	--------	------

Daily, Summer (Max)	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	37.9
Condo/Townhouse	—	—	—	—	—	45.8
Other Asphalt Surfaces	—	—	—	—	—	0.00
Parking Lot	—	—	—	—	—	0.00
Total	—	—	—	—	—	83.8
Daily, Winter (Max)	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	37.9
Condo/Townhouse	—	—	—	—	—	45.8
Other Asphalt Surfaces	—	—	—	—	—	0.00
Parking Lot	—	—	—	—	—	0.00
Total	—	—	—	—	—	83.8
Annual	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	6.28
Condo/Townhouse	—	—	—	—	—	7.59
Other Asphalt Surfaces	—	—	—	—	—	0.00
Parking Lot	—	—	—	—	—	0.00
Total	—	—	—	—	—	13.9

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Daily, Summer (Max)	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	92.5
Condo/Townhouse	—	—	—	—	—	116
Other Asphalt Surfaces	—	—	—	—	—	0.00

Parking Lot	—	—	—	—	—	0.00
Total	—	—	—	—	—	208
Daily, Winter (Max)	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	92.5
Condo/Townhouse	—	—	—	—	—	116
Other Asphalt Surfaces	—	—	—	—	—	0.00
Parking Lot	—	—	—	—	—	0.00
Total	—	—	—	—	—	208
Annual	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	15.3
Condo/Townhouse	—	—	—	—	—	19.1
Other Asphalt Surfaces	—	—	—	—	—	0.00
Parking Lot	—	—	—	—	—	0.00
Total	—	—	—	—	—	34.5

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Daily, Summer (Max)	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	0.78
Condo/Townhouse	—	—	—	—	—	1.14
Total	—	—	—	—	—	1.92
Daily, Winter (Max)	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	0.78
Condo/Townhouse	—	—	—	—	—	1.14
Total	—	—	—	—	—	1.92

Annual	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	0.13
Condo/Townhouse	—	—	—	—	—	0.19
Total	—	—	—	—	—	0.32

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Daily, Summer (Max)	—	—	—	—	—	—
Total	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—
Total	—	—	—	—	—	—
Annual	—	—	—	—	—	—
Total	—	—	—	—	—	—

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Daily, Summer (Max)	—	—	—	—	—	—
Emergency Generator	0.04	0.05	< 0.005	< 0.005	< 0.005	4.21
Fire Pump	0.04	0.05	< 0.005	< 0.005	< 0.005	4.21
Total	0.09	0.10	0.01	0.01	0.01	8.42
Daily, Winter (Max)	—	—	—	—	—	—
Emergency Generator	0.04	0.05	< 0.005	< 0.005	< 0.005	4.21

Fire Pump	0.04	0.05	< 0.005	< 0.005	< 0.005	4.21
Total	0.09	0.10	0.01	0.01	0.01	8.42
Annual	—	—	—	—	—	—
Emergency Generator	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.38
Fire Pump	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.10
Total	0.01	0.01	< 0.005	< 0.005	< 0.005	0.48

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Daily, Summer (Max)	—	—	—	—	—	—
Total	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—
Total	—	—	—	—	—	—
Annual	—	—	—	—	—	—
Total	—	—	—	—	—	—

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Daily, Summer (Max)	—	—	—	—	—	—
Total	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—
Total	—	—	—	—	—	—

Annual	—	—	—	—	—	—
Total	—	—	—	—	—	—

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Daily, Summer (Max)	—	—	—	—	—	—
Total	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—
Total	—	—	—	—	—	—
Annual	—	—	—	—	—	—
Total	—	—	—	—	—	—

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Daily, Summer (Max)	—	—	—	—	—	—
Avoided	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—
Removed	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—
—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—
Avoided	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—

Subtotal	—	—	—	—	—	—
Removed	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—
—	—	—	—	—	—	—
Annual	—	—	—	—	—	—
Avoided	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—
Removed	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—
—	—	—	—	—	—	—

5. Activity Data

5.1. Construction Schedule

Phase Name	Phase Type	Start Date	End Date	Days Per Week	Work Days per Phase	Phase Description
Demolition	Demolition	6/1/2026	9/11/2026	5.00	75.0	—
Site Preparation	Site Preparation	9/12/2026	9/25/2026	5.00	10.0	—
Grading	Grading	9/26/2026	10/23/2026	5.00	20.0	—
Building Construction	Building Construction	10/24/2026	9/10/2027	5.00	230	—
Paving	Paving	9/11/2027	10/8/2027	5.00	20.0	—
Architectural Coating	Architectural Coating	10/9/2027	11/12/2027	5.00	25.0	—

5.2. Off-Road Equipment

5.2.1. Unmitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
------------	----------------	-----------	-------------	----------------	---------------	------------	-------------

Demolition	Rubber Tired Dozers	Diesel	Average	2.00	8.00	367	0.40
Demolition	Excavators	Diesel	Average	3.00	8.00	36.0	0.38
Demolition	Concrete/Industrial Saws	Diesel	Average	1.00	8.00	33.0	0.73
Demolition	Crushing/Proc. Equipment	Diesel	Average	1.00	8.00	200	0.60
Site Preparation	Rubber Tired Dozers	Diesel	Average	3.00	8.00	367	0.40
Site Preparation	Tractors/Loaders/Back hoes	Diesel	Average	0.00	8.00	84.0	0.37
Site Preparation	Crawler Tractors	Diesel	Average	4.00	8.00	87.0	0.43
Site Preparation	Other Construction Equipment	Diesel	Average	1.00	8.00	82.0	0.42
Grading	Graders	Diesel	Average	1.00	8.00	148	0.41
Grading	Excavators	Diesel	Average	1.00	8.00	36.0	0.38
Grading	Tractors/Loaders/Back hoes	Diesel	Average	0.00	8.00	84.0	0.37
Grading	Rubber Tired Dozers	Diesel	Average	1.00	8.00	367	0.40
Grading	Crawler Tractors	Diesel	Average	3.00	8.00	87.0	0.43
Building Construction	Forklifts	Diesel	Average	3.00	8.00	82.0	0.20
Building Construction	Generator Sets	Diesel	Average	1.00	8.00	14.0	0.74
Building Construction	Cranes	Diesel	Average	1.00	8.00	367	0.29
Building Construction	Welders	Diesel	Average	1.00	8.00	46.0	0.45
Building Construction	Tractors/Loaders/Back hoes	Diesel	Average	3.00	8.00	84.0	0.37
Paving	Pavers	Diesel	Average	2.00	8.00	81.0	0.42
Paving	Paving Equipment	Diesel	Average	2.00	8.00	89.0	0.36
Paving	Rollers	Diesel	Average	2.00	8.00	36.0	0.38
Architectural Coating	Air Compressors	Diesel	Average	1.00	8.00	37.0	0.48

5.3. Construction Vehicles

5.3.1. Unmitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Demolition	—	—	—	—
Demolition	Worker	17.5	18.5	LDA,LDT1,LDT2
Demolition	Vendor	—	10.2	HHDT,MHDT
Demolition	Hauling	126	20.0	HHDT
Demolition	Onsite truck	—	—	HHDT
Site Preparation	—	—	—	—
Site Preparation	Worker	20.0	18.5	LDA,LDT1,LDT2
Site Preparation	Vendor	—	10.2	HHDT,MHDT
Site Preparation	Hauling	0.00	20.0	HHDT
Site Preparation	Onsite truck	—	—	HHDT
Grading	—	—	—	—
Grading	Worker	15.0	18.5	LDA,LDT1,LDT2
Grading	Vendor	—	10.2	HHDT,MHDT
Grading	Hauling	269	20.0	HHDT
Grading	Onsite truck	—	—	HHDT
Building Construction	—	—	—	—
Building Construction	Worker	82.1	18.5	LDA,LDT1,LDT2
Building Construction	Vendor	15.5	10.2	HHDT,MHDT
Building Construction	Hauling	0.00	20.0	HHDT
Building Construction	Onsite truck	—	—	HHDT
Paving	—	—	—	—
Paving	Worker	15.0	18.5	LDA,LDT1,LDT2
Paving	Vendor	—	10.2	HHDT,MHDT
Paving	Hauling	0.00	20.0	HHDT
Paving	Onsite truck	—	—	HHDT
Architectural Coating	—	—	—	—

Architectural Coating	Worker	16.4	18.5	LDA,LDT1,LDT2
Architectural Coating	Vendor	—	10.2	HHDT,MHDT
Architectural Coating	Hauling	0.00	20.0	HHDT
Architectural Coating	Onsite truck	—	—	HHDT

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

Non-applicable. No control strategies activated by user.

5.5. Architectural Coatings

Phase Name	Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
Architectural Coating	543,567	181,189	0.00	0.00	8,416

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

Phase Name	Material Imported (cy)	Material Exported (cy)	Acres Graded (acres)	Material Demolished (Ton of Debris)	Acres Paved (acres)
Demolition	0.00	0.00	0.00	37,698	—
Site Preparation	—	—	35.0	0.00	—
Grading	—	43,000	50.0	0.00	—
Paving	0.00	0.00	0.00	0.00	3.90

5.6.2. Construction Earthmoving Control Strategies

Control Strategies Applied	Frequency (per day)	PM10 Reduction	PM2.5 Reduction
Water Exposed Area	3	74%	74%
Water Demolished Area	2	36%	36%

5.7. Construction Paving

Land Use	Area Paved (acres)	% Asphalt
Single Family Housing	0.68	0%
Condo/Townhouse	—	0%
Other Asphalt Surfaces	2.86	100%
Parking Lot	0.36	100%

5.8. Construction Electricity Consumption and Emissions Factors

kWh per Year and Emission Factor (lb/MWh)

Year	kWh per Year	CO2	CH4	N2O
2027	0.00	346	0.03	< 0.005
2026	0.00	346	0.03	< 0.005

5.9. Operational Mobile Sources

5.9.1. Unmitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Single Family Housing	585	588	526	210,491	5,004	5,031	4,500	1,801,690
Condo/Townhouse	559	378	320	182,246	4,788	3,232	2,742	1,559,926
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

Hearth Type	Unmitigated (number)
Single Family Housing	—
Wood Fireplaces	0
Gas Fireplaces	0
Propane Fireplaces	0
Electric Fireplaces	0
No Fireplaces	62
Conventional Wood Stoves	0
Catalytic Wood Stoves	0
Non-Catalytic Wood Stoves	0
Pellet Wood Stoves	0
Condo/Townhouse	—
Wood Fireplaces	0
Gas Fireplaces	0
Propane Fireplaces	0
Electric Fireplaces	0
No Fireplaces	83
Conventional Wood Stoves	0
Catalytic Wood Stoves	0
Non-Catalytic Wood Stoves	0
Pellet Wood Stoves	0

5.10.2. Architectural Coatings

Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
543566.7	181,189	0.00	0.00	8,416

5.10.3. Landscape Equipment

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.11. Operational Energy Consumption

5.11.1. Unmitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Single Family Housing	427,499	346	0.0330	0.0040	2,376,791
Condo/Townhouse	381,150	346	0.0330	0.0040	1,994,520
Other Asphalt Surfaces	0.00	346	0.0330	0.0040	0.00
Parking Lot	13,737	346	0.0330	0.0040	0.00

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Single Family Housing	2,326,590	730,736
Condo/Townhouse	3,114,629	0.00
Other Asphalt Surfaces	0.00	0.00
Parking Lot	0.00	0.00

5.13. Operational Waste Generation

5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Single Family Housing	49.1	—
Condo/Townhouse	61.3	—
Other Asphalt Surfaces	0.00	—
Parking Lot	0.00	—

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
Single Family Housing	Average room A/C & Other residential A/C and heat pumps	R-410A	2,088	< 0.005	2.50	2.50	10.0
Single Family Housing	Household refrigerators and/or freezers	R-134a	1,430	0.12	0.60	0.00	1.00
Condo/Townhouse	Average room A/C & Other residential A/C and heat pumps	R-410A	2,088	< 0.005	2.50	2.50	10.0
Condo/Townhouse	Household refrigerators and/or freezers	R-134a	1,430	0.12	0.60	0.00	1.00

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
----------------	-----------	-------------	----------------	---------------	------------	-------------

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

Equipment Type	Fuel Type	Number per Day	Hours per Day	Hours per Year	Horsepower	Load Factor
Emergency Generator	Diesel	1.00	1.00	200	5.00	0.73
Fire Pump	Diesel	1.00	1.00	50.0	5.00	0.73

5.16.2. Process Boilers

Equipment Type	Fuel Type	Number	Boiler Rating (MMBtu/hr)	Daily Heat Input (MMBtu/day)	Annual Heat Input (MMBtu/yr)
----------------	-----------	--------	--------------------------	------------------------------	------------------------------

5.17. User Defined

Equipment Type	Fuel Type
----------------	-----------

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres
--------------------------	----------------------	---------------	-------------

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres
--------------------	---------------	-------------

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)
-----------	--------	------------------------------	------------------------------

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	10.5	annual days of extreme heat
Extreme Precipitation	4.00	annual days with precipitation above 20 mm
Sea Level Rise	—	meters of inundation depth
Wildfire	0.00	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about $\frac{3}{4}$ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (Radke et al., 2017, CEC-500-2017-008), and consider inundation location and depth for the San Francisco Bay, the Sacramento-San Joaquin River Delta and California coast resulting different increments of sea level rise coupled with extreme storm events. Users may select from four scenarios to view the range in potential inundation depth for the grid cell. The four scenarios are: No rise, 0.5 meter, 1.0 meter, 1.41 meters

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	1	0	0	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	0	0	N/A
Wildfire	1	0	0	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	0	0	0	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	1	1	1	2
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2
Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	1	1	1	2

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	—
AQ-Ozone	59.7

AQ-PM	71.2
AQ-DPM	18.7
Drinking Water	42.0
Lead Risk Housing	44.5
Pesticides	0.00
Toxic Releases	87.0
Traffic	31.6
Effect Indicators	—
CleanUp Sites	4.12
Groundwater	42.1
Haz Waste Facilities/Generators	40.1
Impaired Water Bodies	0.00
Solid Waste	0.00
Sensitive Population	—
Asthma	21.7
Cardio-vascular	14.9
Low Birth Weights	4.08
Socioeconomic Factor Indicators	—
Education	24.1
Housing	40.9
Linguistic	12.3
Poverty	12.4
Unemployment	9.72

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	—

Above Poverty	77.05633261
Employed	68.38188118
Median HI	78.01873476
Education	—
Bachelor's or higher	79.13512126
High school enrollment	24.48351084
Preschool enrollment	85.28166303
Transportation	—
Auto Access	49.51879892
Active commuting	8.161170281
Social	—
2-parent households	67.7659438
Voting	73.97664571
Neighborhood	—
Alcohol availability	89.13127165
Park access	61.41408957
Retail density	54.66444245
Supermarket access	60.86231233
Tree canopy	37.84165277
Housing	—
Homeownership	93.09636854
Housing habitability	34.8646221
Low-inc homeowner severe housing cost burden	40.02309765
Low-inc renter severe housing cost burden	13.69177467
Uncrowded housing	78.31387142
Health Outcomes	—
Insured adults	89.3750802
Arthritis	0.0

Asthma ER Admissions	76.9
High Blood Pressure	0.0
Cancer (excluding skin)	0.0
Asthma	0.0
Coronary Heart Disease	0.0
Chronic Obstructive Pulmonary Disease	0.0
Diagnosed Diabetes	0.0
Life Expectancy at Birth	72.0
Cognitively Disabled	8.5
Physically Disabled	43.7
Heart Attack ER Admissions	85.6
Mental Health Not Good	0.0
Chronic Kidney Disease	0.0
Obesity	0.0
Pedestrian Injuries	59.5
Physical Health Not Good	0.0
Stroke	0.0
Health Risk Behaviors	—
Binge Drinking	0.0
Current Smoker	0.0
No Leisure Time for Physical Activity	0.0
Climate Change Exposures	—
Wildfire Risk	0.0
SLR Inundation Area	0.0
Children	78.7
Elderly	8.3
English Speaking	71.4
Foreign-born	11.8

Outdoor Workers	90.4
Climate Change Adaptive Capacity	—
Impervious Surface Cover	59.7
Traffic Density	57.4
Traffic Access	23.0
Other Indices	—
Hardship	18.0
Other Decision Support	—
2016 Voting	90.1

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	8.00
Healthy Places Index Score for Project Location (b)	79.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Land Use	Adjusted values per site plan.
Construction: Construction Phases	Extended demolition phase to due to extent of demolition required. Extended architectural coating phase due to proposed number of buildings
Construction: Off-Road Equipment	Conservatively assumed all equipment would run 8 hours a day. Replaced tractors/loaders/backhoes with crawler tractor to accurately assess site disturbance. Included 1 diesel crushing equipment to account for crushing during demolition phase. Included 1 "other construction equipment" to account for a woodchipper during the site preparation phase.
Construction: Off-Road Equipment EF	Input emissions factors for diesel crushing equipment using EMFAC OFFROAD2021 values for Orange County subarea, 2026.
Operations: Vehicle Data	Adjusted weekday, Saturday, and Sunday trip rates to ITE 11th edition rates (Land use codes 210 and 220).
Operations: Emergency Generators and Fire Pumps	Included proposed generator and fire pump information from Project Applicant.
Operations: Hearths	No proposed fireplaces.

APPENDIX A.2 – CALEEMOD OUTPUT FOR MITIGATED PROJECT
CONSTRUCTION

25-011 Proposed Cypress Grove Project PM10E Tier 4 Detailed Report

Table of Contents

1. Basic Project Information
 - 1.1. Basic Project Information
 - 1.2. Land Use Types
 - 1.3. User-Selected Emission Reduction Measures by Emissions Sector
2. Emissions Summary
 - 2.1. Construction Emissions Compared Against Thresholds
 - 2.2. Construction Emissions by Year, Unmitigated
 - 2.4. Operations Emissions Compared Against Thresholds
 - 2.5. Operations Emissions by Sector, Unmitigated
3. Construction Emissions Details
 - 3.1. Demolition (2026) - Unmitigated
 - 3.3. Site Preparation (2026) - Unmitigated
 - 3.5. Grading (2026) - Unmitigated
 - 3.7. Building Construction (2026) - Unmitigated
 - 3.9. Building Construction (2027) - Unmitigated

3.11. Paving (2027) - Unmitigated

3.13. Architectural Coating (2027) - Unmitigated

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

4.3. Area Emissions by Source

4.3.1. Unmitigated

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

5. Activity Data

5.1. Construction Schedule

5.2. Off-Road Equipment

5.2.1. Unmitigated

5.3. Construction Vehicles

5.3.1. Unmitigated

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

5.5. Architectural Coatings

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

5.6.2. Construction Earthmoving Control Strategies

5.7. Construction Paving

5.8. Construction Electricity Consumption and Emissions Factors

5.9. Operational Mobile Sources

5.9.1. Unmitigated

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.2. Architectural Coatings

5.10.3. Landscape Equipment

5.11. Operational Energy Consumption

5.11.1. Unmitigated

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

5.13. Operational Waste Generation

5.13.1. Unmitigated

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

5.16.2. Process Boilers

5.17. User Defined

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

5.18.2. Sequestration

5.18.2.1. Unmitigated

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

6.2. Initial Climate Risk Scores

6.3. Adjusted Climate Risk Scores

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

7.6. Health & Equity Custom Measures

8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	25-011 Proposed Cypress Grove Project PM10E Tier 4
Construction Start Date	6/1/2026
Operational Year	2027
Lead Agency	City of Tustin
Land Use Scale	Project/site
Analysis Level for Defaults	County
Windspeed (m/s)	2.50
Precipitation (days)	2.20
Location	33.758903885169794, -117.82133906390618
County	Orange
City	Tustin
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	5969
EDFZ	7
Electric Utility	Southern California Edison
Gas Utility	Southern California Gas
App Version	2022.1.1.29

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
Single Family Housing	62.0	Dwelling Unit	3.56	108,732	46,131	—	185	—

Condo/Townhouse	83.0	Dwelling Unit	1.76	159,696	0.00	—	247	—
Other Asphalt Surfaces	2.86	Acre	2.86	0.00	0.00	—	—	—
Parking Lot	40.0	Space	0.36	0.00	0.00	—	—	—

1.3. User-Selected Emission Reduction Measures by Emissions Sector

No measures selected

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Daily, Summer (Max)	—	—	—	—	—	—
Unmit.	31.0	33.2	0.84	9.72	3.52	22,701
Daily, Winter (Max)	—	—	—	—	—	—
Unmit.	31.8	29.6	0.79	8.14	3.10	22,661
Average Daily (Max)	—	—	—	—	—	—
Unmit.	6.59	10.5	0.16	2.83	0.75	4,587
Annual (Max)	—	—	—	—	—	—
Unmit.	1.20	1.92	0.03	0.52	0.14	759
Exceeds (Daily Max)	—	—	—	—	—	—
Threshold	100	550	—	150	55.0	—
Unmit.	No	No	—	No	No	—
Exceeds (Average Daily)	—	—	—	—	—	—
Threshold	100	550	—	150	55.0	—
Unmit.	No	No	—	No	No	—

2.2. Construction Emissions by Year, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Year	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Daily - Summer (Max)	—	—	—	—	—	—
2026	31.0	33.2	0.84	9.72	3.52	22,701
2027	8.10	20.2	0.30	1.46	0.52	4,203
Daily - Winter (Max)	—	—	—	—	—	—
2026	31.8	29.6	0.79	8.14	3.10	22,661
2027	8.13	19.6	0.30	1.46	0.52	4,148
Average Daily	—	—	—	—	—	—
2026	6.59	10.1	0.16	2.83	0.75	4,587
2027	4.50	10.5	0.14	0.76	0.28	2,181
Annual	—	—	—	—	—	—
2026	1.20	1.84	0.03	0.52	0.14	759
2027	0.82	1.92	0.03	0.14	0.05	361

2.4. Operations Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Daily, Summer (Max)	—	—	—	—	—	—
Unmit.	3.63	36.4	0.15	7.09	1.91	9,993
Daily, Winter (Max)	—	—	—	—	—	—
Unmit.	3.76	26.3	0.14	7.09	1.90	9,671
Average Daily (Max)	—	—	—	—	—	—
Unmit.	3.62	30.8	0.14	6.64	1.78	9,315
Annual (Max)	—	—	—	—	—	—
Unmit.	0.66	5.63	0.02	1.21	0.33	1,542

Exceeds (Daily Max)	—	—	—	—	—	—
Threshold	55.0	550	—	150	55.0	—
Unmit.	No	No	—	No	No	—
Exceeds (Average Daily)	—	—	—	—	—	—
Threshold	55.0	550	—	150	55.0	—
Unmit.	No	No	—	No	No	—
Exceeds (Annual)	—	—	—	—	—	—
Threshold	—	—	—	—	—	3,000
Unmit.	—	—	—	—	—	No

2.5. Operations Emissions by Sector, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Daily, Summer (Max)	—	—	—	—	—	—
Mobile	2.36	27.6	0.04	6.99	1.80	7,479
Area	0.08	8.23	< 0.005	< 0.005	< 0.005	22.1
Energy	1.10	0.47	0.09	0.09	0.09	2,189
Water	—	—	—	—	—	83.8
Waste	—	—	—	—	—	208
Refrig.	—	—	—	—	—	1.92
Stationary	0.09	0.10	0.01	0.01	0.01	8.42
Total	3.63	36.4	0.15	7.09	1.91	9,993
Daily, Winter (Max)	—	—	—	—	—	—
Mobile	2.57	25.7	0.04	6.99	1.80	7,179
Area	0.00	0.00	0.00	0.00	0.00	0.00
Energy	1.10	0.47	0.09	0.09	0.09	2,189
Water	—	—	—	—	—	83.8
Waste	—	—	—	—	—	208

Refrig.	—	—	—	—	—	1.92
Stationary	0.09	0.10	0.01	0.01	0.01	8.42
Total	3.76	26.3	0.14	7.09	1.90	9,671
Average Daily	—	—	—	—	—	—
Mobile	2.43	24.7	0.04	6.55	1.69	6,814
Area	0.05	5.64	< 0.005	< 0.005	< 0.005	15.1
Energy	1.10	0.47	0.09	0.09	0.09	2,189
Water	—	—	—	—	—	83.8
Waste	—	—	—	—	—	208
Refrig.	—	—	—	—	—	1.92
Stationary	0.03	0.03	< 0.005	< 0.005	< 0.005	2.88
Total	3.62	30.8	0.14	6.64	1.78	9,315
Annual	—	—	—	—	—	—
Mobile	0.44	4.51	0.01	1.19	0.31	1,128
Area	0.01	1.03	< 0.005	< 0.005	< 0.005	2.50
Energy	0.20	0.09	0.02	0.02	0.02	362
Water	—	—	—	—	—	13.9
Waste	—	—	—	—	—	34.5
Refrig.	—	—	—	—	—	0.32
Stationary	0.01	0.01	< 0.005	< 0.005	< 0.005	0.48
Total	0.66	5.63	0.02	1.21	0.33	1,542

3. Construction Emissions Details

3.1. Demolition (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Onsite	—	—	—	—	—	—

Daily, Summer (Max)	—	—	—	—	—	—
Off-Road Equipment	5.31	18.4	0.16	0.16	0.15	3,438
Demolition	—	—	—	6.95	1.05	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—
Off-Road Equipment	1.09	3.77	0.03	0.03	0.03	707
Demolition	—	—	—	1.43	0.22	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—
Off-Road Equipment	0.20	0.69	0.01	0.01	0.01	117
Demolition	—	—	—	0.26	0.04	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—
Worker	0.05	0.92	0.00	0.23	0.05	231
Vendor	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	10.3	4.55	0.11	2.39	0.75	9,052
Daily, Winter (Max)	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—
Worker	0.01	0.17	0.00	0.05	0.01	45.8
Vendor	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	2.21	0.94	0.02	0.49	0.15	1,858
Annual	—	—	—	—	—	—
Worker	< 0.005	0.03	0.00	0.01	< 0.005	7.58
Vendor	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.40	0.17	< 0.005	0.09	0.03	308

3.3. Site Preparation (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Onsite	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—
Off-Road Equipment	13.3	32.2	0.84	0.84	0.77	5,872
Dust From Material Movement	—	—	—	5.66	2.69	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—
Off-Road Equipment	0.36	0.88	0.02	0.02	0.02	161
Dust From Material Movement	—	—	—	0.16	0.07	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—
Off-Road Equipment	0.07	0.16	< 0.005	< 0.005	< 0.005	26.6
Dust From Material Movement	—	—	—	0.03	0.01	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—
Worker	0.06	1.05	0.00	0.26	0.06	264
Vendor	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—
Worker	< 0.005	0.03	0.00	0.01	< 0.005	6.97
Vendor	0.00	0.00	0.00	0.00	0.00	0.00

Hauling	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—
Worker	< 0.005	< 0.005	0.00	< 0.005	< 0.005	1.15
Vendor	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00

3.5. Grading (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Onsite	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—
Off-Road Equipment	8.96	19.1	0.56	0.56	0.52	3,146
Dust From Material Movement	—	—	—	2.28	0.94	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—
Off-Road Equipment	8.96	19.1	0.56	0.56	0.52	3,146
Dust From Material Movement	—	—	—	2.28	0.94	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—
Off-Road Equipment	0.49	1.05	0.03	0.03	0.03	172
Dust From Material Movement	—	—	—	0.13	0.05	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—
Off-Road Equipment	0.09	0.19	0.01	0.01	0.01	28.5
Dust From Material Movement	—	—	—	0.02	0.01	—

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—
Worker	0.05	0.79	0.00	0.20	0.05	198
Vendor	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	22.0	9.73	0.24	5.10	1.60	19,358
Daily, Winter (Max)	—	—	—	—	—	—
Worker	0.05	0.68	0.00	0.20	0.05	188
Vendor	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	22.8	9.81	0.24	5.10	1.60	19,328
Average Daily	—	—	—	—	—	—
Worker	< 0.005	0.04	0.00	0.01	< 0.005	10.5
Vendor	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	1.26	0.54	0.01	0.28	0.09	1,060
Annual	—	—	—	—	—	—
Worker	< 0.005	0.01	0.00	< 0.005	< 0.005	1.73
Vendor	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.23	0.10	< 0.005	0.05	0.02	175

3.7. Building Construction (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Onsite	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—
Off-Road Equipment	7.71	15.9	0.29	0.29	0.27	2,639
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—

Off-Road Equipment	1.04	2.14	0.04	0.04	0.04	356
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—
Off-Road Equipment	0.19	0.39	0.01	0.01	0.01	59.0
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—
Worker	0.29	3.73	0.00	1.07	0.25	1,029
Vendor	0.52	0.25	< 0.005	0.14	0.04	507
Hauling	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—
Worker	0.04	0.52	0.00	0.14	0.03	141
Vendor	0.07	0.03	< 0.005	0.02	0.01	68.6
Hauling	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—
Worker	0.01	0.10	0.00	0.03	0.01	23.4
Vendor	0.01	0.01	< 0.005	< 0.005	< 0.005	11.4
Hauling	0.00	0.00	0.00	0.00	0.00	0.00

3.9. Building Construction (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Onsite	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—
Off-Road Equipment	7.38	15.9	0.25	0.25	0.23	2,639
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—

Off-Road Equipment	7.38	15.9	0.25	0.25	0.23	2,639
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—
Off-Road Equipment	3.65	7.85	0.12	0.12	0.11	1,306
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—
Off-Road Equipment	0.67	1.43	0.02	0.02	0.02	216
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—
Worker	0.25	4.06	0.00	1.07	0.25	1,066
Vendor	0.48	0.24	< 0.005	0.14	0.04	498
Hauling	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—
Worker	0.25	3.49	0.00	1.07	0.25	1,012
Vendor	0.50	0.24	< 0.005	0.14	0.04	497
Hauling	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—
Worker	0.14	1.80	0.00	0.53	0.12	509
Vendor	0.25	0.12	< 0.005	0.07	0.02	246
Hauling	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—
Worker	0.03	0.33	0.00	0.10	0.02	84.2
Vendor	0.05	0.02	< 0.005	0.01	< 0.005	40.8
Hauling	0.00	0.00	0.00	0.00	0.00	0.00

3.11. Paving (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Onsite	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—
Off-Road Equipment	6.94	9.95	0.30	0.30	0.27	1,516
Paving	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—
Off-Road Equipment	6.94	9.95	0.30	0.30	0.27	1,516
Paving	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—
Off-Road Equipment	0.38	0.55	0.02	0.02	0.02	83.1
Paving	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—
Off-Road Equipment	0.07	0.10	< 0.005	< 0.005	< 0.005	13.8
Paving	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—
Worker	0.04	0.74	0.00	0.20	0.05	195
Vendor	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—
Worker	0.05	0.64	0.00	0.20	0.05	185
Vendor	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—

Worker	< 0.005	0.04	0.00	0.01	< 0.005	10.3
Vendor	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—
Worker	< 0.005	0.01	0.00	< 0.005	< 0.005	1.70
Vendor	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00

3.13. Architectural Coating (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Onsite	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—
Off-Road Equipment	1.11	1.50	0.03	0.03	0.02	179
Architectural Coatings	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—
Off-Road Equipment	0.08	0.10	< 0.005	< 0.005	< 0.005	12.2
Architectural Coatings	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—
Off-Road Equipment	0.01	0.02	< 0.005	< 0.005	< 0.005	2.03
Architectural Coatings	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—

Worker	0.05	0.70	0.00	0.21	0.05	202
Vendor	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—
Worker	< 0.005	0.05	0.00	0.01	< 0.005	14.1
Vendor	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—
Worker	< 0.005	0.01	0.00	< 0.005	< 0.005	2.33
Vendor	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Daily, Summer (Max)	—	—	—	—	—	—
Single Family Housing	1.21	14.1	0.02	3.58	0.92	3,832
Condo/Townhouse	1.15	13.4	0.02	3.41	0.88	3,647
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00
Total	2.36	27.6	0.04	6.99	1.80	7,479
Daily, Winter (Max)	—	—	—	—	—	—
Single Family Housing	1.31	13.2	0.02	3.58	0.92	3,678
Condo/Townhouse	1.25	12.5	0.02	3.41	0.88	3,501

Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00
Total	2.57	25.7	0.04	6.99	1.80	7,179
Annual	—	—	—	—	—	—
Single Family Housing	0.24	2.42	< 0.005	0.64	0.17	605
Condo/Townhouse	0.21	2.09	< 0.005	0.55	0.14	523
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00
Total	0.44	4.51	0.01	1.19	0.31	1,128

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Daily, Summer (Max)	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	408
Condo/Townhouse	—	—	—	—	—	364
Other Asphalt Surfaces	—	—	—	—	—	0.00
Parking Lot	—	—	—	—	—	13.1
Total	—	—	—	—	—	785
Daily, Winter (Max)	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	408
Condo/Townhouse	—	—	—	—	—	364
Other Asphalt Surfaces	—	—	—	—	—	0.00
Parking Lot	—	—	—	—	—	13.1
Total	—	—	—	—	—	785
Annual	—	—	—	—	—	—

Single Family Housing	—	—	—	—	—	67.5
Condo/Townhouse	—	—	—	—	—	60.2
Other Asphalt Surfaces	—	—	—	—	—	0.00
Parking Lot	—	—	—	—	—	2.17
Total	—	—	—	—	—	130

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Daily, Summer (Max)	—	—	—	—	—	—
Single Family Housing	0.60	0.26	0.05	0.05	0.05	764
Condo/Townhouse	0.50	0.21	0.04	0.04	0.04	641
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00
Total	1.10	0.47	0.09	0.09	0.09	1,405
Daily, Winter (Max)	—	—	—	—	—	—
Single Family Housing	0.60	0.26	0.05	0.05	0.05	764
Condo/Townhouse	0.50	0.21	0.04	0.04	0.04	641
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00
Total	1.10	0.47	0.09	0.09	0.09	1,405
Annual	—	—	—	—	—	—
Single Family Housing	0.11	0.05	0.01	0.01	0.01	126
Condo/Townhouse	0.09	0.04	0.01	0.01	0.01	106
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00
Total	0.20	0.09	0.02	0.02	0.02	233

4.3. Area Emissions by Source

4.3.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Daily, Summer (Max)	—	—	—	—	—	—
Hearths	0.00	0.00	0.00	0.00	0.00	0.00
Consumer Products	—	—	—	—	—	—
Architectural Coatings	—	—	—	—	—	—
Landscape Equipment	0.08	8.23	< 0.005	< 0.005	< 0.005	22.1
Total	0.08	8.23	< 0.005	< 0.005	< 0.005	22.1
Daily, Winter (Max)	—	—	—	—	—	—
Hearths	0.00	0.00	0.00	0.00	0.00	0.00
Consumer Products	—	—	—	—	—	—
Architectural Coatings	—	—	—	—	—	—
Total	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—
Hearths	0.00	0.00	0.00	0.00	0.00	0.00
Consumer Products	—	—	—	—	—	—
Architectural Coatings	—	—	—	—	—	—
Landscape Equipment	0.01	1.03	< 0.005	< 0.005	< 0.005	2.50
Total	0.01	1.03	< 0.005	< 0.005	< 0.005	2.50

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
----------	-----	----	-------	-------	--------	------

Daily, Summer (Max)	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	37.9
Condo/Townhouse	—	—	—	—	—	45.8
Other Asphalt Surfaces	—	—	—	—	—	0.00
Parking Lot	—	—	—	—	—	0.00
Total	—	—	—	—	—	83.8
Daily, Winter (Max)	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	37.9
Condo/Townhouse	—	—	—	—	—	45.8
Other Asphalt Surfaces	—	—	—	—	—	0.00
Parking Lot	—	—	—	—	—	0.00
Total	—	—	—	—	—	83.8
Annual	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	6.28
Condo/Townhouse	—	—	—	—	—	7.59
Other Asphalt Surfaces	—	—	—	—	—	0.00
Parking Lot	—	—	—	—	—	0.00
Total	—	—	—	—	—	13.9

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Daily, Summer (Max)	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	92.5
Condo/Townhouse	—	—	—	—	—	116
Other Asphalt Surfaces	—	—	—	—	—	0.00

Parking Lot	—	—	—	—	—	0.00
Total	—	—	—	—	—	208
Daily, Winter (Max)	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	92.5
Condo/Townhouse	—	—	—	—	—	116
Other Asphalt Surfaces	—	—	—	—	—	0.00
Parking Lot	—	—	—	—	—	0.00
Total	—	—	—	—	—	208
Annual	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	15.3
Condo/Townhouse	—	—	—	—	—	19.1
Other Asphalt Surfaces	—	—	—	—	—	0.00
Parking Lot	—	—	—	—	—	0.00
Total	—	—	—	—	—	34.5

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Daily, Summer (Max)	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	0.78
Condo/Townhouse	—	—	—	—	—	1.14
Total	—	—	—	—	—	1.92
Daily, Winter (Max)	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	0.78
Condo/Townhouse	—	—	—	—	—	1.14
Total	—	—	—	—	—	1.92

Annual	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	0.13
Condo/Townhouse	—	—	—	—	—	0.19
Total	—	—	—	—	—	0.32

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Daily, Summer (Max)	—	—	—	—	—	—
Total	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—
Total	—	—	—	—	—	—
Annual	—	—	—	—	—	—
Total	—	—	—	—	—	—

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Daily, Summer (Max)	—	—	—	—	—	—
Emergency Generator	0.04	0.05	< 0.005	< 0.005	< 0.005	4.21
Fire Pump	0.04	0.05	< 0.005	< 0.005	< 0.005	4.21
Total	0.09	0.10	0.01	0.01	0.01	8.42
Daily, Winter (Max)	—	—	—	—	—	—
Emergency Generator	0.04	0.05	< 0.005	< 0.005	< 0.005	4.21

Fire Pump	0.04	0.05	< 0.005	< 0.005	< 0.005	4.21
Total	0.09	0.10	0.01	0.01	0.01	8.42
Annual	—	—	—	—	—	—
Emergency Generator	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.38
Fire Pump	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.10
Total	0.01	0.01	< 0.005	< 0.005	< 0.005	0.48

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Daily, Summer (Max)	—	—	—	—	—	—
Total	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—
Total	—	—	—	—	—	—
Annual	—	—	—	—	—	—
Total	—	—	—	—	—	—

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Daily, Summer (Max)	—	—	—	—	—	—
Total	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—
Total	—	—	—	—	—	—

Annual	—	—	—	—	—	—
Total	—	—	—	—	—	—

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Daily, Summer (Max)	—	—	—	—	—	—
Total	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—
Total	—	—	—	—	—	—
Annual	—	—	—	—	—	—
Total	—	—	—	—	—	—

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	NOx	CO	PM10E	PM10T	PM2.5T	CO2e
Daily, Summer (Max)	—	—	—	—	—	—
Avoided	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—
Removed	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—
—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—
Avoided	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—

Subtotal	—	—	—	—	—	—
Removed	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—
—	—	—	—	—	—	—
Annual	—	—	—	—	—	—
Avoided	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—
Removed	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—
—	—	—	—	—	—	—

5. Activity Data

5.1. Construction Schedule

Phase Name	Phase Type	Start Date	End Date	Days Per Week	Work Days per Phase	Phase Description
Demolition	Demolition	6/1/2026	9/11/2026	5.00	75.0	—
Site Preparation	Site Preparation	9/12/2026	9/25/2026	5.00	10.0	—
Grading	Grading	9/26/2026	10/23/2026	5.00	20.0	—
Building Construction	Building Construction	10/24/2026	9/10/2027	5.00	230	—
Paving	Paving	9/11/2027	10/8/2027	5.00	20.0	—
Architectural Coating	Architectural Coating	10/9/2027	11/12/2027	5.00	25.0	—

5.2. Off-Road Equipment

5.2.1. Unmitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
------------	----------------	-----------	-------------	----------------	---------------	------------	-------------

Demolition	Rubber Tired Dozers	Diesel	Tier 4 Final	2.00	8.00	367	0.40
Demolition	Excavators	Diesel	Average	3.00	8.00	36.0	0.38
Demolition	Concrete/Industrial Saws	Diesel	Average	1.00	8.00	33.0	0.73
Demolition	Crushing/Proc. Equipment	Diesel	Tier 4 Final	1.00	8.00	200	0.60
Site Preparation	Rubber Tired Dozers	Diesel	Tier 4 Final	3.00	8.00	367	0.40
Site Preparation	Tractors/Loaders/Back hoes	Diesel	Average	0.00	8.00	84.0	0.37
Site Preparation	Crawler Tractors	Diesel	Average	4.00	8.00	87.0	0.43
Site Preparation	Other Construction Equipment	Diesel	Average	1.00	8.00	82.0	0.42
Grading	Graders	Diesel	Tier 4 Final	1.00	8.00	148	0.41
Grading	Excavators	Diesel	Average	1.00	8.00	36.0	0.38
Grading	Tractors/Loaders/Back hoes	Diesel	Average	0.00	8.00	84.0	0.37
Grading	Rubber Tired Dozers	Diesel	Tier 4 Final	1.00	8.00	367	0.40
Grading	Crawler Tractors	Diesel	Average	3.00	8.00	87.0	0.43
Building Construction	Forklifts	Diesel	Average	3.00	8.00	82.0	0.20
Building Construction	Generator Sets	Diesel	Average	1.00	8.00	14.0	0.74
Building Construction	Cranes	Diesel	Tier 4 Final	1.00	8.00	367	0.29
Building Construction	Welders	Diesel	Average	1.00	8.00	46.0	0.45
Building Construction	Tractors/Loaders/Back hoes	Diesel	Average	3.00	8.00	84.0	0.37
Paving	Pavers	Diesel	Average	2.00	8.00	81.0	0.42
Paving	Paving Equipment	Diesel	Average	2.00	8.00	89.0	0.36
Paving	Rollers	Diesel	Average	2.00	8.00	36.0	0.38
Architectural Coating	Air Compressors	Diesel	Average	1.00	8.00	37.0	0.48

5.3. Construction Vehicles

5.3.1. Unmitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Demolition	—	—	—	—
Demolition	Worker	17.5	18.5	LDA,LDT1,LDT2
Demolition	Vendor	—	10.2	HHDT,MHDT
Demolition	Hauling	126	20.0	HHDT
Demolition	Onsite truck	—	—	HHDT
Site Preparation	—	—	—	—
Site Preparation	Worker	20.0	18.5	LDA,LDT1,LDT2
Site Preparation	Vendor	—	10.2	HHDT,MHDT
Site Preparation	Hauling	0.00	20.0	HHDT
Site Preparation	Onsite truck	—	—	HHDT
Grading	—	—	—	—
Grading	Worker	15.0	18.5	LDA,LDT1,LDT2
Grading	Vendor	—	10.2	HHDT,MHDT
Grading	Hauling	269	20.0	HHDT
Grading	Onsite truck	—	—	HHDT
Building Construction	—	—	—	—
Building Construction	Worker	82.1	18.5	LDA,LDT1,LDT2
Building Construction	Vendor	15.5	10.2	HHDT,MHDT
Building Construction	Hauling	0.00	20.0	HHDT
Building Construction	Onsite truck	—	—	HHDT
Paving	—	—	—	—
Paving	Worker	15.0	18.5	LDA,LDT1,LDT2
Paving	Vendor	—	10.2	HHDT,MHDT
Paving	Hauling	0.00	20.0	HHDT
Paving	Onsite truck	—	—	HHDT
Architectural Coating	—	—	—	—

Architectural Coating	Worker	16.4	18.5	LDA,LDT1,LDT2
Architectural Coating	Vendor	—	10.2	HHDT,MHDT
Architectural Coating	Hauling	0.00	20.0	HHDT
Architectural Coating	Onsite truck	—	—	HHDT

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

Non-applicable. No control strategies activated by user.

5.5. Architectural Coatings

Phase Name	Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
Architectural Coating	543,567	181,189	0.00	0.00	8,416

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

Phase Name	Material Imported (cy)	Material Exported (cy)	Acres Graded (acres)	Material Demolished (Ton of Debris)	Acres Paved (acres)
Demolition	0.00	0.00	0.00	37,698	—
Site Preparation	—	—	35.0	0.00	—
Grading	—	43,000	50.0	0.00	—
Paving	0.00	0.00	0.00	0.00	3.90

5.6.2. Construction Earthmoving Control Strategies

Control Strategies Applied	Frequency (per day)	PM10 Reduction	PM2.5 Reduction
Water Exposed Area	3	74%	74%
Water Demolished Area	2	36%	36%

5.7. Construction Paving

Land Use	Area Paved (acres)	% Asphalt
Single Family Housing	0.68	0%
Condo/Townhouse	—	0%
Other Asphalt Surfaces	2.86	100%
Parking Lot	0.36	100%

5.8. Construction Electricity Consumption and Emissions Factors

kWh per Year and Emission Factor (lb/MWh)

Year	kWh per Year	CO2	CH4	N2O
2027	0.00	346	0.03	< 0.005
2026	0.00	346	0.03	< 0.005

5.9. Operational Mobile Sources

5.9.1. Unmitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Single Family Housing	585	588	526	210,491	5,004	5,031	4,500	1,801,690
Condo/Townhouse	559	378	320	182,246	4,788	3,232	2,742	1,559,926
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

Hearth Type	Unmitigated (number)
Single Family Housing	—
Wood Fireplaces	0
Gas Fireplaces	0
Propane Fireplaces	0
Electric Fireplaces	0
No Fireplaces	62
Conventional Wood Stoves	0
Catalytic Wood Stoves	0
Non-Catalytic Wood Stoves	0
Pellet Wood Stoves	0
Condo/Townhouse	—
Wood Fireplaces	0
Gas Fireplaces	0
Propane Fireplaces	0
Electric Fireplaces	0
No Fireplaces	83
Conventional Wood Stoves	0
Catalytic Wood Stoves	0
Non-Catalytic Wood Stoves	0
Pellet Wood Stoves	0

5.10.2. Architectural Coatings

Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
543566.7	181,189	0.00	0.00	8,416

5.10.3. Landscape Equipment

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.11. Operational Energy Consumption

5.11.1. Unmitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Single Family Housing	427,499	346	0.0330	0.0040	2,376,791
Condo/Townhouse	381,150	346	0.0330	0.0040	1,994,520
Other Asphalt Surfaces	0.00	346	0.0330	0.0040	0.00
Parking Lot	13,737	346	0.0330	0.0040	0.00

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Single Family Housing	2,326,590	730,736
Condo/Townhouse	3,114,629	0.00
Other Asphalt Surfaces	0.00	0.00
Parking Lot	0.00	0.00

5.13. Operational Waste Generation

5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Single Family Housing	49.1	—
Condo/Townhouse	61.3	—
Other Asphalt Surfaces	0.00	—
Parking Lot	0.00	—

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
Single Family Housing	Average room A/C & Other residential A/C and heat pumps	R-410A	2,088	< 0.005	2.50	2.50	10.0
Single Family Housing	Household refrigerators and/or freezers	R-134a	1,430	0.12	0.60	0.00	1.00
Condo/Townhouse	Average room A/C & Other residential A/C and heat pumps	R-410A	2,088	< 0.005	2.50	2.50	10.0
Condo/Townhouse	Household refrigerators and/or freezers	R-134a	1,430	0.12	0.60	0.00	1.00

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
----------------	-----------	-------------	----------------	---------------	------------	-------------

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

Equipment Type	Fuel Type	Number per Day	Hours per Day	Hours per Year	Horsepower	Load Factor
Emergency Generator	Diesel	1.00	1.00	200	5.00	0.73
Fire Pump	Diesel	1.00	1.00	50.0	5.00	0.73

5.16.2. Process Boilers

Equipment Type	Fuel Type	Number	Boiler Rating (MMBtu/hr)	Daily Heat Input (MMBtu/day)	Annual Heat Input (MMBtu/yr)
----------------	-----------	--------	--------------------------	------------------------------	------------------------------

5.17. User Defined

Equipment Type	Fuel Type
----------------	-----------

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres
--------------------------	----------------------	---------------	-------------

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres
--------------------	---------------	-------------

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)
-----------	--------	------------------------------	------------------------------

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	10.5	annual days of extreme heat
Extreme Precipitation	4.00	annual days with precipitation above 20 mm
Sea Level Rise	—	meters of inundation depth
Wildfire	0.00	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about $\frac{3}{4}$ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (Radke et al., 2017, CEC-500-2017-008), and consider inundation location and depth for the San Francisco Bay, the Sacramento-San Joaquin River Delta and California coast resulting different increments of sea level rise coupled with extreme storm events. Users may select from four scenarios to view the range in potential inundation depth for the grid cell. The four scenarios are: No rise, 0.5 meter, 1.0 meter, 1.41 meters

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	1	0	0	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	0	0	N/A
Wildfire	1	0	0	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	0	0	0	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	1	1	1	2
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2
Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	1	1	1	2

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	—
AQ-Ozone	59.7

AQ-PM	71.2
AQ-DPM	18.7
Drinking Water	42.0
Lead Risk Housing	44.5
Pesticides	0.00
Toxic Releases	87.0
Traffic	31.6
Effect Indicators	—
CleanUp Sites	4.12
Groundwater	42.1
Haz Waste Facilities/Generators	40.1
Impaired Water Bodies	0.00
Solid Waste	0.00
Sensitive Population	—
Asthma	21.7
Cardio-vascular	14.9
Low Birth Weights	4.08
Socioeconomic Factor Indicators	—
Education	24.1
Housing	40.9
Linguistic	12.3
Poverty	12.4
Unemployment	9.72

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	—

Above Poverty	77.05633261
Employed	68.38188118
Median HI	78.01873476
Education	—
Bachelor's or higher	79.13512126
High school enrollment	24.48351084
Preschool enrollment	85.28166303
Transportation	—
Auto Access	49.51879892
Active commuting	8.161170281
Social	—
2-parent households	67.7659438
Voting	73.97664571
Neighborhood	—
Alcohol availability	89.13127165
Park access	61.41408957
Retail density	54.66444245
Supermarket access	60.86231233
Tree canopy	37.84165277
Housing	—
Homeownership	93.09636854
Housing habitability	34.8646221
Low-inc homeowner severe housing cost burden	40.02309765
Low-inc renter severe housing cost burden	13.69177467
Uncrowded housing	78.31387142
Health Outcomes	—
Insured adults	89.3750802
Arthritis	0.0

Asthma ER Admissions	76.9
High Blood Pressure	0.0
Cancer (excluding skin)	0.0
Asthma	0.0
Coronary Heart Disease	0.0
Chronic Obstructive Pulmonary Disease	0.0
Diagnosed Diabetes	0.0
Life Expectancy at Birth	72.0
Cognitively Disabled	8.5
Physically Disabled	43.7
Heart Attack ER Admissions	85.6
Mental Health Not Good	0.0
Chronic Kidney Disease	0.0
Obesity	0.0
Pedestrian Injuries	59.5
Physical Health Not Good	0.0
Stroke	0.0
Health Risk Behaviors	—
Binge Drinking	0.0
Current Smoker	0.0
No Leisure Time for Physical Activity	0.0
Climate Change Exposures	—
Wildfire Risk	0.0
SLR Inundation Area	0.0
Children	78.7
Elderly	8.3
English Speaking	71.4
Foreign-born	11.8

Outdoor Workers	90.4
Climate Change Adaptive Capacity	—
Impervious Surface Cover	59.7
Traffic Density	57.4
Traffic Access	23.0
Other Indices	—
Hardship	18.0
Other Decision Support	—
2016 Voting	90.1

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	8.00
Healthy Places Index Score for Project Location (b)	79.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Land Use	Adjusted values per site plan.
Construction: Construction Phases	Extended demolition phase to due to extent of demolition required. Extended architectural coating phase due to proposed number of buildings
Construction: Off-Road Equipment	Conservatively assumed all equipment would run 8 hours a day. Replaced tractors/loaders/backhoes with crawler tractor to accurately assess site disturbance. Included 1 diesel crushing equipment to account for crushing during demolition phase. Included 1 "other construction equipment" to account for a woodchipper during the site preparation phase.
Construction: Off-Road Equipment EF	Input emissions factors for diesel crushing equipment using EMFAC OFFROAD2021 values for Orange County subarea, 2026.
Operations: Vehicle Data	Adjusted weekday, Saturday, and Sunday trip rates to ITE 11th edition rates (Land use codes 210 and 220).
Operations: Emergency Generators and Fire Pumps	Included proposed generator and fire pump information from Project Applicant.
Operations: Hearths	No proposed fireplaces.

APPENDIX B.1 – AERMOD CONSTRUCTION MODEL OUTPUT

```

**
*****
**
** AERMOD Input Produced by:
** AERMOD View Ver. 12.0.0
** Lakes Environmental Software Inc.
** Date: 3/27/2025
** File: C:\Lakes\AERMOD View\25_011_Cypress_Con\25_011_Cypress_Con.ADI
**
*****
**
**
*****
** AERMOD Control Pathway
*****
**
**
CO STARTING
  TITLEONE C:\Lakes\AERMOD
View\25_011_Cypress_Con\25_011_Cypress_Con.isc
  MODELOPT DFAULT CONC
  AVERTIME 1 PERIOD
  URBANOPT 3136000 Orange_County_Population
  POLLUTID PM_10
  RUNORNOT RUN
  ERRORFIL 25_011_Cypress_Con.err
CO FINISHED
**
*****
** AERMOD Source Pathway
*****
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
  LOCATION PAREAL      AREAPOLY    423839.784  3735819.287      50.060
** DESCRSRC Project Site Area source
** -----
** Line Source Represented by Area Sources
** LINE AREA Source ID = OFFS1
** DESCRSRC Offsite 1: Project Site to Main Junction
** PREFIX
** Length of Side = 16.00
** Ratio = 10
** Vertical Dimension = 2.46
** Emission Rate = 1.1782E-09
** Nodes = 6
** 423995.998, 3735728.554, 49.46, 2.64
** 423831.613, 3735728.554, 49.45, 2.64
** 423831.614, 3735837.247, 50.33, 2.64
** 423408.242, 3735828.198, 51.83, 2.64
** 423213.812, 3735835.676, 52.51, 2.64
** 423111.362, 3735835.676, 54.32, 2.64

```

```

** -----
LOCATION A0000001      AREA      423995.998 3735736.554 49.55
LOCATION A0000002      AREA      423913.805 3735736.554 50.28
LOCATION A0000003      AREA      423839.613 3735728.554 49.36
LOCATION A0000004      AREA      423831.443 3735845.245 50.20
LOCATION A0000005      AREA      423690.319 3735842.229 50.84
LOCATION A0000006      AREA      423549.195 3735839.212 51.47
LOCATION A0000007      AREA      423408.550 3735836.192 51.67
LOCATION A0000008      AREA      423311.335 3735839.931 52.24
LOCATION A0000009      AREA      423213.812 3735843.676 52.47

```

** End of LINE AREA Source ID = OFFS1

** -----

** Line Source Represented by Area Sources

** LINE AREA Source ID = OFFS2

** DESCRSRC Offsite 2: NB 55

** PREFIX

** Length of Side = 9.50

** Ratio = 10

** Vertical Dimension = 2.46

** Emission Rate = 1.3118E-09

** Nodes = 10

```

** 423110.031, 3735838.675, 54.32, 2.64
** 423089.731, 3735853.509, 54.30, 2.64
** 423084.266, 3735860.926, 53.65, 2.64
** 423080.753, 3735877.321, 52.62, 2.64
** 423084.266, 3735958.128, 52.92, 2.64
** 423083.485, 3735999.508, 53.29, 2.64
** 423083.095, 3736017.465, 53.76, 2.64
** 423078.411, 3736118.962, 54.63, 2.64
** 423070.213, 3736198.207, 55.88, 2.64
** 423066.699, 3736245.052, 56.39, 2.64

```

** -----

```

LOCATION A0000010      AREA      423112.833 3735842.510 54.31
LOCATION A0000011      AREA      423093.555 3735856.326 53.82
LOCATION A0000012      AREA      423088.911 3735861.921 54.03
LOCATION A0000013      AREA      423085.498 3735877.115 53.89
LOCATION A0000014      AREA      423089.015 3735958.218 53.48
LOCATION A0000015      AREA      423088.234 3735999.611 53.69
LOCATION A0000016      AREA      423087.840 3736017.684 53.83
LOCATION A0000017      AREA      423085.498 3736068.432 54.29
LOCATION A0000018      AREA      423083.135 3736119.451 54.71
LOCATION A0000019      AREA      423074.949 3736198.563 55.78

```

** End of LINE AREA Source ID = OFFS2

** -----

** Line Source Represented by Area Sources

** LINE AREA Source ID = OFFS3

** DESCRSRC Offsite 3: SB 55

** PREFIX

** Length of Side = 9.50

** Ratio = 10

** Vertical Dimension = 2.46

** Emission Rate = 1.3119E-09

** Nodes = 14

```

** 423109.698, 3735835.564, 54.46, 2.64

```

** 422927.576, 3735839.704, 54.17, 2.64
 ** 422923.127, 3735828.262, 54.03, 2.64
 ** 422912.956, 3735790.122, 53.23, 2.64
 ** 422914.863, 3735769.145, 52.86, 2.64
 ** 422918.041, 3735757.702, 52.56, 2.64
 ** 422933.933, 3735728.461, 50.80, 2.64
 ** 422965.717, 3735671.886, 46.85, 2.64
 ** 422977.795, 3735643.281, 45.93, 2.64
 ** 422982.244, 3735628.025, 45.54, 2.64
 ** 422986.058, 3735612.768, 45.26, 2.64
 ** 422986.694, 3735569.543, 45.75, 2.64
 ** 422984.151, 3735497.076, 45.31, 2.64
 ** 422989.873, 3735478.005, 45.16, 2.64

** -----
 LOCATION A0000020 AREA 423109.806 3735840.312 54.38
 LOCATION A0000021 AREA 423018.745 3735842.383 47.22
 LOCATION A0000022 AREA 422923.149 3735841.426 54.25
 LOCATION A0000023 AREA 422918.537 3735829.486 54.05
 LOCATION A0000024 AREA 422908.225 3735789.692 53.21
 LOCATION A0000025 AREA 422910.286 3735767.873 52.74
 LOCATION A0000026 AREA 422913.868 3735755.434 52.43
 LOCATION A0000027 AREA 422929.792 3735726.135 51.18
 LOCATION A0000028 AREA 422961.341 3735670.039 48.71
 LOCATION A0000029 AREA 422973.235 3735641.951 46.62
 LOCATION A0000030 AREA 422977.636 3735626.873 47.32
 LOCATION A0000031 AREA 422981.309 3735612.699 45.94
 LOCATION A0000032 AREA 422981.947 3735569.709 45.81
 LOCATION A0000033 AREA 422979.602 3735495.711 46.36

** End of LINE AREA Source ID = OFFS3

** Source Parameters **

SRCPARAM PAREAL 2.42E-07 5.000 4
 AREAVERT PAREAL 423839.784 3735819.287 424031.121 3735823.071
 AREAVERT PAREAL 424029.605 3735636.728 423839.668 3735636.082

** LINE AREA Source ID = OFFS1

SRCPARAM A0000001 1.1782E-09 2.644 82.192 16.000
 180.000 2.459
 SRCPARAM A0000002 1.1782E-09 2.644 82.192 16.000
 180.000 2.459
 SRCPARAM A0000003 1.1782E-09 2.644 108.692 16.000 -
 89.999 2.459
 SRCPARAM A0000004 1.1782E-09 2.644 141.156 16.000
 178.776 2.459
 SRCPARAM A0000005 1.1782E-09 2.644 141.156 16.000
 178.776 2.459
 SRCPARAM A0000006 1.1782E-09 2.644 141.156 16.000
 178.776 2.459
 SRCPARAM A0000007 1.1782E-09 2.644 97.287 16.000 -
 177.797 2.459
 SRCPARAM A0000008 1.1782E-09 2.644 97.287 16.000 -
 177.797 2.459
 SRCPARAM A0000009 1.1782E-09 2.644 102.450 16.000
 180.000 2.459

** -----

** LINE AREA Source ID = OFFS2

SRCPARAM A0000010	1.3118E-09	2.644	25.142	9.500	-
143.842 2.459					
SRCPARAM A0000011	1.3118E-09	2.644	9.213	9.500	-
126.384 2.459					
SRCPARAM A0000012	1.3118E-09	2.644	16.768	9.500	-
102.095 2.459					
SRCPARAM A0000013	1.3118E-09	2.644	80.883	9.500	-
87.510 2.459					
SRCPARAM A0000014	1.3118E-09	2.644	41.387	9.500	-
91.081 2.459					
SRCPARAM A0000015	1.3118E-09	2.644	17.961	9.500	-
91.245 2.459					
SRCPARAM A0000016	1.3118E-09	2.644	50.802	9.500	-
92.643 2.459					
SRCPARAM A0000017	1.3118E-09	2.644	50.802	9.500	-
92.643 2.459					
SRCPARAM A0000018	1.3118E-09	2.644	79.668	9.500	-
95.906 2.459					
SRCPARAM A0000019	1.3118E-09	2.644	46.976	9.500	-
94.289 2.459					

**

** LINE AREA Source ID = OFFS3

SRCPARAM A0000020	1.3119E-09	2.644	91.084	9.500	-
178.697 2.459					
SRCPARAM A0000021	1.3119E-09	2.644	91.084	9.500	-
178.697 2.459					
SRCPARAM A0000022	1.3119E-09	2.644	12.277	9.500	
111.251 2.459					
SRCPARAM A0000023	1.3119E-09	2.644	39.473	9.500	
104.931 2.459					
SRCPARAM A0000024	1.3119E-09	2.644	21.064	9.500	
84.806 2.459					
SRCPARAM A0000025	1.3119E-09	2.644	11.875	9.500	
74.476 2.459					
SRCPARAM A0000026	1.3119E-09	2.644	33.280	9.500	
61.477 2.459					
SRCPARAM A0000027	1.3119E-09	2.644	64.892	9.500	
60.673 2.459					
SRCPARAM A0000028	1.3119E-09	2.644	31.051	9.500	
67.109 2.459					
SRCPARAM A0000029	1.3119E-09	2.644	15.892	9.500	
73.740 2.459					
SRCPARAM A0000030	1.3119E-09	2.644	15.726	9.500	
75.964 2.459					
SRCPARAM A0000031	1.3119E-09	2.644	43.231	9.500	
89.157 2.459					
SRCPARAM A0000032	1.3119E-09	2.644	72.512	9.500	
92.010 2.459					
SRCPARAM A0000033	1.3119E-09	2.644	19.910	9.500	
73.301 2.459					

**

URBANSRC ALL

** Variable Emissions Type: "By Hour / Day (HRDOW)"

```

** Variable Emission Scenario: "Scenario 1"
** WeekDays:
EMISFACT PAREA1      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA1      HRDOW 1.0 1.0 1.0 1.0 1.0 1.0
EMISFACT PAREA1      HRDOW 1.0 1.0 0.0 0.0 0.0 0.0
EMISFACT PAREA1      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
EMISFACT PAREA1      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA1      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA1      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA1      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
EMISFACT PAREA1      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA1      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA1      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA1      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
EMISFACT A0000001    HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT A0000001    HRDOW 1.0 1.0 1.0 1.0 1.0 1.0
EMISFACT A0000001    HRDOW 1.0 1.0 0.0 0.0 0.0 0.0
EMISFACT A0000001    HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT A0000002    HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT A0000002    HRDOW 1.0 1.0 1.0 1.0 1.0 1.0
EMISFACT A0000002    HRDOW 1.0 1.0 0.0 0.0 0.0 0.0
EMISFACT A0000002    HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT A0000003    HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT A0000003    HRDOW 1.0 1.0 1.0 1.0 1.0 1.0
EMISFACT A0000003    HRDOW 1.0 1.0 0.0 0.0 0.0 0.0
EMISFACT A0000003    HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT A0000004    HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT A0000004    HRDOW 1.0 1.0 1.0 1.0 1.0 1.0
EMISFACT A0000004    HRDOW 1.0 1.0 0.0 0.0 0.0 0.0
EMISFACT A0000004    HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT A0000005    HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT A0000005    HRDOW 1.0 1.0 1.0 1.0 1.0 1.0
EMISFACT A0000005    HRDOW 1.0 1.0 0.0 0.0 0.0 0.0
EMISFACT A0000005    HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT A0000006    HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT A0000006    HRDOW 1.0 1.0 1.0 1.0 1.0 1.0
EMISFACT A0000006    HRDOW 1.0 1.0 0.0 0.0 0.0 0.0
EMISFACT A0000006    HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT A0000007    HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT A0000007    HRDOW 1.0 1.0 1.0 1.0 1.0 1.0
EMISFACT A0000007    HRDOW 1.0 1.0 0.0 0.0 0.0 0.0
EMISFACT A0000007    HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT A0000008    HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT A0000008    HRDOW 1.0 1.0 1.0 1.0 1.0 1.0
EMISFACT A0000008    HRDOW 1.0 1.0 0.0 0.0 0.0 0.0
EMISFACT A0000008    HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT A0000009    HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT A0000009    HRDOW 1.0 1.0 1.0 1.0 1.0 1.0
EMISFACT A0000009    HRDOW 1.0 1.0 0.0 0.0 0.0 0.0
EMISFACT A0000009    HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:

```



```

**
*****
** AERMOD Meteorology Pathway
*****
**
**
ME STARTING
  SURFFILE "..\..\Met Files\KSNA_V9_ADJU\KSNA_v9.SFC"
  PROFFILE "..\..\Met Files\KSNA_V9_ADJU\KSNA_v9.PFL"
  SURFDATA 93184 2012 John_Wayne_Airport
  UAIRDATA 3190 2012
  PROFBASE 17.0 METERS
ME FINISHED
**
*****
** AERMOD Output Pathway
*****
**
**
OU STARTING
  RECTABLE ALLAVE 1ST
  RECTABLE 1 1ST
** Auto-Generated Plotfiles
  PLOTFILE 1 ALL 1ST 25_011_Cypress_Con.AD\01H1GALL.PLT 31
  PLOTFILE PERIOD ALL 25_011_Cypress_Con.AD\PE00GALL.PLT 32
  SUMMFILE 25_011_Cypress_Con.sum
OU FINISHED

```

*** Message Summary For AERMOD Model Setup ***

----- Summary of Total Messages -----

```

A Total of           0 Fatal Error Message(s)
A Total of           2 Warning Message(s)
A Total of           0 Informational Message(s)

```

***** FATAL ERROR MESSAGES *****
 *** NONE ***

```

***** WARNING MESSAGES *****
ME W186      627      MEOPEN: THRESH_1MIN 1-min ASOS wind speed
threshold used          0.50
ME W187      627      MEOPEN: ADJ_U* Option for Stable Low Winds used in
AERMET

```

```

*****
*** SETUP Finishes Successfully ***
*****

```

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
*** AERMET - VERSION 16216 *** ***
*** 11:05:29

PAGE 1

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** MODEL SETUP OPTIONS

SUMMARY ***

** Model Options Selected:

- * Model Uses Regulatory DEFAULT Options
- * Model Is Setup For Calculation of Average CONCentration Values.
- * NO GAS DEPOSITION Data Provided.
- * NO PARTICLE DEPOSITION Data Provided.
- * Model Uses NO DRY DEPLETION. DDPLETE = F
- * Model Uses NO WET DEPLETION. WETDPLT = F
- * Stack-tip Downwash.
- * Model Accounts for ELEVated Terrain Effects.
- * Use Calms Processing Routine.
- * Use Missing Data Processing Routine.
- * No Exponential Decay.
- * Model Uses URBAN Dispersion Algorithm for the SBL for 34

Source(s),

- for Total of 1 Urban Area(s):
- Urban Population = 3136000.0 ; Urban Roughness Length = 1.000 m
- * Urban Roughness Length of 1.0 Meter Used.
- * ADJ_U* - Use ADJ_U* option for SBL in AERMET
- * CCVR_Sub - Meteorological data includes CCVR substitutions
- * TEMP_Sub - Meteorological data includes TEMP substitutions
- * Model Assumes No FLAGPOLE Receptor Heights.
- * The User Specified a Pollutant Type of: PM_10

**Model Calculates 1 Short Term Average(s) of: 1-HR
and Calculates PERIOD Averages

**This Run Includes: 34 Source(s); 1 Source Group(s); and
1630 Receptor(s)

with: 0 POINT(s), including
0 POINTCAP(s) and 0 POINTHOR(s)
and: 0 VOLUME source(s)
and: 34 AREA type source(s)
and: 0 LINE source(s)
and: 0 RLINE/RLINEXT source(s)
and: 0 OPENPIT source(s)
and: 0 BUOYANT LINE source(s) with a total of 0
line(s)
and: 0 SWPOINT source(s)

**Model Set To Continue RUNning After the Setup Testing.

**The AERMET Input Meteorological Data Version Date: 16216

**Output Options Selected:

Model Outputs Tables of PERIOD Averages by Receptor

Model Outputs Tables of Highest Short Term Values by Receptor

(RECTABLE Keyword)

Model Outputs External File(s) of High Values for Plotting

(PLOTFILE Keyword)

Model Outputs Separate Summary File of High Ranked Values

(SUMMFILE Keyword)

**NOTE: The Following Flags May Appear Following CONC Values: c for
Calm Hours

m for

Missing Hours

b for

Both Calm and Missing Hours

**Misc. Inputs: Base Elev. for Pot. Temp. Profile (m MSL) = 17.00 ;

Decay Coef. = 0.000 ; Rot. Angle = 0.0

Emission Units = GRAMS/SEC

; Emission Rate Unit Factor = 0.10000E+07

Output Units = MICROGRAMS/M**3

**Approximate Storage Requirements of Model = 3.7 MB of RAM.

**Input Runstream File: aermod.inp

**Output Print File: aermod.out

**Detailed Error/Message File: 25_011_Cypress_Con.err

**File for Summary of Results: 25_011_Cypress_Con.sum

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:05:29

PAGE 2

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** AREA SOURCE DATA

X-DIM	Y-DIM	NUMBER OF AREA	EMISSION RATE	COORD (SW CORNER)	BASE	RELEASE
SOURCE	PART.	ORIENT.	INIT.	URBAN	EMISSION RATE	AIRCRAFT
OF AREA	OF AREA	OF AREA	SZ	SOURCE	SCALAR VARY	HEIGHT
ID	CATS.	(GRAMS/SEC	(METER**2)	(METERS)	(METERS)	(METERS)
(METERS)	(METERS)	(DEG.)	(METERS)	(METERS)	(METERS)	(METERS)

A0000001	0	0.11782E-08	423996.0	3735736.6	49.5	2.64
82.19	16.00	180.00	2.46	YES	HRDOW	NO
A0000002	0	0.11782E-08	423913.8	3735736.6	50.3	2.64
82.19	16.00	180.00	2.46	YES	HRDOW	NO
A0000003	0	0.11782E-08	423839.6	3735728.6	49.4	2.64
108.69	16.00	-90.00	2.46	YES	HRDOW	NO
A0000004	0	0.11782E-08	423831.4	3735845.2	50.2	2.64
141.16	16.00	178.78	2.46	YES	HRDOW	NO
A0000005	0	0.11782E-08	423690.3	3735842.2	50.8	2.64
141.16	16.00	178.78	2.46	YES	HRDOW	NO
A0000006	0	0.11782E-08	423549.2	3735839.2	51.5	2.64
141.16	16.00	178.78	2.46	YES	HRDOW	NO
A0000007	0	0.11782E-08	423408.5	3735836.2	51.7	2.64
97.29	16.00	-177.80	2.46	YES	HRDOW	NO
A0000008	0	0.11782E-08	423311.3	3735839.9	52.2	2.64
97.29	16.00	-177.80	2.46	YES	HRDOW	NO
A0000009	0	0.11782E-08	423213.8	3735843.7	52.5	2.64
102.45	16.00	180.00	2.46	YES	HRDOW	NO
A0000010	0	0.13118E-08	423112.8	3735842.5	54.3	2.64
25.14	9.50	-143.84	2.46	YES	HRDOW	NO
A0000011	0	0.13118E-08	423093.6	3735856.3	53.8	2.64
9.21	9.50	-126.38	2.46	YES	HRDOW	NO
A0000012	0	0.13118E-08	423088.9	3735861.9	54.0	2.64
16.77	9.50	-102.09	2.46	YES	HRDOW	NO
A0000013	0	0.13118E-08	423085.5	3735877.1	53.9	2.64
80.88	9.50	-87.51	2.46	YES	HRDOW	NO
A0000014	0	0.13118E-08	423089.0	3735958.2	53.5	2.64
41.39	9.50	-91.08	2.46	YES	HRDOW	NO
A0000015	0	0.13118E-08	423088.2	3735999.6	53.7	2.64
17.96	9.50	-91.25	2.46	YES	HRDOW	NO
A0000016	0	0.13118E-08	423087.8	3736017.7	53.8	2.64
50.80	9.50	-92.64	2.46	YES	HRDOW	NO

A0000017		0	0.13118E-08	423085.5	3736068.4	54.3	2.64
50.80	9.50	-92.64	2.46	YES	HRDOW	NO	
A0000018		0	0.13118E-08	423083.1	3736119.5	54.7	2.64
79.67	9.50	-95.91	2.46	YES	HRDOW	NO	
A0000019		0	0.13118E-08	423074.9	3736198.6	55.8	2.64
46.98	9.50	-94.29	2.46	YES	HRDOW	NO	
A0000020		0	0.13119E-08	423109.8	3735840.3	54.4	2.64
91.08	9.50	-178.70	2.46	YES	HRDOW	NO	
A0000021		0	0.13119E-08	423018.7	3735842.4	47.2	2.64
91.08	9.50	-178.70	2.46	YES	HRDOW	NO	
A0000022		0	0.13119E-08	422923.1	3735841.4	54.2	2.64
12.28	9.50	111.25	2.46	YES	HRDOW	NO	
A0000023		0	0.13119E-08	422918.5	3735829.5	54.0	2.64
39.47	9.50	104.93	2.46	YES	HRDOW	NO	
A0000024		0	0.13119E-08	422908.2	3735789.7	53.2	2.64
21.06	9.50	84.81	2.46	YES	HRDOW	NO	
A0000025		0	0.13119E-08	422910.3	3735767.9	52.7	2.64
11.88	9.50	74.48	2.46	YES	HRDOW	NO	
A0000026		0	0.13119E-08	422913.9	3735755.4	52.4	2.64
33.28	9.50	61.48	2.46	YES	HRDOW	NO	
A0000027		0	0.13119E-08	422929.8	3735726.1	51.2	2.64
64.89	9.50	60.67	2.46	YES	HRDOW	NO	
A0000028		0	0.13119E-08	422961.3	3735670.0	48.7	2.64
31.05	9.50	67.11	2.46	YES	HRDOW	NO	
A0000029		0	0.13119E-08	422973.2	3735642.0	46.6	2.64
15.89	9.50	73.74	2.46	YES	HRDOW	NO	
A0000030		0	0.13119E-08	422977.6	3735626.9	47.3	2.64
15.73	9.50	75.96	2.46	YES	HRDOW	NO	
A0000031		0	0.13119E-08	422981.3	3735612.7	45.9	2.64
43.23	9.50	89.16	2.46	YES	HRDOW	NO	
A0000032		0	0.13119E-08	422981.9	3735569.7	45.8	2.64
72.51	9.50	92.01	2.46	YES	HRDOW	NO	
A0000033		0	0.13119E-08	422979.6	3735495.7	46.4	2.64
19.91	9.50	73.30	2.46	YES	HRDOW	NO	

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:05:29

PAGE 3
 *** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** AREAPOLY SOURCE DATA

NUMBER SOURCE OF VERTS. ID (METERS)	INIT. PART. SZ CATS.	NUMBER EMISSION RATE		LOCATION OF AREA		BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)
		URBAN SOURCE /METER**2)	EMISSION RATE SCALAR VARY	X (METERS)	Y (METERS)		
PAREAL 4	0 0.00 YES	0.24200E-06 HRDOW		423839.8	3735819.3 NO	50.1	5.00

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:05:29

PAGE 4
 *** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** SOURCE IDs DEFINING SOURCE

GROUPS ***

SRCGROUP ID	SOURCE IDs
-----	-----
ALL	PAREA1
A0000004	, A0000001 , A0000002 , A0000003 , , A0000005 , A0000006 , A0000007 ,
A0000012	A0000008 , A0000009 , A0000010 , A0000011 , , A0000013 , A0000014 , A0000015 ,
A0000020	A0000016 , A0000017 , A0000018 , A0000019 , , A0000021 , A0000022 , A0000023 ,
A0000028	A0000024 , A0000025 , A0000026 , A0000027 , , A0000029 , A0000030 , A0000031 ,
	A0000032 , A0000033 ,

```

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
*** AERMET - VERSION 16216 *** ***
*** 11:05:29

```

```

PAGE 5
*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

```

*** SOURCE IDs DEFINED AS URBAN

SOURCES ***

URBAN ID	URBAN POP	SOURCE IDs
-----	-----	-----
A0000003 A0000007	3136000. , A0000004 ,	PAREA1 , A0000001 , A0000002 , , A0000005 , A0000006 ,
A0000012	A0000008 , A0000013	, A0000009 , A0000010 , A0000011 , , A0000014 , A0000015 ,
A0000020	A0000016 , A0000021	, A0000017 , A0000018 , A0000019 , , A0000022 , A0000023 ,
A0000028	A0000024 , A0000029	, A0000025 , A0000026 , A0000027 , , A0000030 , A0000031 ,
	A0000032	, A0000033 ,

```

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
*** AERMET - VERSION 16216 *** ***
*** 11:05:29

```

PAGE 6

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = PAREA1 ; SOURCE TYPE = AREAPOLY :

| SCALAR |
--------	--------	--------	--------	--------	--------	--------	--------	--------

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.1000E+01	8	.1000E+01	9	.1000E+01	10	.1000E+01
11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.0000E+00
16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00
21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00		

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00	9	.0000E+00	10	.0000E+00
11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00
16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00
21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00		

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00	9	.0000E+00	10	.0000E+00
11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00
16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00
21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00		

```

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
*** AERMET - VERSION 16216 *** ***
*** 11:05:29

```

PAGE 7

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000001 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

```

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
*** AERMET - VERSION 16216 *** ***
*** 11:05:29

```

PAGE 8

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000002 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

```

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
*** AERMET - VERSION 16216 *** ***
*** 11:05:29

```

PAGE 9

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
AND BY DAY OF WEEK (HRDOW) *

```

SOURCE ID = A0000003 ; SOURCE TYPE = AREA :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

```

DAY OF WEEK = WEEKDAY

```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5
.0000E+00 6 .0000E+00 7 .1000E+01 8 .1000E+01
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13
.1000E+01 14 .1000E+01 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

DAY OF WEEK = SATURDAY

```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5
.0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13
.0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

DAY OF WEEK = SUNDAY

```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5
.0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13
.0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:05:29

PAGE 10

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
 AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000004 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

```

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
*** AERMET - VERSION 16216 *** ***
*** 11:05:29

```

PAGE 11

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
AND BY DAY OF WEEK (HRDOW) *

```

SOURCE ID = A0000005 ; SOURCE TYPE = AREA :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

```

```

                                DAY OF WEEK = WEEKDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5
.0000E+00  6 .0000E+00  7 .1000E+01  8 .1000E+01
  9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13
.1000E+01 14 .1000E+01 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

                                DAY OF WEEK = SATURDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5
.0000E+00  6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13
.0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

                                DAY OF WEEK = SUNDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5
.0000E+00  6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13
.0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
*** AERMET - VERSION 16216 *** ***
*** 11:05:29

```

PAGE 12

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
AND BY DAY OF WEEK (HRDOW) *

```

SOURCE ID = A0000006 ; SOURCE TYPE = AREA :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

```

DAY OF WEEK = WEEKDAY

```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5
.0000E+00 6 .0000E+00 7 .1000E+01 8 .1000E+01
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13
.1000E+01 14 .1000E+01 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

DAY OF WEEK = SATURDAY

```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5
.0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13
.0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

DAY OF WEEK = SUNDAY

```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5
.0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13
.0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
*** AERMET - VERSION 16216 *** ***
*** 11:05:29

```

PAGE 13

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
AND BY DAY OF WEEK (HRDOW) *

```

SOURCE ID = A0000007 ; SOURCE TYPE = AREA :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

```

```

                                DAY OF WEEK = WEEKDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5
.0000E+00  6 .0000E+00  7 .1000E+01  8 .1000E+01
  9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13
.1000E+01 14 .1000E+01 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

                                DAY OF WEEK = SATURDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5
.0000E+00  6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13
.0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

                                DAY OF WEEK = SUNDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5
.0000E+00  6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13
.0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

*** AERMOD - VERSION 23132 ***      *** C:\Lakes\AERMOD
View\25_011_Cypress_Con\25_011_Cypress_Con.isc      ***      03/27/25
*** AERMET - VERSION 16216 ***      ***
***      11:05:29

```

PAGE 14

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
AND BY DAY OF WEEK (HRDOW) *

```

SOURCE ID = A0000008      ; SOURCE TYPE = AREA      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR

```

DAY OF WEEK = WEEKDAY

```

  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5
.0000E+00  6 .0000E+00  7 .1000E+01  8 .1000E+01
  9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13
.1000E+01 14 .1000E+01 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

DAY OF WEEK = SATURDAY

```

  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5
.0000E+00  6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13
.0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

DAY OF WEEK = SUNDAY

```

  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5
.0000E+00  6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13
.0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
*** AERMET - VERSION 16216 *** ***
*** 11:05:29

```

PAGE 15

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000009 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:05:29

PAGE 16

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
 AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000010 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

```

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
*** AERMET - VERSION 16216 *** ***
*** 11:05:29

```

PAGE 17

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000011 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

```

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
*** AERMET - VERSION 16216 *** ***
*** 11:05:29

```

PAGE 18

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000012 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

```

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
*** AERMET - VERSION 16216 *** ***
*** 11:05:29

```

PAGE 19

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000013 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5
 .0000E+00 6 .0000E+00 7 .1000E+01 8 .1000E+01
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13
 .1000E+01 14 .1000E+01 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5
 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13
 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5
 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13
 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
*** AERMET - VERSION 16216 *** ***
*** 11:05:29

```

PAGE 20

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
AND BY DAY OF WEEK (HRDOW) *

```

SOURCE ID = A0000014 ; SOURCE TYPE = AREA :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

```

```

                                DAY OF WEEK = WEEKDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5
.0000E+00  6 .0000E+00  7 .1000E+01  8 .1000E+01
  9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13
.1000E+01 14 .1000E+01 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

                                DAY OF WEEK = SATURDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5
.0000E+00  6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13
.0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

                                DAY OF WEEK = SUNDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5
.0000E+00  6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13
.0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
*** AERMET - VERSION 16216 *** ***
*** 11:05:29

```

PAGE 21

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000015 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

```

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
*** AERMET - VERSION 16216 *** ***
*** 11:05:29

```

PAGE 22

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000016 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

```

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
*** AERMET - VERSION 16216 *** ***
*** 11:05:29

```

PAGE 23

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
AND BY DAY OF WEEK (HRDOW) *

```

SOURCE ID = A0000017 ; SOURCE TYPE = AREA :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

```

DAY OF WEEK = WEEKDAY

```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5
.0000E+00 6 .0000E+00 7 .1000E+01 8 .1000E+01
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13
.1000E+01 14 .1000E+01 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

DAY OF WEEK = SATURDAY

```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5
.0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13
.0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

DAY OF WEEK = SUNDAY

```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5
.0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13
.0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
*** AERMET - VERSION 16216 *** ***
*** 11:05:29

```

PAGE 24

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000018 ; SOURCE TYPE = AREA :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

```

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
*** AERMET - VERSION 16216 *** ***
*** 11:05:29

```

PAGE 25

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000019 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

```

*** AERMOD - VERSION 23132 ***      *** C:\Lakes\AERMOD
View\25_011_Cypress_Con\25_011_Cypress_Con.isc      ***      03/27/25
*** AERMET - VERSION 16216 ***      ***
***      11:05:29

```

PAGE 26

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
AND BY DAY OF WEEK (HRDOW) *

```

SOURCE ID = A0000020      ; SOURCE TYPE = AREA      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR

```

```

                                DAY OF WEEK = WEEKDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5
.0000E+00  6 .0000E+00  7 .1000E+01  8 .1000E+01
  9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13
.1000E+01 14 .1000E+01 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

                                DAY OF WEEK = SATURDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5
.0000E+00  6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13
.0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

                                DAY OF WEEK = SUNDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5
.0000E+00  6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13
.0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
*** AERMET - VERSION 16216 *** ***
*** 11:05:29

```

PAGE 27

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000021 ; SOURCE TYPE = AREA :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

```

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
*** AERMET - VERSION 16216 *** ***
*** 11:05:29

```

PAGE 28

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000022 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

```

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
*** AERMET - VERSION 16216 *** ***
*** 11:05:29

```

PAGE 29

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000023 ; SOURCE TYPE = AREA :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5
.0000E+00 6 .0000E+00 7 .1000E+01 8 .1000E+01
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13
.1000E+01 14 .1000E+01 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5
.0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13
.0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5
.0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13
.0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
*** AERMET - VERSION 16216 *** ***
*** 11:05:29

```

PAGE 30

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000024 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5
 .0000E+00 6 .0000E+00 7 .1000E+01 8 .1000E+01
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13
 .1000E+01 14 .1000E+01 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5
 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13
 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5
 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13
 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

*** AERMOD - VERSION 23132 ***      *** C:\Lakes\AERMOD
View\25_011_Cypress_Con\25_011_Cypress_Con.isc      ***      03/27/25
*** AERMET - VERSION 16216 ***      ***
***      11:05:29

```

PAGE 31

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
AND BY DAY OF WEEK (HRDOW) *

```

SOURCE ID = A0000025      ; SOURCE TYPE = AREA      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR

```

DAY OF WEEK = WEEKDAY

```

  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5
.0000E+00  6 .0000E+00  7 .1000E+01  8 .1000E+01
  9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13
.1000E+01 14 .1000E+01 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

DAY OF WEEK = SATURDAY

```

  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5
.0000E+00  6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13
.0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

DAY OF WEEK = SUNDAY

```

  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5
.0000E+00  6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13
.0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
*** AERMET - VERSION 16216 *** ***
*** 11:05:29

```

PAGE 32

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000026 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5
 .0000E+00 6 .0000E+00 7 .1000E+01 8 .1000E+01
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13
 .1000E+01 14 .1000E+01 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5
 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13
 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5
 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13
 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
*** AERMET - VERSION 16216 *** ***
*** 11:05:29

```

PAGE 33

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
AND BY DAY OF WEEK (HRDOW) *

```

SOURCE ID = A0000027 ; SOURCE TYPE = AREA :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

```

```

                                DAY OF WEEK = WEEKDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5
.0000E+00  6 .0000E+00  7 .1000E+01  8 .1000E+01
  9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13
.1000E+01 14 .1000E+01 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

                                DAY OF WEEK = SATURDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5
.0000E+00  6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13
.0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

                                DAY OF WEEK = SUNDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5
.0000E+00  6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13
.0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
*** AERMET - VERSION 16216 *** ***
*** 11:05:29

```

PAGE 34

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000028 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5
 .0000E+00 6 .0000E+00 7 .1000E+01 8 .1000E+01
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13
 .1000E+01 14 .1000E+01 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5
 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13
 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5
 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13
 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
*** AERMET - VERSION 16216 *** ***
*** 11:05:29

```

PAGE 35

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
AND BY DAY OF WEEK (HRDOW) *

```

SOURCE ID = A0000029 ; SOURCE TYPE = AREA :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

```

```

                                DAY OF WEEK = WEEKDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5
.0000E+00  6 .0000E+00  7 .1000E+01  8 .1000E+01
  9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13
.1000E+01 14 .1000E+01 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

                                DAY OF WEEK = SATURDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5
.0000E+00  6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13
.0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

                                DAY OF WEEK = SUNDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5
.0000E+00  6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13
.0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
*** AERMET - VERSION 16216 *** ***
*** 11:05:29

```

PAGE 36

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000030 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

```

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
*** AERMET - VERSION 16216 *** ***
*** 11:05:29

```

PAGE 37

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000031 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5
 .0000E+00 6 .0000E+00 7 .1000E+01 8 .1000E+01
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13
 .1000E+01 14 .1000E+01 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5
 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13
 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5
 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13
 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:05:29

PAGE 38

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
 AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000032 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

```

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
*** AERMET - VERSION 16216 *** ***
*** 11:05:29

```

PAGE 39

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
AND BY DAY OF WEEK (HRDOW) *

```

SOURCE ID = A0000033 ; SOURCE TYPE = AREA :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

```

```

                                DAY OF WEEK = WEEKDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5
.0000E+00  6 .0000E+00  7 .1000E+01  8 .1000E+01
  9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13
.1000E+01 14 .1000E+01 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

                                DAY OF WEEK = SATURDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5
.0000E+00  6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13
.0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

                                DAY OF WEEK = SUNDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5
.0000E+00  6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13
.0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
*** AERMET - VERSION 16216 *** ***
*** 11:05:29

PAGE 40

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** GRIDDED RECEPTOR NETWORK

SUMMARY ***

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

*** X-COORDINATES OF GRID ***
(METERS)

422622.5, 422672.5, 422722.5, 422772.5, 422822.5, 422872.5,
422922.5, 422972.5, 423022.5, 423072.5,
423122.5, 423172.5, 423222.5, 423272.5, 423322.5, 423372.5,
423422.5, 423472.5, 423522.5, 423572.5,
423622.5, 423672.5, 423722.5, 423772.5, 423822.5, 423872.5,
423922.5, 423972.5, 424022.5, 424072.5,
424122.5, 424172.5, 424222.5, 424272.5, 424322.5, 424372.5,
424422.5, 424472.5, 424522.5, 424572.5,

*** Y-COORDINATES OF GRID ***
(METERS)

3734919.6, 3734969.6, 3735019.6, 3735069.6, 3735119.6, 3735169.6,
3735219.6, 3735269.6, 3735319.6, 3735369.6,
3735419.6, 3735469.6, 3735519.6, 3735569.6, 3735619.6, 3735669.6,
3735719.6, 3735769.6, 3735819.6, 3735869.6,
3735919.6, 3735969.6, 3736019.6, 3736069.6, 3736119.6, 3736169.6,
3736219.6, 3736269.6, 3736319.6, 3736369.6,
3736419.6, 3736469.6, 3736519.6, 3736569.6, 3736619.6, 3736669.6,
3736719.6, 3736769.6, 3736819.6, 3736869.6,

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:05:29

PAGE 41

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

* ELEVATION HEIGHTS IN

METERS *

Y-COORD (METERS)		X-COORD (METERS)			
		422622.45	422672.45	422722.45	422772.45
422822.45	422872.45	422922.45	422972.45	423022.45	

3736869.57		59.20	59.80	59.70	59.90
60.10	60.20	60.30	60.30	60.50	
3736819.57		58.70	59.10	58.80	58.90
59.00	59.50	59.90	60.10	60.10	
3736769.57		58.40	59.00	58.70	58.80
58.80	59.10	59.50	59.90	59.50	
3736719.57		58.30	59.00	58.30	58.50
58.70	58.90	59.00	59.70	58.80	
3736669.57		58.00	58.00	58.10	58.20
58.40	58.90	60.10	60.90	58.70	
3736619.57		57.80	57.90	58.10	58.00
58.10	58.10	57.80	58.00	58.10	
3736569.57		57.50	58.00	57.10	57.20
57.50	57.00	57.10	57.30	57.70	
3736519.57		57.20	57.10	57.30	57.00
57.40	57.20	57.50	57.10	57.40	
3736469.57		56.90	57.30	57.10	56.90
57.40	57.20	57.20	56.70	57.20	
3736419.57		56.80	57.20	56.40	56.50
56.20	56.60	56.70	56.40	56.90	
3736369.57		56.50	57.00	56.10	56.10
56.20	56.40	56.60	56.00	56.80	
3736319.57		56.50	56.40	55.90	55.70
55.70	56.00	56.40	55.60	56.50	
3736269.57		56.20	56.30	56.00	56.10
55.70	55.80	56.00	55.30	56.30	
3736219.57		56.00	55.90	55.80	55.20
55.30	55.20	55.50	55.10	56.00	
3736169.57		56.00	55.30	55.10	55.00
55.40	54.90	55.00	54.90	55.40	
3736119.57		55.50	54.80	55.20	54.90
55.20	54.80	54.90	54.70	54.50	

3736069.57		55.10	54.90	55.00	54.70
55.00	54.80	54.80	54.70	53.20	
3736019.57		54.70	54.40	54.20	54.30
54.40	54.40	54.40	54.30	51.70	
3735969.57		54.50	54.40	53.80	53.80
54.00	54.10	54.00	53.90	50.20	
3735919.57		54.20	54.00	53.50	53.20
53.50	53.80	53.80	53.70	48.80	
3735869.57		53.70	53.50	53.30	53.00
53.40	53.40	53.40	53.40	47.50	
3735819.57		53.40	53.30	53.10	53.10
53.20	53.30	53.90	54.40	46.80	
3735769.57		52.40	52.40	52.80	52.90
52.90	53.40	52.20	48.30	46.40	
3735719.57		52.50	52.00	52.40	52.20
51.50	52.30	51.60	47.60	46.20	
3735669.57		51.90	52.50	51.90	51.60
51.90	51.80	52.20	46.80	46.00	
3735619.57		51.40	51.30	51.70	51.80
51.80	51.70	51.60	49.70	45.70	
3735569.57		50.80	51.00	51.50	51.00
51.40	51.10	51.80	51.00	45.40	
3735519.57		50.70	51.00	50.80	50.90
50.80	50.70	51.00	50.70	45.10	
3735469.57		50.60	50.30	50.50	50.50
50.30	50.20	50.60	49.50	44.80	
3735419.57		49.80	50.00	50.30	49.50
49.70	49.90	50.20	47.40	44.50	
3735369.57		50.10	50.20	50.20	49.30
49.50	49.80	50.20	44.20	44.10	
3735319.57		49.20	49.30	49.20	49.20
49.60	49.70	49.90	43.80	43.80	
3735269.57		49.00	49.20	49.30	49.10
50.50	50.60	48.50	43.70	44.80	
3735219.57		47.50	48.80	48.60	49.20
47.80	49.60	50.50	43.40	48.20	
3735169.57		47.70	48.90	48.40	49.30
50.40	50.60	50.30	43.20	48.40	
3735119.57		48.20	48.20	48.00	48.60
47.40	46.20	49.40	43.00	48.60	
3735069.57		47.50	47.70	47.30	48.10
47.40	47.20	48.50	42.80	48.30	
3735019.57		47.60	47.40	47.40	47.70
48.30	48.10	48.40	42.60	47.90	
3734969.57		46.30	47.10	47.00	47.20
47.40	47.80	48.00	42.30	47.80	
3734919.57		45.80	46.70	47.00	47.30
47.50	47.60	44.90	42.00	47.50	

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:05:29

PAGE 42

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

* ELEVATION HEIGHTS IN

METERS *

Y-COORD (METERS)		X-COORD			
(METERS)		423072.45	423122.45	423172.45	423222.45
423272.45	423322.45	423372.45	423422.45	423472.45	
3736869.57		61.00	59.90	60.40	60.10
60.60	60.10	60.60	60.50	61.00	
3736819.57		60.20	59.60	60.20	59.80
60.40	59.90	60.40	59.70	59.10	
3736769.57		59.40	59.40	59.60	59.50
59.80	59.60	59.40	59.00	59.40	
3736719.57		58.70	59.10	59.40	59.30
59.60	59.60	58.80	58.30	57.40	
3736669.57		58.10	60.50	59.60	59.20
58.90	58.80	58.30	57.70	57.90	
3736619.57		57.90	58.00	57.80	58.10
58.40	58.60	57.40	56.80	56.10	
3736569.57		57.70	58.30	57.30	58.30
57.60	58.30	57.00	56.00	55.40	
3736519.57		57.50	57.90	57.00	58.00
57.00	58.20	56.60	55.50	55.10	
3736469.57		57.20	57.50	56.60	57.40
56.50	57.50	56.70	55.20	54.90	
3736419.57		57.00	57.10	56.30	57.00
56.10	56.90	56.80	54.90	54.20	
3736369.57		56.80	56.70	56.00	56.50
55.70	56.20	56.00	54.80	54.10	
3736319.57		56.60	56.40	55.70	56.00
55.20	55.20	55.10	54.80	54.10	
3736269.57		56.40	56.00	55.90	55.80
55.90	55.60	55.40	54.80	53.90	
3736219.57		56.00	54.90	54.70	55.10
55.10	55.30	55.10	54.80	54.00	
3736169.57		55.60	54.40	55.20	54.90
54.90	54.80	54.70	54.60	53.90	
3736119.57		54.80	54.40	54.40	54.50
54.40	54.40	54.30	53.80	53.30	

3736069.57		53.90	54.20	54.40	54.30
54.20	54.10	54.00	53.40	53.00	
3736019.57		52.70	54.40	54.30	53.80
53.90	53.60	53.50	53.00	52.60	
3735969.57		51.30	53.80	53.50	53.60
54.00	53.90	52.70	52.70	52.50	
3735919.57		50.10	53.30	53.40	53.10
53.30	53.50	52.30	52.30	52.10	
3735869.57		49.20	53.00	52.90	52.80
52.70	53.00	52.40	52.00	51.70	
3735819.57		49.10	54.20	53.50	52.40
52.20	52.10	51.90	51.70	51.60	
3735769.57		46.20	48.80	51.80	51.60
51.40	51.90	50.90	51.20	51.10	
3735719.57		47.00	51.20	51.40	50.90
51.10	51.20	51.10	50.80	50.70	
3735669.57		47.50	51.50	51.00	51.00
51.00	51.00	50.50	50.20	50.60	
3735619.57		48.10	50.90	50.60	50.10
49.70	49.60	49.50	49.50	49.90	
3735569.57		51.20	50.90	50.70	50.40
50.20	50.10	49.60	49.30	49.20	
3735519.57		51.10	50.80	50.30	50.10
50.00	49.50	49.10	49.00	48.90	
3735469.57		50.90	50.60	50.20	49.80
49.60	49.80	49.80	49.60	48.40	
3735419.57		50.70	50.20	49.70	49.50
49.60	49.30	49.50	48.70	48.30	
3735369.57		50.30	50.00	49.70	49.40
49.20	48.70	48.70	48.50	48.20	
3735319.57		50.10	49.60	49.20	49.10
48.80	49.00	49.00	48.30	48.00	
3735269.57		49.50	49.40	49.10	48.50
48.40	48.40	48.20	48.00	47.20	
3735219.57		49.40	49.20	48.60	48.20
48.00	47.40	47.60	47.10	47.00	
3735169.57		49.20	48.90	49.00	48.20
48.20	48.00	47.40	46.70	46.80	
3735119.57		48.20	48.40	47.80	47.70
46.80	46.50	46.40	46.50	46.80	
3735069.57		48.20	48.20	47.90	47.60
47.70	47.40	47.10	46.20	46.60	
3735019.57		47.90	47.50	46.80	46.30
46.80	45.90	46.40	45.80	46.10	
3734969.57		47.60	47.50	47.20	46.70
46.10	45.90	45.70	45.50	45.60	
3734919.57		47.30	47.00	46.60	46.30
46.10	45.80	45.80	45.20	45.40	

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:05:29

PAGE 43

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

* ELEVATION HEIGHTS IN

METERS *

Y-COORD (METERS)		X-COORD			
(METERS)		423522.45	423572.45	423622.45	423672.45
423722.45	423772.45	423822.45	423872.45	423922.45	

3736869.57		60.90	59.20	60.10	59.50
60.30	59.40	60.40	59.70	60.40	
3736819.57		58.90	58.30	59.50	58.90
59.90	59.40	59.70	59.50	60.10	
3736769.57		59.30	57.50	58.80	58.40
59.70	59.30	59.40	59.10	59.60	
3736719.57		57.30	56.80	57.50	57.80
59.50	58.90	59.00	58.70	59.10	
3736669.57		57.70	56.10	57.90	58.00
59.20	58.50	58.70	58.60	58.80	
3736619.57		55.80	55.40	57.50	57.90
58.90	58.60	58.70	58.50	58.10	
3736569.57		55.20	54.70	57.20	56.70
58.30	57.60	58.00	57.80	57.60	
3736519.57		54.80	54.50	56.10	55.50
57.10	56.60	57.20	56.50	56.80	
3736469.57		54.70	54.30	55.80	54.60
56.50	55.90	56.50	56.00	56.30	
3736419.57		54.40	53.90	55.10	54.20
56.00	55.50	56.10	56.10	56.10	
3736369.57		54.30	53.60	54.70	54.10
55.40	54.80	55.40	54.90	55.10	
3736319.57		54.20	53.60	54.50	54.00
54.90	54.50	54.80	54.70	54.90	
3736269.57		53.70	53.50	54.40	54.40
54.80	54.40	54.40	54.20	54.00	
3736219.57		53.40	52.80	53.30	53.00
54.30	53.80	53.70	53.40	53.30	
3736169.57		53.40	52.80	53.20	52.50
53.60	53.00	53.50	53.20	53.30	
3736119.57		53.40	52.60	52.90	52.30
53.60	52.80	52.90	52.50	52.20	

3736069.57		52.60	52.30	52.20	52.30
53.20	52.60	50.60	51.70	51.70	
3736019.57		52.50	52.30	52.20	52.30
51.70	51.50	51.20	50.90	51.70	
3735969.57		52.20	52.10	51.90	52.00
51.60	50.80	50.80	50.60	51.00	
3735919.57		52.00	51.70	51.60	51.80
51.20	50.60	50.60	50.50	50.90	
3735869.57		52.00	52.20	51.30	51.30
51.20	50.40	50.40	50.30	50.80	
3735819.57		51.50	51.30	51.20	51.10
50.80	50.60	50.20	49.90	49.90	
3735769.57		51.10	50.70	50.70	50.10
49.90	49.90	49.70	50.30	49.90	
3735719.57		50.40	50.20	50.50	50.10
49.90	49.80	49.50	49.40	50.40	
3735669.57		50.10	51.00	49.60	49.50
49.30	49.10	49.00	49.70	49.20	
3735619.57		49.80	49.70	49.30	49.00
48.60	48.60	48.60	48.90	48.80	
3735569.57		49.30	49.30	49.20	49.00
48.70	48.70	48.20	48.60	48.60	
3735519.57		47.80	46.80	47.40	48.40
48.20	48.00	47.90	48.20	47.60	
3735469.57		48.00	48.10	48.10	48.00
47.80	47.70	47.60	47.70	47.10	
3735419.57		48.00	48.10	47.60	47.70
47.60	47.50	47.20	47.50	47.90	
3735369.57		47.80	47.70	47.90	48.00
47.60	47.80	46.90	46.50	46.60	
3735319.57		47.50	47.30	47.30	47.40
47.30	47.30	46.60	46.80	46.90	
3735269.57		46.40	46.90	47.10	47.20
47.20	47.10	46.30	46.90	46.70	
3735219.57		46.30	46.50	46.40	46.30
46.30	46.20	45.90	45.90	46.00	
3735169.57		46.20	46.80	46.30	46.30
46.10	46.00	45.60	45.50	45.50	
3735119.57		46.30	46.20	45.90	45.80
45.70	45.50	45.40	44.80	45.10	
3735069.57		46.10	45.90	45.80	45.70
45.60	44.80	45.20	45.40	45.50	
3735019.57		46.00	45.80	45.60	45.50
45.30	44.60	45.00	45.10	45.20	
3734969.57		45.70	45.70	45.60	45.50
45.30	45.30	44.80	44.80	44.60	
3734919.57		45.00	44.80	44.70	44.60
44.60	44.90	44.60	42.20	44.50	

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:05:29

PAGE 44

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

* ELEVATION HEIGHTS IN

METERS *

Y-COORD (METERS)		X-COORD			
(METERS)		423972.45	424022.45	424072.45	424122.45
424172.45	424222.45	424272.45	424322.45	424372.45	
3736869.57		59.80	60.00	60.10	60.10
59.70	59.70	60.40	59.70	60.20	
3736819.57		59.40	60.00	59.50	59.60
59.30	59.50	59.70	59.30	60.20	
3736769.57		59.00	59.40	59.00	59.20
59.00	58.90	59.10	59.10	58.90	
3736719.57		58.50	59.00	58.80	58.70
58.60	58.50	58.70	59.10	59.60	
3736669.57		58.40	58.60	58.50	58.50
58.40	58.00	58.20	58.30	58.50	
3736619.57		57.90	58.20	58.30	57.90
58.20	57.90	58.50	58.40	58.50	
3736569.57		57.30	57.60	57.60	58.00
58.30	58.20	58.20	58.50	58.50	
3736519.57		57.00	57.40	57.10	57.00
57.00	57.00	57.00	57.00	57.40	
3736469.57		56.20	56.70	56.30	56.30
56.30	56.50	56.70	56.60	56.30	
3736419.57		56.30	56.30	55.70	55.10
56.10	55.20	56.00	55.20	56.50	
3736369.57		55.20	55.50	55.30	54.50
55.90	55.40	54.40	55.70	56.50	
3736319.57		54.80	54.90	54.80	54.00
55.30	54.10	55.10	54.80	55.70	
3736269.57		54.00	54.30	54.30	53.60
53.90	54.90	54.40	54.90	56.40	
3736219.57		53.60	53.60	53.70	53.70
54.30	54.00	54.10	54.50	56.80	
3736169.57		52.60	53.00	53.30	53.70
54.00	54.00	54.20	54.50	55.90	
3736119.57		51.90	52.40	52.90	53.00
52.90	53.20	53.20	53.90	55.70	

3736069.57		51.30	51.70	52.20	52.50
52.60	52.90	52.80	53.90	55.20	
3736019.57		51.30	51.20	52.10	51.70
52.00	52.10	52.40	54.10	54.90	
3735969.57		50.90	50.70	50.80	51.00
51.20	51.70	54.20	53.50	53.90	
3735919.57		50.30	50.10	50.50	50.40
50.60	51.30	53.90	53.90	54.40	
3735869.57		50.70	49.90	50.90	50.10
50.50	51.50	53.40	53.90	54.10	
3735819.57		49.80	49.70	49.40	49.70
50.20	52.40	52.80	53.40	53.40	
3735769.57		50.10	49.40	48.60	49.20
49.30	52.40	52.60	52.60	52.80	
3735719.57		49.70	49.20	48.30	48.90
49.30	51.90	51.90	52.20	52.10	
3735669.57		49.40	49.10	48.20	48.30
49.30	50.30	50.80	51.20	51.50	
3735619.57		48.70	48.60	48.50	49.10
50.20	50.60	50.60	51.30	51.50	
3735569.57		48.40	48.50	48.40	49.00
50.10	50.20	50.10	50.40	51.00	
3735519.57		48.10	47.80	48.20	48.20
49.40	49.80	49.70	49.90	50.60	
3735469.57		47.50	47.40	48.00	48.50
48.70	49.30	49.50	49.80	49.70	
3735419.57		47.70	47.80	48.00	48.40
48.50	49.00	49.00	49.20	49.50	
3735369.57		46.60	46.70	46.90	47.20
47.70	47.90	47.90	48.30	48.80	
3735319.57		47.00	47.00	47.30	47.30
47.90	48.00	48.40	48.50	48.80	
3735269.57		46.70	46.70	46.90	47.30
47.70	47.10	47.20	47.50	48.00	
3735219.57		46.10	46.20	46.30	46.50
46.60	46.70	47.10	47.70	48.00	
3735169.57		45.90	46.30	46.30	46.30
46.30	46.50	46.50	46.80	47.10	
3735119.57		45.40	46.30	46.10	46.10
46.10	46.40	46.50	46.60	46.90	
3735069.57		45.50	45.50	45.70	45.80
45.80	45.70	45.70	45.80	45.80	
3735019.57		45.20	45.30	45.30	45.40
45.50	45.60	46.00	46.30	46.10	
3734969.57		44.50	44.30	44.40	44.60
44.70	44.90	44.90	45.20	45.50	
3734919.57		44.60	44.30	44.50	44.60
44.70	44.40	44.50	45.10	45.30	

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:05:29

PAGE 45

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

* ELEVATION HEIGHTS IN

METERS *

Y-COORD (METERS)	424422.45	424472.45	424522.45	424572.45
3736869.57	61.00	62.70	63.20	63.10
3736819.57	61.10	62.60	62.40	63.30
3736769.57	60.70	62.10	62.00	62.70
3736719.57	60.60	61.40	62.00	62.10
3736669.57	60.10	61.50	60.90	61.70
3736619.57	60.20	60.90	60.90	60.90
3736569.57	60.00	60.30	60.40	60.40
3736519.57	58.90	59.80	60.40	60.10
3736469.57	58.90	58.90	59.70	60.20
3736419.57	58.40	59.20	59.20	58.30
3736369.57	58.50	58.90	58.40	58.90
3736319.57	58.20	58.20	57.50	58.30
3736269.57	56.70	57.90	57.40	57.30
3736219.57	57.00	57.30	57.30	57.10
3736169.57	56.60	56.70	57.10	56.80
3736119.57	55.90	56.10	56.20	56.60
3736069.57	55.60	55.60	55.90	56.30
3736019.57	55.20	55.20	55.50	55.90
3735969.57	54.90	54.80	54.80	55.50
3735919.57	54.60	54.60	54.60	54.70
3735869.57	54.40	54.30	54.50	53.90
3735819.57	53.30	53.40	54.20	53.70
3735769.57	52.80	53.10	53.50	53.20
3735719.57	52.50	52.60	53.00	52.60
3735669.57	51.80	52.20	52.70	52.10
3735619.57	51.50	51.70	52.00	51.50
3735569.57	51.00	51.10	51.00	50.80
3735519.57	50.50	50.60	50.90	50.30
3735469.57	50.20	49.90	49.80	49.60
3735419.57	49.70	49.50	49.40	49.20
3735369.57	48.70	48.60	48.80	48.70
3735319.57	48.80	48.40	48.20	48.10
3735269.57	48.00	47.70	47.70	47.70
3735219.57	47.90	47.50	47.20	47.20

3735169.57	47.30	47.30	46.80	46.80
3735119.57	47.00	46.50	46.50	46.40
3735069.57	45.90	45.90	45.90	45.90
3735019.57	46.10	45.90	45.70	45.50
3734969.57	45.60	45.50	45.40	45.20
3734919.57	45.70	45.70	45.50	44.90

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:05:29

PAGE 46

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

* HILL HEIGHT SCALES IN

METERS *

Y-COORD (METERS)		X-COORD			
(METERS)		422622.45	422672.45	422722.45	422772.45
422822.45	422872.45	422922.45	422972.45	423022.45	

3736869.57		59.20	59.80	59.70	59.90
60.10	60.20	60.30	60.30	60.50	
3736819.57		58.70	59.10	58.80	58.90
59.00	59.50	59.90	60.10	60.10	
3736769.57		58.40	59.00	58.70	58.80
58.80	59.10	59.50	59.90	59.50	
3736719.57		58.30	59.00	58.30	58.50
58.70	58.90	59.00	59.70	65.70	
3736669.57		58.00	58.00	58.10	58.20
58.40	62.00	65.10	65.90	65.90	
3736619.57		57.80	57.90	58.10	58.00
58.10	62.40	65.70	65.90	65.90	
3736569.57		57.50	58.00	57.10	57.20
57.50	57.00	57.10	65.80	65.80	
3736519.57		57.20	57.10	57.30	57.00
57.40	57.20	57.50	57.10	57.40	
3736469.57		56.90	57.30	57.10	56.90
57.40	57.20	57.20	56.70	57.20	
3736419.57		56.80	57.20	56.40	56.50
56.20	56.60	56.70	56.40	56.90	
3736369.57		56.50	57.00	56.10	56.10
56.20	56.40	56.60	56.00	56.80	
3736319.57		56.50	56.40	55.90	55.70
55.70	56.00	56.40	55.60	56.50	
3736269.57		56.20	56.30	56.00	56.10
55.70	55.80	56.00	55.30	56.30	
3736219.57		56.00	55.90	55.80	55.20
55.30	55.20	55.50	55.10	56.00	
3736169.57		56.00	55.30	55.10	55.00
55.40	54.90	55.00	54.90	55.40	
3736119.57		55.50	54.80	55.20	54.90
55.20	54.80	54.90	54.70	54.50	

3736069.57		55.10	54.90	55.00	54.70
55.00	54.80	54.80	54.70	54.40	
3736019.57		54.70	54.40	54.20	54.30
54.40	54.40	54.40	54.30	54.10	
3735969.57		54.50	54.40	53.80	53.80
54.00	54.10	54.00	53.90	54.20	
3735919.57		54.20	54.00	53.50	53.20
53.50	53.80	53.80	53.70	54.10	
3735869.57		53.70	53.50	53.30	53.00
53.40	53.40	53.40	53.40	54.80	
3735819.57		53.40	53.30	53.10	53.10
53.20	53.30	53.90	54.40	54.80	
3735769.57		52.40	52.40	52.80	52.90
52.90	53.40	52.90	54.80	54.80	
3735719.57		52.50	52.00	52.40	52.20
51.90	52.30	51.60	52.00	46.20	
3735669.57		51.90	52.50	51.90	51.60
51.90	51.80	52.20	52.50	46.00	
3735619.57		51.40	51.30	51.70	51.80
51.80	51.70	51.60	52.20	51.60	
3735569.57		50.80	51.00	51.50	51.00
51.40	51.10	51.80	51.00	51.50	
3735519.57		50.70	51.00	50.80	50.90
50.80	50.70	51.00	50.70	51.40	
3735469.57		50.60	50.30	50.50	50.50
50.30	50.20	50.60	51.00	51.10	
3735419.57		49.80	50.00	50.30	49.50
49.70	49.90	50.20	50.80	50.90	
3735369.57		50.10	50.20	50.20	49.30
49.50	49.80	50.20	50.70	50.60	
3735319.57		49.20	49.30	49.20	49.20
49.60	49.70	49.90	50.30	50.50	
3735269.57		49.00	49.20	49.30	49.10
50.50	50.60	50.80	50.80	50.40	
3735219.57		48.30	48.80	48.60	49.20
50.50	50.30	50.50	50.70	49.40	
3735169.57		48.70	48.90	48.40	49.30
50.40	50.60	50.30	50.70	49.50	
3735119.57		48.20	48.20	48.00	48.60
50.70	50.80	49.40	50.60	48.60	
3735069.57		47.50	47.70	47.30	48.10
48.40	48.20	48.50	49.70	48.30	
3735019.57		47.60	47.40	47.40	47.70
48.30	48.10	48.40	48.70	47.90	
3734969.57		46.30	47.10	47.00	47.20
47.40	47.80	48.00	48.30	47.80	
3734919.57		45.80	46.70	47.00	47.30
47.50	47.60	47.90	48.00	47.50	

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:05:29

PAGE 47

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

* HILL HEIGHT SCALES IN

METERS *

Y-COORD (METERS)		X-COORD			
(METERS)		423072.45	423122.45	423172.45	423222.45
423272.45	423322.45	423372.45	423422.45	423472.45	

3736869.57		61.00	59.90	60.40	60.10
60.60	60.10	60.60	60.50	61.00	
3736819.57		60.20	59.60	60.20	59.80
60.40	59.90	60.40	59.70	59.10	
3736769.57		59.40	59.40	59.60	59.50
59.80	59.60	59.40	59.90	59.40	
3736719.57		58.70	59.10	59.40	59.30
59.60	59.60	58.80	58.30	57.40	
3736669.57		65.90	64.80	62.90	59.20
58.90	58.80	58.30	57.70	57.90	
3736619.57		65.90	64.80	64.50	58.10
58.40	58.60	57.40	56.80	57.00	
3736569.57		57.70	58.30	57.30	58.30
57.60	58.30	57.00	56.00	55.40	
3736519.57		57.50	57.90	57.00	58.00
57.00	58.20	56.60	55.50	55.10	
3736469.57		57.20	57.50	56.60	57.40
56.50	57.50	56.70	55.20	54.90	
3736419.57		57.00	57.10	56.30	57.00
56.10	56.90	56.80	54.90	54.20	
3736369.57		56.80	56.70	56.00	56.50
55.70	56.20	56.00	54.80	54.10	
3736319.57		56.60	56.40	55.70	56.00
55.20	55.20	55.10	54.80	54.10	
3736269.57		56.40	56.00	55.90	55.80
55.90	55.60	55.40	54.80	53.90	
3736219.57		56.00	54.90	54.70	55.10
55.10	55.30	55.10	54.80	54.00	
3736169.57		55.60	54.40	55.20	54.90
54.90	54.80	54.70	54.60	53.90	
3736119.57		54.80	54.40	54.40	54.50
54.40	54.40	54.30	53.80	53.30	

3736069.57		53.90	54.20	54.40	54.30
54.20	54.10	54.00	53.40	53.00	
3736019.57		54.00	54.40	54.30	53.80
53.90	53.60	53.50	53.00	52.60	
3735969.57		53.60	53.80	53.50	53.60
54.00	53.90	52.70	52.70	52.50	
3735919.57		53.80	53.30	53.40	53.10
53.30	53.50	52.30	52.30	52.10	
3735869.57		54.60	53.00	52.90	52.80
52.70	53.00	52.40	52.00	51.70	
3735819.57		54.60	54.20	53.50	52.40
52.20	52.10	51.90	51.70	51.60	
3735769.57		54.60	54.40	51.80	51.60
51.40	51.90	50.90	51.20	51.10	
3735719.57		47.00	51.20	51.40	50.90
51.10	51.20	51.10	50.80	50.70	
3735669.57		51.10	51.50	51.00	51.00
51.00	51.00	50.50	50.20	50.60	
3735619.57		51.40	50.90	50.60	50.10
49.70	49.60	49.50	49.50	52.70	
3735569.57		51.20	50.90	50.70	50.40
50.20	50.10	49.60	49.30	49.20	
3735519.57		51.10	50.80	50.30	50.10
50.00	49.50	49.10	49.00	48.90	
3735469.57		50.90	50.60	50.20	49.80
49.60	49.80	49.80	49.60	48.40	
3735419.57		50.70	50.20	49.70	49.50
49.60	49.30	49.50	48.70	48.30	
3735369.57		50.30	50.00	49.70	49.40
49.20	48.70	48.70	48.50	48.20	
3735319.57		50.10	49.60	49.20	49.10
48.80	49.00	49.00	48.30	48.00	
3735269.57		49.50	49.40	49.10	48.50
48.40	48.40	48.20	48.00	47.20	
3735219.57		49.40	49.20	48.60	48.20
48.00	47.40	47.60	47.10	47.00	
3735169.57		49.20	48.90	49.00	48.20
48.20	48.00	47.40	46.70	46.80	
3735119.57		48.20	48.40	47.80	47.70
46.80	46.50	46.40	46.50	46.80	
3735069.57		48.20	48.20	47.90	47.60
47.70	47.40	47.10	46.20	46.60	
3735019.57		47.90	47.50	46.80	46.30
46.80	45.90	46.40	45.80	46.10	
3734969.57		47.60	47.50	47.20	46.70
46.10	45.90	45.70	45.50	45.60	
3734919.57		47.30	47.00	46.60	46.30
46.10	45.80	45.80	45.20	45.40	

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:05:29

PAGE 48

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

* HILL HEIGHT SCALES IN

METERS *

Y-COORD (METERS)		X-COORD			
(METERS)		423522.45	423572.45	423622.45	423672.45
423722.45	423772.45	423822.45	423872.45	423922.45	

3736869.57		60.90	60.60	60.10	59.50
60.30	59.40	60.40	59.70	60.40	
3736819.57		58.90	58.30	59.50	58.90
59.90	59.40	59.70	59.50	60.10	
3736769.57		59.30	59.00	58.80	58.40
59.70	59.30	59.40	59.10	59.60	
3736719.57		57.30	56.80	57.50	57.80
59.50	58.90	59.00	58.70	59.10	
3736669.57		57.70	56.10	57.90	58.00
59.20	58.50	58.70	58.60	58.80	
3736619.57		55.80	55.40	57.50	57.90
58.90	58.60	58.70	58.50	58.10	
3736569.57		55.20	54.70	57.20	56.70
58.30	57.60	58.00	57.80	57.60	
3736519.57		54.80	54.50	56.10	55.50
57.10	56.60	57.20	56.50	56.80	
3736469.57		54.70	54.30	55.80	56.50
56.50	55.90	56.50	56.00	56.30	
3736419.57		54.40	53.90	55.10	54.20
56.00	55.50	56.10	56.10	56.10	
3736369.57		54.30	53.60	54.70	54.10
55.40	54.80	55.40	54.90	55.10	
3736319.57		54.20	53.60	54.50	54.00
54.90	54.50	54.80	54.70	54.90	
3736269.57		53.70	53.50	54.40	54.40
54.80	54.40	54.40	54.20	54.00	
3736219.57		53.40	52.80	53.30	53.00
54.30	53.80	53.70	53.40	53.30	
3736169.57		53.40	52.80	53.20	52.50
53.60	53.00	53.50	53.20	53.30	
3736119.57		53.40	52.60	52.90	52.30
53.60	52.80	52.90	52.50	52.20	

3736069.57		52.60	52.30	52.20	52.30
53.20	52.60	53.00	51.70	51.70	
3736019.57		52.50	52.30	52.20	52.30
51.70	51.50	51.20	50.90	51.70	
3735969.57		52.20	52.10	51.90	52.00
51.60	50.80	50.80	50.60	51.00	
3735919.57		52.00	51.70	51.60	51.80
51.20	50.60	50.60	50.50	50.90	
3735869.57		52.00	52.20	51.30	51.30
51.20	50.40	50.40	50.30	50.80	
3735819.57		51.50	51.30	51.20	51.10
50.80	50.60	50.20	49.90	49.90	
3735769.57		51.10	50.70	50.70	50.10
49.90	49.90	49.70	50.30	49.90	
3735719.57		50.40	50.20	50.50	50.10
49.90	49.80	49.50	49.40	50.40	
3735669.57		50.10	51.50	49.60	49.50
49.30	49.10	49.00	49.70	49.20	
3735619.57		53.30	49.70	49.30	49.00
48.60	48.60	48.60	48.90	48.80	
3735569.57		49.30	49.30	49.20	49.00
48.70	48.70	48.20	48.60	48.60	
3735519.57		49.10	49.20	49.10	48.40
48.20	48.00	47.90	48.20	47.60	
3735469.57		48.00	48.10	48.10	48.00
47.80	47.70	47.60	47.70	47.10	
3735419.57		48.00	48.10	47.60	47.70
47.60	47.50	47.20	47.50	47.90	
3735369.57		47.80	47.70	47.90	48.00
47.60	47.80	46.90	46.50	46.60	
3735319.57		47.50	47.30	47.30	47.40
47.30	47.30	46.60	46.80	46.90	
3735269.57		46.40	46.90	47.10	47.20
47.20	47.10	46.30	46.90	46.70	
3735219.57		46.30	46.50	46.40	46.30
46.30	46.20	45.90	45.90	46.00	
3735169.57		46.20	46.80	46.30	46.30
46.10	46.00	45.60	45.50	45.50	
3735119.57		46.30	46.20	45.90	45.80
45.70	45.50	45.40	44.80	45.10	
3735069.57		46.10	45.90	45.80	45.70
45.60	44.80	45.20	45.40	45.50	
3735019.57		46.00	45.80	45.60	45.50
45.30	44.60	45.00	45.10	45.20	
3734969.57		45.70	45.70	45.60	45.50
45.30	45.30	44.80	44.80	44.60	
3734919.57		45.00	44.80	44.70	44.60
44.60	44.90	44.60	44.70	44.50	

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:05:29

PAGE 49

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

* HILL HEIGHT SCALES IN

METERS *

Y-COORD (METERS)		X-COORD			
(METERS)		423972.45	424022.45	424072.45	424122.45
424172.45	424222.45	424272.45	424322.45	424372.45	

3736869.57		59.80	60.00	60.10	60.10
59.70	59.70	60.40	59.70	60.20	
3736819.57		59.40	60.00	59.50	59.60
59.30	59.50	59.70	59.30	60.20	
3736769.57		59.00	59.40	59.00	59.20
59.00	58.90	59.10	59.10	58.90	
3736719.57		58.50	59.00	58.80	58.70
58.60	58.50	58.70	59.10	59.60	
3736669.57		58.40	58.60	58.50	58.50
58.40	58.00	58.20	58.30	58.50	
3736619.57		57.90	58.20	58.30	57.90
58.20	57.90	58.50	58.40	58.50	
3736569.57		57.30	57.60	57.60	58.00
58.30	58.20	58.20	58.50	58.50	
3736519.57		57.00	57.40	57.10	57.00
57.00	57.00	57.00	57.00	57.40	
3736469.57		56.20	56.70	56.30	56.30
56.50	56.50	56.70	56.60	58.80	
3736419.57		56.30	56.30	55.70	55.10
56.10	56.00	56.00	55.20	57.50	
3736369.57		55.20	55.50	55.30	54.50
55.90	55.40	54.40	55.70	56.50	
3736319.57		54.80	54.90	54.80	54.00
55.30	54.10	55.10	54.80	56.40	
3736269.57		54.00	54.30	54.30	53.60
53.90	54.90	54.40	54.90	56.40	
3736219.57		53.60	53.60	53.70	53.70
54.30	54.00	54.10	54.50	56.80	
3736169.57		52.60	53.00	53.30	53.70
54.00	54.00	54.20	54.50	55.90	
3736119.57		51.90	52.40	52.90	53.00
52.90	53.20	54.20	53.90	55.70	

3736069.57		51.30	51.70	52.20	52.50
52.60	52.90	54.20	53.90	55.20	
3736019.57		51.30	51.20	52.10	51.70
52.00	52.10	54.40	54.10	54.90	
3735969.57		50.90	50.70	50.80	51.00
51.20	51.70	54.20	53.50	53.90	
3735919.57		50.30	50.10	50.50	50.40
50.60	51.30	53.90	53.90	54.40	
3735869.57		50.70	49.90	50.90	50.10
50.50	51.50	53.40	53.90	54.10	
3735819.57		49.80	49.70	49.40	49.70
50.20	52.40	52.80	53.40	53.40	
3735769.57		50.10	50.30	48.60	49.20
52.50	52.40	52.60	52.60	52.80	
3735719.57		49.70	49.20	48.30	48.90
52.40	51.90	51.90	52.20	52.10	
3735669.57		49.40	49.10	48.20	48.30
49.30	50.30	50.80	51.20	51.50	
3735619.57		48.70	48.60	48.50	49.10
50.20	50.60	50.60	51.30	51.50	
3735569.57		48.40	48.50	48.40	49.00
50.10	50.20	50.10	50.40	51.00	
3735519.57		48.10	47.80	48.20	48.20
49.40	49.80	49.70	49.90	50.60	
3735469.57		47.50	47.40	48.00	48.50
48.70	49.30	49.50	49.80	49.70	
3735419.57		47.70	47.80	48.00	48.40
48.50	49.00	49.00	49.20	49.50	
3735369.57		46.60	46.70	46.90	47.20
47.70	47.90	47.90	48.30	48.80	
3735319.57		47.00	47.00	47.30	47.30
47.90	48.00	48.40	48.50	48.80	
3735269.57		46.70	46.70	46.90	47.30
47.70	47.10	47.20	47.50	48.00	
3735219.57		46.10	46.20	46.30	46.50
46.60	46.70	47.10	47.70	48.00	
3735169.57		45.90	46.30	46.30	46.30
46.30	46.50	46.50	46.80	47.10	
3735119.57		45.40	46.30	46.10	46.10
46.10	46.40	46.50	46.60	46.90	
3735069.57		45.50	45.50	45.70	45.80
45.80	45.70	45.70	45.80	45.80	
3735019.57		45.20	45.30	45.30	45.40
45.50	45.60	46.00	46.30	46.10	
3734969.57		44.50	44.30	44.40	44.60
44.70	44.90	44.90	45.20	45.50	
3734919.57		44.60	44.30	44.50	44.60
44.70	44.40	44.50	45.10	45.30	

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:05:29

PAGE 50

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

* HILL HEIGHT SCALES IN

METERS *

Y-COORD (METERS)	424422.45	424472.45	424522.45	424572.45
3736869.57	61.00	62.70	63.20	63.10
3736819.57	62.40	62.60	63.30	63.30
3736769.57	60.70	62.10	62.00	62.70
3736719.57	60.60	61.40	62.00	62.10
3736669.57	60.10	61.50	60.90	61.70
3736619.57	60.20	60.90	60.90	60.90
3736569.57	60.00	60.30	60.40	60.40
3736519.57	58.90	59.80	60.40	60.10
3736469.57	58.90	58.90	59.70	60.20
3736419.57	58.40	59.20	59.20	59.50
3736369.57	58.50	58.90	58.40	58.90
3736319.57	58.20	58.20	57.50	58.30
3736269.57	56.70	57.90	57.40	57.30
3736219.57	57.00	57.30	57.30	57.10
3736169.57	56.60	56.70	57.10	56.80
3736119.57	55.90	56.10	56.20	56.60
3736069.57	55.60	55.60	55.90	56.30
3736019.57	55.20	55.20	55.50	55.90
3735969.57	54.90	54.80	54.80	55.50
3735919.57	54.60	54.60	54.60	54.70
3735869.57	54.40	54.30	54.50	53.90
3735819.57	53.30	53.40	54.20	53.70
3735769.57	52.80	53.10	53.50	53.20
3735719.57	52.50	52.60	53.00	52.60
3735669.57	51.80	52.20	52.70	52.10
3735619.57	51.50	51.70	52.00	51.50
3735569.57	51.00	51.10	51.00	50.80
3735519.57	50.50	50.60	50.90	50.30
3735469.57	50.20	49.90	49.80	49.60
3735419.57	49.70	49.50	49.40	49.20
3735369.57	48.70	48.60	48.80	48.70
3735319.57	48.80	48.40	48.20	48.10
3735269.57	48.00	47.70	47.70	47.70
3735219.57	47.90	47.50	47.20	47.20

3735169.57	47.30	47.30	47.80	46.80
3735119.57	47.00	47.80	46.50	46.40
3735069.57	45.90	45.90	45.90	45.90
3735019.57	46.10	45.90	45.70	45.50
3734969.57	45.60	45.50	45.40	45.20
3734919.57	45.70	45.70	45.50	44.90

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:05:29

PAGE 51

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** DISCRETE CARTESIAN

RECEPTORS ***

(X-COORD, Y-COORD, ZELEV,

ZHILL, ZFLAG)

(METERS)

(423808.6, 3735782.0,	50.3,	50.3,	0.0);	(
423778.4, 3735711.0,	49.6,	49.6,	0.0);	
(423675.7, 3735807.7,	50.8,	50.8,	0.0);	(
423822.5, 3735854.0,	50.2,	50.2,	0.0);	
(423884.8, 3735852.5,	50.3,	50.3,	0.0);	(
423598.8, 3735852.1,	51.8,	51.8,	0.0);	
(423550.2, 3735806.9,	51.4,	51.4,	0.0);	(
423486.2, 3735850.7,	52.2,	52.2,	0.0);	
(423388.4, 3735807.4,	51.5,	51.5,	0.0);	(
423265.8, 3735853.1,	52.7,	52.7,	0.0);	
(423243.5, 3735813.7,	52.3,	52.3,	0.0);	(
423093.7, 3735863.3,	53.4,	54.1,	0.0);	
(423190.9, 3735810.3,	52.2,	52.2,	0.0);	(
423787.3, 3735854.1,	50.8,	50.8,	0.0);	
(424037.8, 3735799.1,	49.6,	49.6,	0.0);	(
424038.7, 3735764.1,	49.3,	49.3,	0.0);	
(424037.3, 3735729.1,	48.9,	48.9,	0.0);	(
424039.2, 3735703.3,	48.7,	48.7,	0.0);	
(424037.8, 3735675.6,	48.7,	48.7,	0.0);	(
424019.8, 3735624.5,	48.6,	48.6,	0.0);	
(423977.7, 3735628.2,	48.8,	48.8,	0.0);	(
423929.3, 3735627.8,	48.9,	48.9,	0.0);	
(423887.3, 3735627.3,	48.8,	48.8,	0.0);	(
423857.8, 3735627.8,	48.9,	48.9,	0.0);	
(423815.4, 3735653.5,	49.2,	49.2,	0.0);	(
423813.9, 3735599.6,	48.7,	48.7,	0.0);	
(423940.0, 3735858.4,	50.7,	50.7,	0.0);	(
423977.3, 3735859.4,	50.4,	50.4,	0.0);	
(423741.1, 3735859.4,	51.0,	51.0,	0.0);	(
423707.7, 3735859.4,	51.3,	51.3,	0.0);	

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
*** AERMET - VERSION 16216 *** ***
*** 11:05:29

PAGE 53

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** UP TO THE FIRST 24 HOURS OF

METEOROLOGICAL DATA ***

Surface file: ..\..\Met Files\KSNA_V9_ADJU\KSNA_v9.SFC
Met Version: 16216
Profile file: ..\..\Met Files\KSNA_V9_ADJU\KSNA_v9.PFL
Surface format: FREE
Profile format: FREE
Surface station no.: 93184 Upper air station no.:
3190
Name: JOHN_WAYNE_AIRPORT Name:
UNKNOWN Year: 2012 Year:
2012

First 24 hours of scalar data

YR	MO	DY	JDY	HR	H0	U*	W*	DT/DZ	ZICNV	ZIMCH	M-O	LEN	Z0
BOWEN	ALBEDO	REF	WS	WD	HT	REF	TA	HT					
12	01	01	1	01	-4.5	0.082	-9.000	-9.000	-999.	56.	11.0	0.12	
2.65	1.00	0.87	62.	5.8	283.8	2.0							
12	01	01	1	02	-3.5	0.073	-9.000	-9.000	-999.	47.	9.9	0.12	
2.65	1.00	0.77	27.	5.8	283.1	2.0							
12	01	01	1	03	-3.5	0.073	-9.000	-9.000	-999.	47.	9.9	0.12	
2.65	1.00	0.77	336.	5.8	283.1	2.0							
12	01	01	1	04	-3.3	0.070	-9.000	-9.000	-999.	45.	9.7	0.12	
2.65	1.00	0.74	34.	5.8	283.1	2.0							
12	01	01	1	05	-3.0	0.068	-9.000	-9.000	-999.	42.	9.4	0.12	
2.65	1.00	0.70	154.	5.8	282.5	2.0							
12	01	01	1	06	-999.0	-9.000	-9.000	-9.000	-999.	-999.	-99999.0	0.12	
2.65	1.00	0.00	0.	5.8	282.0	2.0							
12	01	01	1	07	-2.0	0.059	-9.000	-9.000	-999.	34.	9.0	0.12	
2.65	1.00	0.55	343.	5.8	281.4	2.0							
12	01	01	1	08	-2.6	0.066	-9.000	-9.000	-999.	40.	9.7	0.12	
2.65	0.53	0.69	25.	5.8	281.4	2.0							
12	01	01	1	09	21.6	0.133	0.252	0.010	27.	116.	-9.9	0.12	
2.65	0.31	1.03	344.	5.8	282.5	2.0							
12	01	01	1	10	115.6	0.162	0.713	0.008	114.	156.	-3.3	0.12	
2.65	0.24	1.06	233.	5.8	286.4	2.0							
12	01	01	1	11	160.9	0.126	1.129	0.005	325.	108.	-1.1	0.12	
2.65	0.21	0.67	261.	5.8	291.4	2.0							
12	01	01	1	12	187.0	0.138	1.467	0.005	614.	123.	-1.3	0.12	
2.65	0.20	0.75	252.	5.8	294.9	2.0							
12	01	01	1	13	186.9	0.189	1.755	0.005	1051.	197.	-3.3	0.12	
2.65	0.20	1.23	280.	5.8	297.5	2.0							

12	01	01	1	14	168.3	0.247	1.857	0.005	1383.	295.	-8.1	0.12
2.65	0.21			1.86	268.		5.8	299.2	2.0			
12	01	01	1	15	115.3	0.275	1.688	0.005	1517.	346.	-16.3	0.12
2.65	0.24			2.25	248.		5.8	298.1	2.0			
12	01	01	1	16	41.5	0.262	1.211	0.005	1552.	322.	-39.2	0.12
2.65	0.33			2.32	227.		5.8	295.9	2.0			
12	01	01	1	17	-17.9	0.217	-9.000	-9.000	-999.	244.	52.0	0.12
2.65	0.60			2.18	227.		5.8	292.5	2.0			
12	01	01	1	18	-24.7	0.250	-9.000	-9.000	-999.	300.	68.7	0.12
2.65	1.00			2.50	219.		5.8	288.8	2.0			
12	01	01	1	19	-5.2	0.088	-9.000	-9.000	-999.	91.	12.0	0.12
2.65	1.00			0.94	201.		5.8	287.5	2.0			
12	01	01	1	20	-3.5	0.073	-9.000	-9.000	-999.	47.	10.0	0.12
2.65	1.00			0.77	259.		5.8	287.0	2.0			
12	01	01	1	21	-2.6	0.064	-9.000	-9.000	-999.	39.	9.1	0.12
2.65	1.00			0.65	264.		5.8	286.4	2.0			
12	01	01	1	22	-4.4	0.081	-9.000	-9.000	-999.	55.	10.9	0.12
2.65	1.00			0.86	211.		5.8	285.9	2.0			
12	01	01	1	23	-4.2	0.079	-9.000	-9.000	-999.	53.	10.7	0.12
2.65	1.00			0.84	247.		5.8	284.9	2.0			
12	01	01	1	24	-7.1	0.103	-9.000	-9.000	-999.	80.	14.1	0.12
2.65	1.00			1.09	236.		5.8	283.8	2.0			

First hour of profile data

YR	MO	DY	HR	HEIGHT	F	WDIR	WSPD	AMB_TMP	sigmaA	sigmaW	sigmaV
12	01	01	01	5.8	1	62.	0.87	283.8	99.0	-99.00	-99.00

F indicates top of profile (=1) or below (=0)

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:05:29

PAGE 54

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** THE PERIOD (43848 HRS) AVERAGE
 CONCENTRATION VALUES FOR SOURCE GROUP: ALL ***
 INCLUDING SOURCE(S): PAREA1 ,
 A0000001 , A0000002 , A0000003 , A0000004 ,
 A0000005 , A0000006 , A0000007 , A0000008 ,
 A0000009 , A0000010 , A0000011 , A0000012 ,
 A0000013 , A0000014 , A0000015 , A0000016 ,
 A0000017 , A0000018 , A0000019 , A0000020 ,
 A0000021 , A0000022 , A0000023 , A0000024 ,
 A0000025 , A0000026 , A0000027 , . . . ,

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

** CONC OF PM_10 IN
 MICROGRAMS/M**3 **

Y-COORD (METERS)	X-COORD				
422822.45	422872.45	422922.45	422972.45	423022.45	
3736869.57	0.00016	0.00017	0.00017	0.00017	0.00017
0.00018	0.00018	0.00018	0.00019	0.00019	
3736819.57	0.00017	0.00017	0.00018	0.00018	0.00018
0.00019	0.00019	0.00020	0.00020	0.00020	
3736769.57	0.00018	0.00018	0.00019	0.00019	0.00019
0.00020	0.00020	0.00021	0.00021	0.00022	
3736719.57	0.00019	0.00019	0.00020	0.00020	0.00020
0.00021	0.00021	0.00022	0.00022	0.00023	
3736669.57	0.00020	0.00020	0.00021	0.00021	0.00021
0.00022	0.00023	0.00023	0.00024	0.00025	
3736619.57	0.00020	0.00021	0.00022	0.00022	0.00022
0.00023	0.00024	0.00025	0.00025	0.00026	
3736569.57	0.00021	0.00022	0.00023	0.00023	0.00024
0.00024	0.00025	0.00026	0.00027	0.00028	
3736519.57	0.00022	0.00023	0.00024	0.00024	0.00025
0.00026	0.00027	0.00028	0.00029	0.00030	
3736469.57	0.00023	0.00024	0.00025	0.00025	0.00026
0.00027	0.00028	0.00029	0.00031	0.00032	
3736419.57	0.00023	0.00024	0.00024	0.00026	0.00027
0.00028	0.00030	0.00031	0.00033	0.00034	
3736369.57	0.00024	0.00025	0.00025	0.00026	0.00028
0.00029	0.00031	0.00033	0.00035	0.00037	

3736319.57		0.00024	0.00025	0.00027	0.00029
0.00030		0.00032	0.00034	0.00037	0.00039
3736269.57		0.00024	0.00026	0.00027	0.00029
0.00031		0.00033	0.00036	0.00038	0.00042
3736219.57		0.00025	0.00026	0.00028	0.00030
0.00032		0.00034	0.00037	0.00040	0.00045
3736169.57		0.00025	0.00026	0.00028	0.00030
0.00033		0.00035	0.00038	0.00041	0.00047
3736119.57		0.00025	0.00027	0.00029	0.00031
0.00033		0.00036	0.00039	0.00043	0.00048
3736069.57		0.00025	0.00028	0.00030	0.00032
0.00034		0.00037	0.00040	0.00044	0.00050
3736019.57		0.00026	0.00028	0.00030	0.00032
0.00035		0.00038	0.00041	0.00046	0.00052
3735969.57		0.00027	0.00029	0.00031	0.00033
0.00036		0.00039	0.00043	0.00047	0.00054
3735919.57		0.00027	0.00029	0.00031	0.00034
0.00037		0.00040	0.00044	0.00050	0.00057
3735869.57		0.00028	0.00030	0.00032	0.00035
0.00038		0.00042	0.00049	0.00059	0.00066
3735819.57		0.00028	0.00030	0.00033	0.00035
0.00039		0.00043	0.00082	0.00060	0.00065
3735769.57		0.00029	0.00031	0.00033	0.00036
0.00039		0.00045	0.00074	0.00059	0.00060
3735719.57		0.00029	0.00032	0.00034	0.00037
0.00040		0.00045	0.00056	0.00063	0.00062
3735669.57		0.00030	0.00032	0.00034	0.00037
0.00041		0.00045	0.00051	0.00077	0.00064
3735619.57		0.00030	0.00032	0.00035	0.00038
0.00041		0.00045	0.00050	0.00063	0.00067
3735569.57		0.00030	0.00033	0.00035	0.00038
0.00041		0.00045	0.00050	0.00060	0.00067
3735519.57		0.00031	0.00033	0.00035	0.00038
0.00041		0.00045	0.00050	0.00060	0.00064
3735469.57		0.00031	0.00033	0.00035	0.00038
0.00041		0.00045	0.00049	0.00056	0.00059
3735419.57		0.00031	0.00033	0.00035	0.00038
0.00041		0.00044	0.00048	0.00053	0.00057
3735369.57		0.00031	0.00033	0.00035	0.00038
0.00041		0.00044	0.00048	0.00051	0.00056
3735319.57		0.00031	0.00033	0.00035	0.00037
0.00040		0.00043	0.00047	0.00051	0.00055
3735269.57		0.00030	0.00032	0.00035	0.00037
0.00040		0.00043	0.00046	0.00050	0.00055
3735219.57		0.00030	0.00032	0.00034	0.00037
0.00039		0.00043	0.00046	0.00049	0.00054
3735169.57		0.00030	0.00032	0.00034	0.00036
0.00039		0.00042	0.00045	0.00049	0.00053
3735119.57		0.00030	0.00032	0.00034	0.00036
0.00039		0.00041	0.00045	0.00048	0.00052
3735069.57		0.00030	0.00031	0.00033	0.00036
0.00038		0.00041	0.00044	0.00047	0.00051
3735019.57		0.00029	0.00031	0.00033	0.00035
0.00037		0.00040	0.00043	0.00046	0.00050

3734969.57		0.00029	0.00031	0.00032	0.00035
0.00037		0.00039	0.00042	0.00045	0.00049
3734919.57		0.00029	0.00030	0.00032	0.00034
0.00036		0.00039	0.00042	0.00045	0.00048

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:05:29

PAGE 55

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** THE PERIOD (43848 HRS) AVERAGE
 CONCENTRATION VALUES FOR SOURCE GROUP: ALL ***
 INCLUDING SOURCE(S): PAREA1 ,
 A0000001 , A0000002 , A0000003 , A0000004 ,
 A0000005 , A0000006 , A0000007 , A0000008 ,
 A0000009 , A0000010 , A0000011 , A0000012 ,
 A0000013 , A0000014 , A0000015 , A0000016 ,
 A0000017 , A0000018 , A0000019 , A0000020 ,
 A0000021 , A0000022 , A0000023 , A0000024 ,
 A0000025 , A0000026 , A0000027 , . . . ,

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

** CONC OF PM_10 IN
 MICROGRAMS/M**3 **

Y-COORD (METERS)	X-COORD				
423272.45	423322.45	423372.45	423422.45	423472.45	
3736869.57	0.00019	0.00019	0.00019	0.00019	0.00019
0.00019	0.00020	0.00020	0.00020	0.00020	
3736819.57	0.00021	0.00021	0.00021	0.00021	0.00021
0.00021	0.00021	0.00021	0.00022	0.00022	
3736769.57	0.00022	0.00022	0.00022	0.00023	0.00023
0.00023	0.00023	0.00023	0.00023	0.00024	
3736719.57	0.00024	0.00024	0.00024	0.00024	0.00025
0.00025	0.00025	0.00025	0.00026	0.00026	
3736669.57	0.00025	0.00026	0.00026	0.00026	0.00027
0.00027	0.00027	0.00028	0.00028	0.00028	
3736619.57	0.00027	0.00028	0.00028	0.00029	0.00029
0.00030	0.00030	0.00031	0.00031	0.00032	
3736569.57	0.00029	0.00030	0.00030	0.00031	0.00032
0.00033	0.00033	0.00034	0.00034	0.00035	
3736519.57	0.00031	0.00032	0.00032	0.00034	0.00035
0.00036	0.00036	0.00037	0.00038	0.00039	
3736469.57	0.00034	0.00035	0.00035	0.00037	0.00038
0.00039	0.00040	0.00042	0.00043	0.00045	
3736419.57	0.00036	0.00038	0.00038	0.00040	0.00042
0.00043	0.00045	0.00046	0.00048	0.00050	
3736369.57	0.00039	0.00041	0.00041	0.00044	0.00046
0.00048	0.00050	0.00052	0.00054	0.00057	

3736319.57		0.00042	0.00045	0.00048	0.00050
0.00053		0.00055	0.00058	0.00061	0.00064
3736269.57		0.00048	0.00051	0.00052	0.00055
0.00058		0.00061	0.00065	0.00069	0.00073
3736219.57		0.00079	0.00055	0.00056	0.00059
0.00063		0.00068	0.00073	0.00078	0.00084
3736169.57		0.00077	0.00059	0.00060	0.00063
0.00068		0.00074	0.00081	0.00088	0.00096
3736119.57		0.00067	0.00063	0.00063	0.00067
0.00073		0.00080	0.00089	0.00098	0.00109
3736069.57		0.00066	0.00066	0.00066	0.00071
0.00078		0.00087	0.00097	0.00109	0.00124
3736019.57		0.00066	0.00069	0.00069	0.00075
0.00083		0.00093	0.00106	0.00121	0.00139
3735969.57		0.00067	0.00072	0.00073	0.00079
0.00088		0.00099	0.00114	0.00132	0.00154
3735919.57		0.00071	0.00076	0.00077	0.00085
0.00094		0.00107	0.00123	0.00143	0.00169
3735869.57		0.00077	0.00087	0.00090	0.00098
0.00108		0.00120	0.00137	0.00159	0.00189
3735819.57		0.00071	0.00082	0.00090	0.00099
0.00112		0.00129	0.00150	0.00176	0.00207
3735769.57		0.00065	0.00072	0.00079	0.00089
0.00101		0.00116	0.00135	0.00161	0.00195
3735719.57		0.00065	0.00071	0.00079	0.00089
0.00101		0.00116	0.00136	0.00162	0.00197
3735669.57		0.00066	0.00071	0.00079	0.00089
0.00101		0.00117	0.00137	0.00163	0.00199
3735619.57		0.00066	0.00071	0.00079	0.00089
0.00102		0.00117	0.00137	0.00163	0.00198
3735569.57		0.00066	0.00071	0.00079	0.00089
0.00101		0.00117	0.00136	0.00161	0.00195
3735519.57		0.00065	0.00071	0.00079	0.00088
0.00100		0.00115	0.00134	0.00159	0.00191
3735469.57		0.00064	0.00070	0.00078	0.00087
0.00099		0.00114	0.00132	0.00155	0.00185
3735419.57		0.00063	0.00069	0.00077	0.00086
0.00097		0.00111	0.00129	0.00150	0.00178
3735369.57		0.00062	0.00068	0.00076	0.00085
0.00096		0.00109	0.00125	0.00145	0.00171
3735319.57		0.00061	0.00067	0.00074	0.00083
0.00093		0.00106	0.00121	0.00140	0.00163
3735269.57		0.00060	0.00066	0.00073	0.00081
0.00091		0.00103	0.00117	0.00135	0.00155
3735219.57		0.00059	0.00065	0.00071	0.00079
0.00089		0.00100	0.00113	0.00129	0.00148
3735169.57		0.00058	0.00063	0.00070	0.00077
0.00086		0.00097	0.00109	0.00123	0.00140
3735119.57		0.00057	0.00062	0.00068	0.00075
0.00084		0.00094	0.00105	0.00118	0.00132
3735069.57		0.00056	0.00061	0.00067	0.00074
0.00082		0.00091	0.00101	0.00113	0.00125
3735019.57		0.00054	0.00059	0.00065	0.00072
0.00079		0.00088	0.00097	0.00107	0.00118

3734969.57		0.00053	0.00058	0.00064	0.00070
0.00077		0.00085	0.00093	0.00102	0.00112
3734919.57		0.00052	0.00057	0.00062	0.00068
0.00075		0.00082	0.00089	0.00097	0.00105

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:05:29

PAGE 56

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** THE PERIOD (43848 HRS) AVERAGE
 CONCENTRATION VALUES FOR SOURCE GROUP: ALL ***
 INCLUDING SOURCE(S): PAREA1 ,
 A0000001 , A0000002 , A0000003 , A0000004 ,
 A0000005 , A0000006 , A0000007 , A0000008 ,
 A0000009 , A0000010 , A0000011 , A0000012 ,
 A0000013 , A0000014 , A0000015 , A0000016 ,
 A0000017 , A0000018 , A0000019 , A0000020 ,
 A0000021 , A0000022 , A0000023 , A0000024 ,
 A0000025 , A0000026 , A0000027 , . . . ,

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

** CONC OF PM_10 IN
 MICROGRAMS/M**3 **

Y-COORD (METERS)	X-COORD				
423722.45	423772.45	423822.45	423872.45	423922.45	
3736869.57	0.00021	0.00022	0.00023	0.00024	
0.00026	0.00028	0.00030	0.00032	0.00035	
3736819.57	0.00023	0.00024	0.00025	0.00026	
0.00028	0.00030	0.00032	0.00035	0.00038	
3736769.57	0.00025	0.00026	0.00027	0.00028	
0.00030	0.00032	0.00035	0.00038	0.00042	
3736719.57	0.00027	0.00028	0.00029	0.00030	
0.00032	0.00035	0.00038	0.00042	0.00046	
3736669.57	0.00029	0.00030	0.00031	0.00033	
0.00035	0.00038	0.00042	0.00046	0.00051	
3736619.57	0.00032	0.00033	0.00034	0.00036	
0.00038	0.00042	0.00046	0.00051	0.00057	
3736569.57	0.00036	0.00038	0.00038	0.00040	
0.00042	0.00046	0.00051	0.00057	0.00064	
3736519.57	0.00041	0.00042	0.00042	0.00045	
0.00047	0.00052	0.00057	0.00064	0.00073	
3736469.57	0.00046	0.00047	0.00047	0.00052	
0.00053	0.00058	0.00064	0.00073	0.00085	
3736419.57	0.00052	0.00053	0.00054	0.00058	
0.00060	0.00066	0.00074	0.00084	0.00098	
3736369.57	0.00059	0.00061	0.00063	0.00067	
0.00069	0.00077	0.00085	0.00100	0.00116	

3736319.57		0.00067	0.00070	0.00073	0.00077
0.00082	0.00090	0.00101	0.00118	0.00140	
3736269.57		0.00077	0.00081	0.00085	0.00090
0.00096	0.00106	0.00120	0.00142	0.00172	
3736219.57		0.00089	0.00095	0.00101	0.00108
0.00115	0.00127	0.00145	0.00174	0.00217	
3736169.57		0.00104	0.00112	0.00121	0.00130
0.00140	0.00156	0.00180	0.00219	0.00278	
3736119.57		0.00120	0.00133	0.00146	0.00160
0.00174	0.00196	0.00228	0.00286	0.00375	
3736069.57		0.00140	0.00158	0.00177	0.00198
0.00221	0.00252	0.00307	0.00389	0.00528	
3736019.57		0.00160	0.00186	0.00215	0.00249
0.00289	0.00338	0.00415	0.00561	0.00785	
3735969.57		0.00182	0.00216	0.00260	0.00314
0.00381	0.00468	0.00601	0.00869	0.01294	
3735919.57		0.00203	0.00249	0.00310	0.00393
0.00508	0.00670	0.00932	0.01521	0.02420	
3735869.57		0.00229	0.00285	0.00366	0.00485
0.00671	0.00988	0.01603	0.03434	0.05632	
3735819.57		0.00250	0.00313	0.00408	0.00561
0.00831	0.01385	0.03003	0.09163	0.13655	
3735769.57		0.00242	0.00313	0.00421	0.00602
0.00941	0.01717	0.04304	0.12742	0.17620	
3735719.57		0.00247	0.00319	0.00432	0.00625
0.00996	0.01876	0.04675	0.12504	0.17756	
3735669.57		0.00248	0.00319	0.00432	0.00620
0.00974	0.01771	0.04154	0.10306	0.12630	
3735619.57		0.00246	0.00316	0.00422	0.00594
0.00895	0.01489	0.02835	0.04790	0.05472	
3735569.57		0.00241	0.00307	0.00404	0.00553
0.00792	0.01181	0.01730	0.02243	0.02413	
3735519.57		0.00233	0.00292	0.00378	0.00503
0.00679	0.00914	0.01173	0.01363	0.01388	
3735469.57		0.00225	0.00278	0.00351	0.00449
0.00575	0.00720	0.00854	0.00932	0.00921	
3735419.57		0.00214	0.00261	0.00322	0.00398
0.00487	0.00578	0.00650	0.00684	0.00667	
3735369.57		0.00203	0.00244	0.00294	0.00352
0.00414	0.00473	0.00512	0.00523	0.00504	
3735319.57		0.00192	0.00226	0.00266	0.00311
0.00355	0.00393	0.00414	0.00417	0.00398	
3735269.57		0.00180	0.00209	0.00241	0.00275
0.00307	0.00331	0.00342	0.00341	0.00324	
3735219.57		0.00169	0.00193	0.00219	0.00244
0.00266	0.00282	0.00288	0.00283	0.00269	
3735169.57		0.00158	0.00178	0.00199	0.00218
0.00233	0.00243	0.00245	0.00240	0.00227	
3735119.57		0.00148	0.00165	0.00181	0.00195
0.00206	0.00212	0.00212	0.00206	0.00195	
3735069.57		0.00139	0.00152	0.00164	0.00175
0.00183	0.00186	0.00185	0.00180	0.00170	
3735019.57		0.00129	0.00140	0.00150	0.00158
0.00163	0.00165	0.00163	0.00158	0.00150	

3734969.57		0.00121	0.00130	0.00138	0.00143
0.00147	0.00148	0.00145	0.00141	0.00133	
3734919.57		0.00113	0.00120	0.00126	0.00130
0.00133	0.00133	0.00130	0.00125	0.00120	

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:05:29

PAGE 57

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** THE PERIOD (43848 HRS) AVERAGE
 CONCENTRATION VALUES FOR SOURCE GROUP: ALL ***
 INCLUDING SOURCE(S): PAREA1 ,
 A0000001 , A0000002 , A0000003 , A0000004 ,
 A0000005 , A0000006 , A0000007 , A0000008 ,
 A0000009 , A0000010 , A0000011 , A0000012 ,
 A0000013 , A0000014 , A0000015 , A0000016 ,
 A0000017 , A0000018 , A0000019 , A0000020 ,
 A0000021 , A0000022 , A0000023 , A0000024 ,
 A0000025 , A0000026 , A0000027 , . . . ,

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

** CONC OF PM_10 IN
 MICROGRAMS/M**3 **

Y-COORD (METERS)	X-COORD				
424172.45	424222.45	424272.45	424322.45	424372.45	
3736869.57	0.00038	0.00042	0.00046	0.00051	
0.00056	0.00061	0.00066	0.00072	0.00076	
3736819.57	0.00042	0.00046	0.00051	0.00057	
0.00063	0.00069	0.00074	0.00080	0.00085	
3736769.57	0.00046	0.00051	0.00057	0.00064	
0.00070	0.00077	0.00084	0.00090	0.00095	
3736719.57	0.00051	0.00057	0.00064	0.00072	
0.00080	0.00088	0.00095	0.00101	0.00106	
3736669.57	0.00057	0.00065	0.00073	0.00082	
0.00091	0.00100	0.00108	0.00115	0.00120	
3736619.57	0.00065	0.00073	0.00083	0.00094	
0.00105	0.00115	0.00124	0.00131	0.00135	
3736569.57	0.00074	0.00084	0.00096	0.00109	
0.00121	0.00133	0.00143	0.00149	0.00152	
3736519.57	0.00085	0.00097	0.00112	0.00128	
0.00143	0.00156	0.00166	0.00172	0.00173	
3736469.57	0.00098	0.00115	0.00133	0.00152	
0.00170	0.00184	0.00193	0.00197	0.00196	
3736419.57	0.00116	0.00137	0.00160	0.00184	
0.00203	0.00219	0.00227	0.00229	0.00222	
3736369.57	0.00139	0.00166	0.00195	0.00224	
0.00245	0.00261	0.00268	0.00263	0.00251	

3736319.57		0.00170	0.00205	0.00242	0.00277
0.00300	0.00315	0.00314	0.00303	0.00283	
3736269.57		0.00212	0.00259	0.00306	0.00348
0.00373	0.00379	0.00371	0.00348	0.00316	
3736219.57		0.00271	0.00335	0.00396	0.00443
0.00464	0.00461	0.00436	0.00397	0.00350	
3736169.57		0.00360	0.00446	0.00524	0.00572
0.00583	0.00559	0.00510	0.00449	0.00386	
3736119.57		0.00494	0.00615	0.00710	0.00755
0.00741	0.00679	0.00594	0.00504	0.00418	
3736069.57		0.00710	0.00882	0.00992	0.01009
0.00938	0.00815	0.00681	0.00554	0.00447	
3736019.57		0.01076	0.01322	0.01422	0.01366
0.01183	0.00965	0.00764	0.00595	0.00469	
3735969.57		0.01766	0.02096	0.02126	0.01858
0.01469	0.01110	0.00818	0.00624	0.00481	
3735919.57		0.03214	0.03574	0.03268	0.02487
0.01755	0.01222	0.00853	0.00627	0.00473	
3735869.57		0.06847	0.06992	0.05139	0.03133
0.01946	0.01256	0.00845	0.00604	0.00451	
3735819.57		0.14886	0.13752	0.07169	0.03459
0.01945	0.01181	0.00788	0.00557	0.00414	
3735769.57		0.18768	0.15656	0.07299	0.03229
0.01731	0.01030	0.00688	0.00491	0.00368	
3735719.57		0.17749	0.14410	0.06171	0.02582
0.01384	0.00843	0.00576	0.00418	0.00319	
3735669.57		0.12716	0.09918	0.03969	0.01766
0.01024	0.00672	0.00475	0.00353	0.00274	
3735619.57		0.05194	0.03764	0.01968	0.01148
0.00751	0.00528	0.00391	0.00299	0.00237	
3735569.57		0.02206	0.01699	0.01162	0.00802
0.00576	0.00428	0.00329	0.00260	0.00209	
3735519.57		0.01263	0.01025	0.00784	0.00594
0.00457	0.00356	0.00283	0.00229	0.00188	
3735469.57		0.00836	0.00703	0.00570	0.00458
0.00369	0.00300	0.00245	0.00203	0.00170	
3735419.57		0.00604	0.00520	0.00436	0.00363
0.00303	0.00254	0.00214	0.00181	0.00154	
3735369.57		0.00459	0.00402	0.00345	0.00295
0.00252	0.00217	0.00187	0.00162	0.00140	
3735319.57		0.00364	0.00323	0.00282	0.00245
0.00214	0.00187	0.00164	0.00144	0.00127	
3735269.57		0.00297	0.00266	0.00235	0.00207
0.00184	0.00163	0.00145	0.00129	0.00116	
3735219.57		0.00247	0.00223	0.00200	0.00178
0.00159	0.00143	0.00129	0.00116	0.00105	
3735169.57		0.00210	0.00191	0.00172	0.00155
0.00140	0.00127	0.00115	0.00105	0.00096	
3735119.57		0.00181	0.00166	0.00151	0.00137
0.00124	0.00113	0.00104	0.00096	0.00088	
3735069.57		0.00159	0.00146	0.00133	0.00121
0.00111	0.00102	0.00094	0.00087	0.00081	
3735019.57		0.00140	0.00129	0.00119	0.00109
0.00100	0.00093	0.00086	0.00080	0.00074	

3734969.57		0.00125	0.00116	0.00107	0.00098
0.00091		0.00084	0.00079	0.00073	0.00069
3734919.57		0.00112	0.00104	0.00097	0.00090
0.00083		0.00077	0.00072	0.00068	0.00064

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:05:29

PAGE 58

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** THE PERIOD (43848 HRS) AVERAGE
 CONCENTRATION VALUES FOR SOURCE GROUP: ALL ***
 INCLUDING SOURCE(S): PAREA1 ,
 A0000001 , A0000002 , A0000003 , A0000004 ,
 A0000005 , A0000006 , A0000007 , A0000008 ,
 A0000009 , A0000010 , A0000011 , A0000012 ,
 A0000013 , A0000014 , A0000015 , A0000016 ,
 A0000017 , A0000018 , A0000019 , A0000020 ,
 A0000021 , A0000022 , A0000023 , A0000024 ,
 A0000025 , A0000026 , A0000027 , . . . ,

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

** CONC OF PM_10 IN
 MICROGRAMS/M**3 **

Y-COORD (METERS)	X-COORD				
(METERS)	424422.45	424472.45	424522.45	424572.45	
3736869.57	0.00080	0.00082	0.00084	0.00084	
3736819.57	0.00088	0.00090	0.00091	0.00091	
3736769.57	0.00098	0.00100	0.00100	0.00099	
3736719.57	0.00109	0.00110	0.00109	0.00107	
3736669.57	0.00121	0.00121	0.00120	0.00116	
3736619.57	0.00135	0.00134	0.00131	0.00126	
3736569.57	0.00151	0.00148	0.00142	0.00135	
3736519.57	0.00169	0.00163	0.00155	0.00146	
3736469.57	0.00189	0.00180	0.00168	0.00155	
3736419.57	0.00210	0.00196	0.00181	0.00167	
3736369.57	0.00233	0.00214	0.00195	0.00176	
3736319.57	0.00257	0.00232	0.00208	0.00185	
3736269.57	0.00283	0.00249	0.00220	0.00194	
3736219.57	0.00306	0.00266	0.00231	0.00201	
3736169.57	0.00329	0.00280	0.00239	0.00206	
3736119.57	0.00349	0.00292	0.00246	0.00209	
3736069.57	0.00364	0.00300	0.00250	0.00210	
3736019.57	0.00373	0.00303	0.00250	0.00208	
3735969.57	0.00376	0.00302	0.00247	0.00204	
3735919.57	0.00367	0.00292	0.00238	0.00197	
3735869.57	0.00347	0.00275	0.00223	0.00186	
3735819.57	0.00320	0.00254	0.00206	0.00172	
3735769.57	0.00286	0.00228	0.00187	0.00157	

3735719.57	0.00250	0.00203	0.00168	0.00142
3735669.57	0.00219	0.00180	0.00150	0.00128
3735619.57	0.00193	0.00160	0.00136	0.00117
3735569.57	0.00173	0.00145	0.00124	0.00108
3735519.57	0.00157	0.00134	0.00115	0.00100
3735469.57	0.00144	0.00124	0.00107	0.00094
3735419.57	0.00133	0.00115	0.00101	0.00089
3735369.57	0.00122	0.00107	0.00095	0.00084
3735319.57	0.00113	0.00100	0.00089	0.00080
3735269.57	0.00103	0.00093	0.00083	0.00075
3735219.57	0.00095	0.00086	0.00078	0.00071
3735169.57	0.00088	0.00080	0.00073	0.00067
3735119.57	0.00081	0.00074	0.00069	0.00063
3735069.57	0.00075	0.00069	0.00064	0.00060
3735019.57	0.00069	0.00065	0.00060	0.00056
3734969.57	0.00064	0.00060	0.00057	0.00053
3734919.57	0.00060	0.00057	0.00053	0.00050

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:05:29

PAGE 59

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** THE PERIOD (43848 HRS) AVERAGE
 CONCENTRATION VALUES FOR SOURCE GROUP: ALL ***
 INCLUDING SOURCE(S): PAREA1 ,
 A0000001 , A0000002 , A0000003 , A0000004 ,
 A0000005 , A0000006 , A0000007 , A0000008 ,
 A0000009 , A0000010 , A0000011 , A0000012 ,
 A0000013 , A0000014 , A0000015 , A0000016 ,
 A0000017 , A0000018 , A0000019 , A0000020 ,
 A0000021 , A0000022 , A0000023 , A0000024 ,
 A0000025 , A0000026 , A0000027 , . . . ,

*** DISCRETE CARTESIAN

RECEPTOR POINTS ***

MICROGRAMS/M**3			** CONC OF PM_10	IN
			**	
X-COORD (M)	Y-COORD (M)	CONC		X-
COORD (M)	Y-COORD (M)	CONC		
423778.42	3735711.03	0.02054		
423822.52	3735853.96	0.01967		
423598.82	3735852.10	0.00346		
423486.18	3735850.67	0.00214		
423265.85	3735853.10	0.00119		
423093.67	3735863.32	0.00099		
423787.26	3735854.08	0.01289		
424038.72	3735764.09	0.13736		
424039.21	3735703.29	0.11292		
424019.75	3735624.50	0.04264		
423929.31	3735627.85	0.06373		
423857.76	3735627.85	0.04862		

	423815.39	3735653.53	0.03365
423813.92	3735599.60	0.02113	
	423939.99	3735858.43	0.07706
423977.32	3735859.45	0.08322	
	423741.06	3735859.42	0.00819
423707.67	3735859.42	0.00639	

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:05:29

PAGE 60

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** THE 1ST HIGHEST 1-HR AVERAGE
 CONCENTRATION VALUES FOR SOURCE GROUP: ALL ***
 INCLUDING SOURCE(S): PAREA1 ,
 A0000001 , A0000002 , A0000003 , A0000004 ,
 A0000005 , A0000006 , A0000007 , A0000008 ,
 A0000009 , A0000010 , A0000011 , A0000012 ,
 A0000013 , A0000014 , A0000015 , A0000016 ,
 A0000017 , A0000018 , A0000019 , A0000020 ,
 A0000021 , A0000022 , A0000023 , A0000024 ,
 A0000025 , A0000026 , A0000027 , . . . ,

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

MICROGRAMS/M**3 ** CONC OF PM_10 IN **

Y-COORD (METERS)	X-COORD
422722.45	422672.45
422772.45	422822.45

3736869.6 (14010808)	0.16097 (14010808) 0.17218 (14010808) 0.17803
3736819.6 (14010808)	0.18064 (14010808) 0.19643 (12010207) 0.17843
3736769.6 (14010808)	0.15472 (14010808) 0.16887 (14010808) 0.17651
3736719.6 (14010808)	0.18576 (14010808) 0.18872 (14010808) 0.16864
3736669.6 (16021607)	0.16452 (16021607) 0.16268 (14010808) 0.19630
3736619.6 (16021607)	0.18875 (14010808) 0.19684 (14010808) 0.22250
3736569.6 (16021607)	0.18858 (16021607) 0.18131 (16021607) 0.23685
3736519.6 (16021607)	0.18547 (14010808) 0.19972 (14010808) 0.24984
3736469.6 (16021607)	0.20807 (16021607) 0.20396 (16021607) 0.25031
3736419.6 (15012707)	0.18460 (16021607) 0.19561 (14010808) 0.24486
3736369.6 (15012707)	0.22198 (16021607) 0.22412 (16021607) 0.25331
	0.21496 (16021607) 0.20370 (16021607)
	0.22764 (16021607) 0.23861 (16021607)
	0.23735 (16021607) 0.23381 (16021607)
	0.22479 (16021607) 0.23774 (16021607)
	0.25471 (16021607) 0.25972 (16021607)
	0.22511 (15012707) 0.23442 (16021607)
	0.26316 (16021607) 0.27741 (16021607)
	0.23289 (15012707) 0.24426 (15012707)
	0.25836 (16021607) 0.27413 (16021607)
	0.22935 (15012707) 0.24707 (15012707)
	0.26314 (15012707) 0.27043 (15012707)

3736319.6	0.21761 (15012707)	0.23596 (15012707)	0.25081
(15012707)	0.26582 (15012707)	0.28017 (15012707)	
3736269.6	0.21437 (12121407)	0.22500 (12121407)	0.23839
(15012707)	0.26115 (15012707)	0.27972 (15012707)	
3736219.6	0.20885 (12121407)	0.22248 (12121407)	0.23558
(12121407)	0.24438 (12121407)	0.26212 (15012707)	
3736169.6	0.23437 (14021007)	0.23387 (14021007)	0.23524
(14021007)	0.20254 (14021007)	0.26083 (12121407)	
3736119.6	0.25061 (14021007)	0.20623 (14021007)	0.26452
(14021007)	0.22192 (14021007)	0.27678 (14021007)	
3736069.6	0.25452 (14021007)	0.21306 (14021007)	0.22370
(14021007)	0.23468 (14021007)	0.24580 (14021007)	
3736019.6	0.20070 (14021007)	0.21273 (14021007)	0.22549
(14021007)	0.23906 (14021007)	0.25336 (14021007)	
3735969.6	0.19196 (14021007)	0.20495 (14021007)	0.21899
(14021007)	0.23423 (14021007)	0.25066 (14021007)	
3735919.6	0.19870 (15011207)	0.20758 (15011207)	0.21702
(15011207)	0.22714 (15011207)	0.23792 (15011207)	
3735869.6	0.20975 (15011207)	0.22033 (15011207)	0.23180
(15011207)	0.24432 (15011207)	0.25806 (15011207)	
3735819.6	0.21381 (15011207)	0.22541 (15011207)	0.23813
(15011207)	0.25216 (15011207)	0.26783 (15011207)	
3735769.6	0.21057 (15011207)	0.22231 (15011207)	0.23521
(15011207)	0.24947 (15011207)	0.26537 (15011207)	
3735719.6	0.20595 (12010607)	0.21729 (12010607)	0.22967
(12010607)	0.24339 (12010607)	0.25860 (12010607)	
3735669.6	0.21037 (12010607)	0.22166 (12010607)	0.23412
(12010607)	0.24781 (12010607)	0.26290 (12010607)	
3735619.6	0.20732 (12011208)	0.21951 (12011208)	0.23287
(12011208)	0.24759 (12011208)	0.26383 (12011208)	
3735569.6	0.21354 (12011208)	0.22523 (12011208)	0.23797
(12011208)	0.25184 (12011208)	0.26688 (12011208)	
3735519.6	0.21189 (12011208)	0.22224 (12011208)	0.23331
(12011208)	0.24515 (12011208)	0.25844 (16030307)	
3735469.6	0.20449 (16030307)	0.21358 (16030307)	0.22316
(16030307)	0.23322 (16030307)	0.24437 (12112807)	
3735419.6	0.19503 (12112807)	0.20374 (12112807)	0.21274
(12112807)	0.22190 (12112807)	0.23129 (12112807)	
3735369.6	0.18564 (12112807)	0.19306 (13022807)	0.20751
(13022807)	0.22284 (13022807)	0.23915 (13022807)	
3735319.6	0.18900 (13022807)	0.20135 (13022807)	0.21424
(13022807)	0.22760 (13022807)	0.24133 (13022807)	
3735269.6	0.19308 (13022807)	0.20362 (13022807)	0.21426
(13022807)	0.22485 (13022807)	0.23526 (13022807)	
3735219.6	0.19165 (13022807)	0.19993 (13022807)	0.20782
(13022807)	0.21772 (16021007)	0.23146 (16021007)	
3735169.6	0.18529 (13022807)	0.19492 (16021007)	0.20609
(16021007)	0.21706 (16021007)	0.22736 (16021007)	
3735119.6	0.18513 (16021007)	0.19404 (16021007)	0.20238
(16021007)	0.20994 (16021007)	0.21617 (16021007)	
3735069.6	0.18186 (16021007)	0.18810 (16021007)	0.19334
(16021007)	0.19744 (16021007)	0.19993 (16021007)	
3735019.6	0.17438 (16021007)	0.17779 (16021007)	0.18003
(16021007)	0.18087 (16021007)	0.18524 (13112507)	

3734969.6	0.16325 (16021007)	0.16415 (16021007)	0.16552
(13112507)	0.17293 (13112507)	0.17899 (13112507)	
3734919.6	0.14957 (16021007)	0.15579 (13112507)	0.16160
(13112507)	0.16611 (13112507)	0.17317 (15123008)	

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:05:29

PAGE 61

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** THE 1ST HIGHEST 1-HR AVERAGE
 CONCENTRATION VALUES FOR SOURCE GROUP: ALL ***
 INCLUDING SOURCE(S): PAREA1 ,
 A0000001 , A0000002 , A0000003 , A0000004 ,
 A0000005 , A0000006 , A0000007 , A0000008 ,
 A0000009 , A0000010 , A0000011 , A0000012 ,
 A0000013 , A0000014 , A0000015 , A0000016 ,
 A0000017 , A0000018 , A0000019 , A0000020 ,
 A0000021 , A0000022 , A0000023 , A0000024 ,
 A0000025 , A0000026 , A0000027 , . . . ,

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

MICROGRAMS/M**3 ** CONC OF PM_10 IN
 **

Y-COORD (METERS)	X-COORD		
422972.45	422872.45	422922.45	423072.45

3736869.6	0.22073 (12010207)	0.24055 (12010207)	0.25292
(12010207)	0.25717 (12010207)	0.25202 (12010207)	
3736819.6	0.20834 (12010207)	0.23505 (12010207)	0.25619
(12010207)	0.26837 (12010207)	0.27072 (12010207)	
3736769.6	0.20117 (14010808)	0.22343 (12010207)	0.25231
(12010207)	0.27137 (12010207)	0.28242 (12010207)	
3736719.6	0.20991 (14010808)	0.21429 (14010808)	0.24105
(12010207)	0.26611 (12010207)	0.28670 (12010207)	
3736669.6	0.21300 (14010808)	0.22878 (14010808)	0.23631
(14010808)	0.25622 (12010207)	0.28315 (12010207)	
3736619.6	0.20592 (14010808)	0.22203 (14010808)	0.23560
(14010808)	0.24219 (14010808)	0.27354 (12010207)	
3736569.6	0.22178 (16021607)	0.21439 (14010808)	0.23478
(14010808)	0.25151 (14010808)	0.25901 (14010808)	
3736519.6	0.25542 (16021607)	0.24788 (16021607)	0.23153
(16021607)	0.25225 (14010808)	0.27014 (14010808)	
3736469.6	0.28152 (16021607)	0.28110 (16021607)	0.27126
(16021607)	0.25970 (16021607)	0.27026 (14010808)	
3736419.6	0.29192 (16021607)	0.30249 (16021607)	0.30363
(16021607)	0.30328 (16021607)	0.29119 (16021607)	
3736369.6	0.29201 (16021607)	0.31345 (16021607)	0.32275
(16021607)	0.33817 (16021607)	0.33780 (16021607)	

3736319.6	0.29404 (15012707)	0.30796 (16021607)	0.32635
(16021607)	0.35582 (16021607)	0.37106 (16021607)	
3736269.6	0.30038 (15012707)	0.31952 (15012707)	0.32650
(15012707)	0.35559 (16021607)	0.38460 (16021607)	
3736219.6	0.28730 (15012707)	0.31534 (15012707)	0.33567
(15012707)	0.36623 (15012707)	0.38030 (15012707)	
3736169.6	0.22483 (15012707)	0.24618 (15012707)	0.26843
(15012707)	0.36150 (15012707)	0.39463 (15012707)	
3736119.6	0.23637 (14021007)	0.24267 (14021007)	0.25608
(12121407)	0.28322 (15012707)	0.31455 (15012707)	
3736069.6	0.25705 (14021007)	0.26824 (14021007)	0.27920
(14021007)	0.28998 (14021007)	0.30183 (14021007)	
3736019.6	0.26843 (14021007)	0.28417 (14021007)	0.30051
(14021007)	0.31771 (14021007)	0.33658 (14021007)	
3735969.6	0.26847 (14021007)	0.28780 (14021007)	0.30859
(14021007)	0.33123 (14021007)	0.35656 (14021007)	
3735919.6	0.25683 (14021007)	0.27797 (14021007)	0.30153
(14021007)	0.32753 (14021007)	0.35776 (14021007)	
3735869.6	0.27307 (15011207)	0.28908 (15011207)	0.30674
(15011207)	0.32614 (15011207)	0.35066 (15011207)	
3735819.6	0.28579 (15011207)	0.30417 (15011207)	0.32345
(15011207)	0.34618 (15011207)	0.37266 (15011207)	
3735769.6	0.28360 (15011207)	0.30035 (15011207)	0.32159
(15011207)	0.34531 (15011207)	0.37253 (15011207)	
3735719.6	0.27565 (12010607)	0.29641 (12010607)	0.31264
(12010607)	0.33555 (12010607)	0.36229 (12010607)	
3735669.6	0.27972 (12010607)	0.29892 (12010607)	0.31670
(12010607)	0.33937 (12010607)	0.36578 (12010607)	
3735619.6	0.28184 (12011208)	0.30194 (12011208)	0.32609
(12011208)	0.34554 (12011208)	0.37361 (12011208)	
3735569.6	0.28337 (12011208)	0.30143 (12011208)	0.32208
(12011208)	0.33933 (12011208)	0.36377 (12011208)	
3735519.6	0.27303 (16030307)	0.28895 (16030307)	0.30756
(16030307)	0.32030 (16030307)	0.34043 (12112807)	
3735469.6	0.25770 (12112807)	0.27172 (12112807)	0.28609
(12112807)	0.30239 (13022807)	0.33310 (13022807)	
3735419.6	0.24787 (13022807)	0.26864 (13022807)	0.29051
(13022807)	0.31374 (13022807)	0.34010 (13022807)	
3735369.6	0.25628 (13022807)	0.27425 (13022807)	0.29179
(13022807)	0.31048 (13022807)	0.33037 (13022807)	
3735319.6	0.25520 (13022807)	0.26907 (13022807)	0.28151
(13022807)	0.30119 (16021007)	0.32491 (16021007)	
3735269.6	0.24559 (16021007)	0.26289 (16021007)	0.27903
(16021007)	0.29558 (16021007)	0.31130 (16021007)	
3735219.6	0.24517 (16021007)	0.25801 (16021007)	0.26837
(16021007)	0.27903 (16021007)	0.28625 (16021007)	
3735169.6	0.23659 (16021007)	0.24437 (16021007)	0.24903
(16021007)	0.25328 (16021007)	0.25933 (13112507)	
3735119.6	0.22082 (16021007)	0.22406 (16021007)	0.22385
(13112507)	0.23710 (13112507)	0.24589 (13112507)	
3735069.6	0.20063 (16021007)	0.20871 (13112507)	0.21557
(13112507)	0.22813 (15123008)	0.25105 (15123008)	
3735019.6	0.19320 (13112507)	0.19942 (13112507)	0.21242
(15123008)	0.23288 (15123008)	0.25025 (15123008)	

3734969.6	0.18336 (13112507)	0.20033 (15123008)	0.21557
(15123008)	0.23120 (15123008)	0.24265 (15123008)	
3734919.6	0.18828 (15123008)	0.20188 (15123008)	0.21326
(15123008)	0.22383 (15123008)	0.23472 (16022507)	

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:05:29

PAGE 62

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** THE 1ST HIGHEST 1-HR AVERAGE
 CONCENTRATION VALUES FOR SOURCE GROUP: ALL ***
 INCLUDING SOURCE(S): PAREA1 ,
 A0000001 , A0000002 , A0000003 , A0000004 ,
 A0000005 , A0000006 , A0000007 , A0000008 ,
 A0000009 , A0000010 , A0000011 , A0000012 ,
 A0000013 , A0000014 , A0000015 , A0000016 ,
 A0000017 , A0000018 , A0000019 , A0000020 ,
 A0000021 , A0000022 , A0000023 , A0000024 ,
 A0000025 , A0000026 , A0000027 , . . . ,

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

** CONC OF PM_10 IN
 MICROGRAMS/M**3 **

Y-COORD (METERS)	X-COORD		
423222.45	423122.45	423172.45	423322.45

3736869.6	0.23093 (12010207)	0.20609 (12010207)	0.20304
(12102907)	0.21580 (12102907)	0.22024 (12121308)	
3736819.6	0.25846 (12010207)	0.23991 (12010207)	0.20917
(12010207)	0.22209 (12102907)	0.22815 (12102907)	
3736769.6	0.28260 (12010207)	0.27109 (12010207)	0.24618
(12010207)	0.22323 (12102907)	0.23816 (12102907)	
3736719.6	0.30024 (12010207)	0.29991 (12010207)	0.28299
(12010207)	0.25405 (12010207)	0.24517 (12102907)	
3736669.6	0.32047 (12010207)	0.32523 (12010207)	0.31740
(12010207)	0.29487 (12010207)	0.25978 (12010207)	
3736619.6	0.30626 (12010207)	0.32711 (12010207)	0.33841
(12010207)	0.33253 (12010207)	0.30750 (12010207)	
3736569.6	0.29986 (12010207)	0.32783 (12010207)	0.35953
(12010207)	0.36038 (12010207)	0.35333 (12010207)	
3736519.6	0.28175 (14010808)	0.31926 (12010207)	0.36457
(12010207)	0.37910 (12010207)	0.39497 (12010207)	
3736469.6	0.29266 (14010808)	0.29926 (12010207)	0.35368
(12010207)	0.38612 (12010207)	0.42037 (12010207)	
3736419.6	0.29125 (14010808)	0.31026 (14010808)	0.33123
(12010207)	0.37988 (12010207)	0.43124 (12010207)	
3736369.6	0.32703 (16021607)	0.30890 (14010808)	0.34121
(14010808)	0.35890 (12010207)	0.42364 (12010207)	

3736319.6 (16021607)	0.37434 (16021607) 0.36494 (14010808)	0.36308 (16021607) 0.39657 (12010207)	0.34794
3736269.6 (16021607)	0.40263 (16021607) 0.40012 (16021607)	0.41425 (16021607) 0.40877 (14010808)	0.41364
3736219.6 (16021607)	0.32385 (16021607) 0.46435 (16021607)	0.34767 (16021607) 0.45880 (16021607)	0.45495
3736169.6 (16021607)	0.33211 (15012707) 0.41321 (16021607)	0.43327 (16021607) 0.43555 (16021607)	0.38471
3736119.6 (15012707)	0.33841 (15012707) 0.42636 (16021607)	0.36696 (15012707) 0.46653 (16021607)	0.39382
3736069.6 (15012707)	0.32788 (15012707) 0.44193 (15012707)	0.36490 (15012707) 0.47833 (15012707)	0.40340
3736019.6 (15012707)	0.34887 (14021007) 0.43984 (15012707)	0.36445 (14021007) 0.49357 (15012707)	0.38919
3735969.6 (14021007)	0.37770 (14021007) 0.45728 (14021007)	0.40371 (14021007) 0.48340 (14021007)	0.43043
3735919.6 (14021007)	0.38540 (14021007) 0.49853 (14021007)	0.41967 (14021007) 0.54303 (14021007)	0.45740
3735869.6 (14021007)	0.37048 (14021007) 0.50336 (14021007)	0.40906 (14021007) 0.56114 (14021007)	0.45302
3735819.6 (15011207)	0.40212 (15011207) 0.51609 (15011207)	0.43483 (15011207) 0.56669 (15011207)	0.47254
3735769.6 (15011207)	0.40439 (15011207) 0.53127 (15011207)	0.44058 (15011207) 0.58898 (15011207)	0.48234
3735719.6 (12010607)	0.39340 (12010607) 0.51681 (12010607)	0.42838 (12010607) 0.57356 (12010607)	0.46906
3735669.6 (12011208)	0.39589 (12010607) 0.52363 (12011208)	0.42992 (12011208) 0.58333 (12011208)	0.47310
3735619.6 (12011208)	0.40491 (12011208) 0.52484 (12011208)	0.43987 (12011208) 0.57682 (12011208)	0.47961
3735569.6 (16030307)	0.39059 (16030307) 0.48948 (16030307)	0.42034 (16030307) 0.52939 (16030307)	0.45321
3735519.6 (13022807)	0.36364 (12112807) 0.48097 (13022807)	0.38836 (12112807) 0.53715 (13022807)	0.43029
3735469.6 (13022807)	0.36564 (13022807) 0.47834 (13022807)	0.40091 (13022807) 0.51910 (13022807)	0.43865
3735419.6 (16021007)	0.36637 (13022807) 0.46284 (16021007)	0.39313 (13022807) 0.50379 (16021007)	0.42120
3735369.6 (16021007)	0.35353 (16021007) 0.43886 (16021007)	0.38340 (16021007) 0.46052 (16021007)	0.41237
3735319.6 (16021007)	0.34628 (16021007) 0.39279 (16021007)	0.36567 (16021007) 0.40350 (13112507)	0.38177
3735269.6 (16021007)	0.32362 (16021007) 0.35540 (13112507)	0.33238 (16021007) 0.39948 (15123008)	0.33623
3735219.6 (15123008)	0.28992 (16021007) 0.35956 (15123008)	0.30144 (13112507) 0.39397 (15123008)	0.32086
3735169.6 (15123008)	0.27193 (13112507) 0.35312 (15123008)	0.29479 (15123008) 0.37465 (16022507)	0.32590
3735119.6 (15123008)	0.27150 (15123008) 0.33632 (16022507)	0.29690 (15123008) 0.36533 (16022507)	0.31848
3735069.6 (16022507)	0.27200 (15123008) 0.32929 (16022507)	0.28933 (15123008) 0.34630 (16022507)	0.30474
3735019.6 (16022507)	0.26422 (15123008) 0.31318 (16022507)	0.27763 (16022507) 0.31919 (16022507)	0.29837

3734969.6	0.25471 (16022507)	0.27259 (16022507)	0.28526
(16022507)	0.29093 (16022507)	0.31190 (12121307)	
3734919.6	0.25024 (16022507)	0.26137 (16022507)	0.26669
(16022507)	0.28259 (12121307)	0.29892 (12121307)	

3736319.6 (12010207)	0.46260 (12010207)	0.41498 (12010207)	0.43537
3736269.6 (12010207)	0.44784 (12010207)	0.43113 (12010207)	0.47117
3736219.6 (12010207)	0.45225 (14010808)	0.43257 (12010207)	0.49422
3736169.6 (12010207)	0.44842 (16021607)	0.44815 (16021607)	0.49869
3736119.6 (16021607)	0.50083 (16021607)	0.52474 (16021607)	0.53257
3736069.6 (16021607)	0.52872 (16021607)	0.58073 (16021607)	0.62191
3736019.6 (16021607)	0.54805 (15012707)	0.60106 (16021607)	0.67895
3735969.6 (15012707)	0.54612 (15012707)	0.62523 (15012707)	0.70748
3735919.6 (15012707)	0.59082 (14021007)	0.64028 (14021007)	0.70555
3735869.6 (14021007)	0.62780 (14021007)	0.70431 (14021007)	0.79168
3735819.6 (14021007)	0.62583 (15011207)	0.69459 (15011207)	0.80248
3735769.6 (15011207)	0.65822 (15011207)	0.74246 (15011207)	0.84685
3735719.6 (12010607)	0.64188 (12010607)	0.72555 (12010607)	0.82955
3735669.6 (12011208)	0.65469 (12011208)	0.74092 (12011208)	0.84668
3735619.6 (16030307)	0.63801 (16030307)	0.71125 (16030307)	0.79770
3735569.6 (13022807)	0.58896 (13022807)	0.67675 (13022807)	0.77834
3735519.6 (16021007)	0.59862 (13022807)	0.66464 (13022807)	0.74546
3735469.6 (16021007)	0.57575 (16021007)	0.63713 (16021007)	0.69388
3735419.6 (16021007)	0.54177 (16021007)	0.57234 (16021007)	0.59091
3735369.6 (15123008)	0.47483 (16021007)	0.50333 (15123008)	0.58179
3735319.6 (15123008)	0.44696 (15123008)	0.50536 (15123008)	0.55350
3735269.6 (16022507)	0.44412 (15123008)	0.47938 (15123008)	0.53121
3735219.6 (16022507)	0.42058 (16022507)	0.46352 (16022507)	0.49242
3735169.6 (12121307)	0.40969 (16022507)	0.43335 (16022507)	0.46001
3735119.6 (12121307)	0.38536 (16022507)	0.40350 (12121307)	0.43579
3735069.6 (12121307)	0.35760 (12121307)	0.38700 (12121307)	0.40293
3735019.6 (15122908)	0.34644 (12121307)	0.36286 (12121307)	0.37162
	0.39130 (15122908)	0.40616 (15022607)	

3734969.6	0.32856 (12121307)	0.33394 (12121307)	0.35224
(15122908)	0.36508 (15022607)	0.37580 (15013007)	
3734919.6	0.30635 (12121307)	0.31726 (15122908)	0.32925
(15122908)	0.34065 (15022607)	0.35470 (16021107)	

3736319.6	0.44338 (12112107)	0.52193 (12112107)	0.57006
(12112107)	0.57364 (12112107)	0.55415 (12010508)	
3736269.6	0.45310 (12010207)	0.55025 (12112107)	0.62462
(12112107)	0.64910 (12112107)	0.62343 (12010508)	
3736219.6	0.54873 (12010207)	0.57253 (12112107)	0.68025
(12112107)	0.73504 (12112107)	0.71350 (12112107)	
3736169.6	0.64975 (12010207)	0.62071 (12010207)	0.73368
(12112107)	0.83156 (12112107)	0.83755 (12112107)	
3736119.6	0.74649 (12010207)	0.76075 (12010207)	0.77908
(12112107)	0.93709 (12112107)	0.98923 (12112107)	
3736069.6	0.82286 (12010207)	0.90356 (12010207)	0.90286
(12010207)	1.04765 (12112107)	1.17545 (12112107)	
3736019.6	0.85558 (12010207)	1.02512 (12010207)	1.12390
(12010207)	1.15519 (12112107)	1.40159 (12112107)	
3735969.6	1.00771 (16021607)	1.08659 (12010207)	1.33110
(12010207)	1.44911 (12010207)	1.67719 (12112107)	
3735919.6	1.14023 (16021607)	1.32415 (16021607)	1.45492
(12010207)	1.84142 (12010207)	2.01434 (12112107)	
3735869.6	1.19335 (15012707)	1.45696 (15012707)	1.82911
(16021607)	2.19634 (16021607)	2.86116 (12010207)	
3735819.6	1.31758 (14021007)	1.58834 (14021007)	1.94734
(15020607)	2.69532 (16021607)	4.16826 (16021607)	
3735769.6	1.37726 (15011207)	1.69432 (15011207)	2.16255
(15011207)	2.94069 (15011207)	4.56600 (15011207)	
3735719.6	1.36845 (12010607)	1.69651 (12010607)	2.19554
(15011207)	3.01871 (15011207)	4.63398 (15011207)	
3735669.6	1.37060 (16030307)	1.67823 (16030307)	2.11942
(16030307)	2.93010 (13022807)	4.51531 (13022807)	
3735619.6	1.29402 (13022807)	1.57855 (13022807)	1.97458
(16021007)	2.51089 (16021007)	3.63558 (16022507)	
3735569.6	1.20975 (16021007)	1.39780 (16021007)	1.62336
(15123008)	2.11090 (16022507)	2.57360 (12121307)	
3735519.6	1.01577 (16021007)	1.21323 (15123008)	1.47526
(16022507)	1.73594 (12121307)	1.95782 (15022607)	
3735469.6	0.95377 (15123008)	1.11896 (16022507)	1.27415
(12121307)	1.41139 (15122908)	1.58352 (16021107)	
3735419.6	0.89034 (16022507)	0.98637 (12121307)	1.09488
(12121307)	1.19579 (15022607)	1.29599 (16021107)	
3735369.6	0.79246 (12121307)	0.88716 (12121307)	0.94901
(15122908)	1.03350 (16021107)	1.08808 (14112607)	
3735319.6	0.73369 (12121307)	0.77642 (15122908)	0.83529
(15022607)	0.90075 (16021107)	0.93848 (14112607)	
3735269.6	0.65400 (12121307)	0.69665 (13011807)	0.74326
(16021107)	0.78285 (14121808)	0.81406 (14112607)	
3735219.6	0.59503 (15122908)	0.62810 (15022607)	0.67114
(16021107)	0.68828 (14112607)	0.71624 (14021108)	
3735169.6	0.54174 (13011807)	0.56833 (16021107)	0.60217
(14121808)	0.62135 (14112607)	0.63463 (14021108)	
3735119.6	0.49640 (15022607)	0.52556 (16021107)	0.54131
(14121808)	0.56095 (14112607)	0.56520 (14021108)	
3735069.6	0.45436 (15013007)	0.48247 (16021107)	0.48952
(14120107)	0.50785 (14021108)	0.50759 (15012307)	
3735019.6	0.42629 (16021107)	0.44243 (14121808)	0.45124
(14112607)	0.46457 (14021108)	0.45974 (15012307)	

3734969.6	0.39778 (16021107)	0.40496 (14121808)	0.41753
(14112607)	0.42621 (14021108)	0.41960 (14021307)	
3734919.6	0.36936 (14121808)	0.37302 (14120107)	0.38588
(14112607)	0.39097 (14021108)	0.38961 (16010108)	

3736319.6	0.59112 (15012007)	0.60293 (15012007)	0.58100
(14022007)	0.59769 (14022007)	0.57007 (13122307)	
3736269.6	0.65855 (15012007)	0.67739 (15012007)	0.65699
(14022007)	0.66777 (14022007)	0.64321 (13122307)	
3736219.6	0.74012 (15012007)	0.76881 (15012007)	0.75018
(14022007)	0.75138 (14022007)	0.72866 (13122307)	
3736169.6	0.83967 (15012007)	0.88290 (15012007)	0.86702
(14022007)	0.85210 (14022007)	0.82844 (13122307)	
3736119.6	0.96408 (15012007)	1.02985 (15012007)	1.01606
(14022007)	0.98189 (13122307)	0.94446 (13122307)	
3736069.6	1.12273 (15012007)	1.22287 (15012007)	1.21118
(14022007)	1.17565 (13122307)	1.11321 (16031007)	
3736019.6	1.40801 (12112107)	1.48528 (15012007)	1.47454
(14022007)	1.42785 (13122307)	1.35028 (13121707)	
3735969.6	1.81097 (12112107)	1.85872 (15012007)	1.84596
(14022007)	1.76516 (13122307)	1.64346 (13121707)	
3735919.6	2.39891 (12112107)	2.41893 (15012007)	2.41382
(13122307)	2.31108 (13121707)	2.05623 (15030607)	
3735869.6	3.37682 (12112107)	3.35057 (15012007)	3.49841
(13122307)	3.28667 (13121707)	2.69439 (15030607)	
3735819.6	4.82041 (12112107)	4.84405 (13122307)	5.14604
(13122307)	5.24884 (15030607)	3.37891 (14022107)	
3735769.6	4.49245 (15011207)	4.22698 (13122307)	4.45152
(13122307)	4.87385 (16020907)	3.55537 (13121708)	
3735719.6	4.44851 (15011207)	3.77226 (13012907)	4.35803
(12013008)	5.04266 (12013008)	3.80366 (12013008)	
3735669.6	4.51933 (13022807)	4.49049 (13012907)	4.64280
(13012907)	4.90784 (13012308)	3.67944 (12013008)	
3735619.6	4.47132 (16021107)	4.62313 (14021307)	4.65472
(13012907)	4.39198 (12030907)	3.09778 (13012308)	
3735569.6	2.91775 (16021107)	3.08645 (16010108)	2.99730
(13110707)	2.81465 (13123108)	2.42628 (12030907)	
3735519.6	2.15544 (14112607)	2.27836 (16010108)	2.20437
(13110707)	2.12102 (13123108)	1.87259 (13112707)	
3735469.6	1.67733 (14112607)	1.77762 (16010108)	1.71937
(13110707)	1.65090 (13123108)	1.50636 (14111807)	
3735419.6	1.34393 (14112607)	1.44281 (16010108)	1.39459
(13110707)	1.31610 (13120207)	1.29263 (13123108)	
3735369.6	1.11024 (15010707)	1.19519 (16010108)	1.15774
(13110707)	1.10599 (14112707)	1.09646 (13123108)	
3735319.6	0.95834 (16010108)	1.01547 (16010108)	0.98412
(13110707)	0.95135 (14112707)	0.93044 (13123108)	
3735269.6	0.83902 (16010108)	0.87633 (16010108)	0.84902
(13110707)	0.82869 (15020507)	0.79445 (13120207)	
3735219.6	0.74117 (16010108)	0.76611 (16010108)	0.74194
(13110707)	0.72808 (15020507)	0.69669 (13120207)	
3735169.6	0.66172 (16010108)	0.67770 (16010108)	0.65619
(13110707)	0.64538 (15020507)	0.62120 (14112707)	
3735119.6	0.59524 (16010108)	0.60546 (16010108)	0.58566
(13110707)	0.57602 (15020507)	0.56318 (14112707)	
3735069.6	0.54033 (16010108)	0.54604 (16010108)	0.52730
(13110707)	0.51894 (13110707)	0.51209 (14112707)	
3735019.6	0.49281 (16010108)	0.49550 (16010108)	0.47777
(13110707)	0.47396 (13110707)	0.46865 (15020507)	

3734969.6	0.45192 (16010108)	0.45227 (16010108)	0.43538
(13110707)	0.43462 (13110707)	0.43001 (15020507)	
3734919.6	0.41521 (16010108)	0.41534 (16010108)	0.39922
(13110707)	0.40073 (13110707)	0.39622 (15020507)	

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:05:29

PAGE 66

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** THE 1ST HIGHEST 1-HR AVERAGE
 CONCENTRATION VALUES FOR SOURCE GROUP: ALL ***
 INCLUDING SOURCE(S): PAREA1 ,
 A0000001 , A0000002 , A0000003 , A0000004 ,
 A0000005 , A0000006 , A0000007 , A0000008 ,
 A0000009 , A0000010 , A0000011 , A0000012 ,
 A0000013 , A0000014 , A0000015 , A0000016 ,
 A0000017 , A0000018 , A0000019 , A0000020 ,
 A0000021 , A0000022 , A0000023 , A0000024 ,
 A0000025 , A0000026 , A0000027 , . . . ,

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

MICROGRAMS/M**3 ** CONC OF PM_10 IN
 **

Y-COORD (METERS)	X-COORD		
424222.45	424122.45	424172.45	424322.45

3736869.6	0.34982 (14022007)	0.31541 (14022007)	0.33426
(13122307)	0.34124 (13122307)	0.31590 (13122307)	
3736819.6	0.36359 (14022007)	0.33392 (13122307)	0.35604
(13122307)	0.35243 (13122307)	0.32089 (13122307)	
3736769.6	0.37849 (14022007)	0.36084 (13122307)	0.37484
(13122307)	0.36291 (13122307)	0.32502 (13122307)	
3736719.6	0.39303 (14022007)	0.38838 (13122307)	0.39476
(13122307)	0.37321 (13122307)	0.35431 (16031007)	
3736669.6	0.41027 (14022007)	0.41884 (13122307)	0.41287
(13122307)	0.38067 (13122307)	0.38598 (16031007)	
3736619.6	0.42465 (14022007)	0.45055 (13122307)	0.43406
(13122307)	0.39555 (16031007)	0.42241 (16031007)	
3736569.6	0.46592 (13122307)	0.48668 (13122307)	0.45787
(13122307)	0.44093 (16031007)	0.45609 (16031007)	
3736519.6	0.50165 (13122307)	0.50575 (13122307)	0.46362
(13122307)	0.47550 (16031007)	0.47521 (13121707)	
3736469.6	0.54220 (13122307)	0.53102 (13122307)	0.49499
(16031007)	0.51487 (16031007)	0.50424 (13121707)	
3736419.6	0.57617 (13122307)	0.56201 (13122307)	0.53933
(16031007)	0.55083 (13121707)	0.51074 (13121707)	
3736369.6	0.51032 (13122307)	0.59077 (13122307)	0.60018
(16031007)	0.47028 (13121707)	0.53398 (16121407)	

3736319.6	0.56094 (13122307)	0.65564 (16031007)	0.53416
(13121707)	0.61599 (13121707)	0.46866 (16121407)	
3736269.6	0.61635 (13122307)	0.61010 (16031007)	0.58653
(13121707)	0.53538 (16121407)	0.52018 (15032607)	
3736219.6	0.68958 (16031007)	0.68237 (13121707)	0.63506
(13121707)	0.59378 (15032607)	0.57563 (15030607)	
3736169.6	0.79802 (16031007)	0.76383 (13121707)	0.69046
(16121407)	0.66930 (15030607)	0.62816 (15030607)	
3736119.6	0.92036 (13121707)	0.84000 (13121707)	0.79445
(15032607)	0.74573 (15030607)	0.67058 (13111407)	
3736069.6	1.06100 (13121707)	0.96075 (15032607)	0.90550
(15030607)	0.80574 (13111407)	0.70473 (12010408)	
3736019.6	1.19621 (13121707)	1.13317 (15030607)	0.99599
(13111407)	0.86194 (12010408)	0.78241 (15122907)	
3735969.6	1.47901 (15030607)	1.28109 (13111407)	1.08676
(12010408)	0.96030 (15122907)	0.86276 (14022107)	
3735919.6	1.75188 (13111407)	1.43087 (12010408)	1.23185
(14022107)	1.07107 (14022107)	0.92729 (16020907)	
3735869.6	2.04087 (15122907)	1.66958 (14022107)	1.37338
(16020907)	1.15255 (13010908)	0.97224 (13010908)	
3735819.6	2.40290 (16020907)	1.81392 (13010908)	1.48412
(13121708)	1.24440 (13121708)	1.05410 (13121708)	
3735769.6	2.56400 (13101507)	1.97081 (13101507)	1.57639
(13101507)	1.29454 (13101507)	1.08591 (13101507)	
3735719.6	2.66116 (12013008)	1.98354 (12013008)	1.56684
(12011008)	1.28719 (12011008)	1.08286 (12011008)	
3735669.6	2.63334 (12013008)	2.04784 (12013008)	1.64835
(12013008)	1.35663 (12013008)	1.13706 (12013008)	
3735619.6	2.36790 (13012308)	1.82050 (12010608)	1.45168
(15012108)	1.22763 (15012108)	1.07255 (12013008)	
3735569.6	1.92497 (13110807)	1.64439 (13012308)	1.39050
(13012308)	1.16126 (12010608)	0.97091 (12010608)	
3735519.6	1.64651 (12030907)	1.36807 (13110807)	1.21640
(15123108)	1.08702 (13012308)	0.95104 (13012308)	
3735469.6	1.36053 (12030907)	1.22569 (12030907)	1.04142
(13010108)	0.95264 (13110807)	0.86578 (15123108)	
3735419.6	1.16578 (13112707)	1.06684 (12030907)	0.96153
(12030907)	0.83848 (13010108)	0.77706 (13110807)	
3735369.6	0.99132 (14111807)	0.92884 (13112707)	0.86494
(12030907)	0.78484 (13010108)	0.69527 (13010108)	
3735319.6	0.89273 (13123108)	0.82057 (14111807)	0.76213
(14102807)	0.72044 (12030907)	0.65914 (13010108)	
3735269.6	0.79555 (13123108)	0.72388 (15010608)	0.69003
(13112707)	0.63962 (16022907)	0.61135 (12030907)	
3735219.6	0.70241 (13123108)	0.66524 (13123108)	0.62066
(14111807)	0.58722 (14102807)	0.55380 (12030907)	
3735169.6	0.61823 (13123108)	0.60961 (13123108)	0.56019
(15010608)	0.53847 (13112707)	0.50966 (14102807)	
3735119.6	0.54867 (13120207)	0.55393 (13123108)	0.52136
(13123108)	0.49217 (14111807)	0.47267 (13112707)	
3735069.6	0.49716 (13120207)	0.50039 (13123108)	0.48675
(13123108)	0.45163 (15010608)	0.43559 (14111807)	
3735019.6	0.45044 (13120207)	0.45037 (13123108)	0.45095
(13123108)	0.42310 (13123108)	0.40321 (14111807)	

3734969.6	0.41248 (14112707)	0.40928 (13120207)	0.41495
(13123108)	0.40025 (13123108)	0.37502 (15010608)	
3734919.6	0.38425 (14112707)	0.37853 (13120207)	0.38023
(13123108)	0.37597 (13123108)	0.35233 (13123108)	

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:05:29

PAGE 67

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** THE 1ST HIGHEST 1-HR AVERAGE
 CONCENTRATION VALUES FOR SOURCE GROUP: ALL ***
 INCLUDING SOURCE(S): PAREA1 ,
 A0000001 , A0000002 , A0000003 , A0000004 ,
 A0000005 , A0000006 , A0000007 , A0000008 ,
 A0000009 , A0000010 , A0000011 , A0000012 ,
 A0000013 , A0000014 , A0000015 , A0000016 ,
 A0000017 , A0000018 , A0000019 , A0000020 ,
 A0000021 , A0000022 , A0000023 , A0000024 ,
 A0000025 , A0000026 , A0000027 , . . . ,

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

** CONC OF PM_10 IN
 MICROGRAMS/M**3 **

Y-COORD (METERS)	X-COORD	CONC	CONC	CONC
424472.45	424372.45	0.29204 (16031007)	0.31953 (16031007)	0.33048
	424522.45	0.33239 (13121707)	0.31134 (13121707)	
	424572.45	0.32267 (16031007)	0.34312 (16031007)	0.35113
		0.33899 (13121707)	0.31072 (15010808)	
		0.34508 (16031007)	0.36070 (16031007)	0.36708
		0.34162 (13121707)	0.32678 (16121407)	
		0.37790 (16031007)	0.38438 (13121707)	0.37571
		0.34055 (15010808)	0.34543 (16121407)	
		0.39448 (16031007)	0.40318 (13121707)	0.38166
		0.36355 (16121407)	0.35645 (16121407)	
		0.42290 (13121707)	0.41956 (13121707)	0.38737
		0.38454 (16121407)	0.35710 (15032607)	
		0.45018 (13121707)	0.42487 (13121707)	0.41448
		0.39185 (16121407)	0.39243 (15030607)	
		0.45804 (13121707)	0.43847 (16121407)	0.43088
		0.42036 (15030607)	0.42871 (15030607)	
		0.45654 (13121707)	0.47006 (16121407)	0.44308
		0.46312 (15030607)	0.45363 (15030607)	
		0.49314 (16121407)	0.48283 (16121407)	0.50121
		0.49081 (15030607)	0.45434 (13111407)	
		0.52479 (16121407)	0.54250 (15030607)	0.54113
		0.50402 (13111407)	0.46484 (13111407)	

3736319.6	0.56234 (15030607)	0.59534 (15030607)	0.55951
(13111407)	0.50254 (13111407)	0.45019 (13021507)	
3736269.6	0.64206 (15030607)	0.60722 (13111407)	0.56943
(13111407)	0.49275 (13021507)	0.48060 (12010408)	
3736219.6	0.69261 (15030607)	0.63366 (13111407)	0.55339
(13021507)	0.54294 (12010408)	0.51955 (15122907)	
3736169.6	0.71032 (13111407)	0.62035 (13021507)	0.61059
(12010408)	0.58839 (15122907)	0.54291 (15122907)	
3736119.6	0.71022 (12010408)	0.69003 (12010408)	0.65395
(15122907)	0.59440 (15122907)	0.57780 (14022107)	
3736069.6	0.79489 (15122907)	0.74030 (15122907)	0.68451
(14022107)	0.64734 (14022107)	0.59551 (14022107)	
3736019.6	0.70367 (14022107)	0.79625 (14022107)	0.72039
(14022107)	0.66585 (16020907)	0.62093 (16020907)	
3735969.6	0.76814 (14022107)	0.68441 (16020907)	0.61977
(13010908)	0.56214 (13010908)	0.62033 (13010908)	
3735919.6	0.81715 (13010908)	0.72069 (13010908)	0.63170
(13010908)	0.57769 (13121708)	0.53362 (13121708)	
3735869.6	0.85749 (13121708)	0.76667 (13121708)	0.68617
(13121708)	0.61510 (13121708)	0.55289 (13121708)	
3735819.6	0.90162 (13121708)	0.79435 (13101507)	0.70736
(13101507)	0.63389 (13101507)	0.57178 (13101507)	
3735769.6	0.92629 (13101507)	0.80138 (13101507)	0.70131
(13101507)	0.61982 (13101507)	0.55338 (12011008)	
3735719.6	0.92849 (12011008)	0.80823 (12011008)	0.71251
(12011008)	0.63463 (12011008)	0.57054 (12011008)	
3735669.6	0.96737 (12013008)	0.83332 (12013008)	0.72559
(12013008)	0.63769 (12013008)	0.56517 (12013008)	
3735619.6	0.94409 (12013008)	0.83541 (12013008)	0.74311
(12013008)	0.66437 (12013008)	0.59701 (12013008)	
3735569.6	0.85450 (15012108)	0.76349 (15012108)	0.68097
(15012108)	0.62508 (12013008)	0.57466 (12013008)	
3735519.6	0.82893 (12010608)	0.72026 (12010608)	0.63632
(12030507)	0.58383 (15012108)	0.53652 (15012108)	
3735469.6	0.79172 (13012308)	0.70623 (13012308)	0.63251
(12010608)	0.56336 (12010608)	0.50624 (12030507)	
3735419.6	0.71561 (15123108)	0.66332 (13012308)	0.61102
(13012308)	0.55218 (13012308)	0.50449 (12010608)	
3735369.6	0.64836 (13110807)	0.60014 (15123108)	0.56357
(15123108)	0.52932 (13012308)	0.49054 (13012308)	
3735319.6	0.59047 (13010108)	0.55106 (13110807)	0.51933
(13110807)	0.48887 (15123108)	0.46000 (13012308)	
3735269.6	0.56386 (13010108)	0.50962 (13010108)	0.47479
(13110807)	0.45432 (13110807)	0.42714 (15123108)	
3735219.6	0.52799 (12030907)	0.49025 (13010108)	0.44633
(13010108)	0.41439 (13110807)	0.40123 (13110807)	
3735169.6	0.48584 (12030907)	0.46158 (12030907)	0.43153
(13010108)	0.39533 (13010108)	0.36548 (13110807)	
3735119.6	0.44585 (14102807)	0.43063 (12030907)	0.40791
(12030907)	0.38386 (13010108)	0.35373 (13010108)	
3735069.6	0.41748 (14102807)	0.39535 (16022907)	0.38470
(12030907)	0.36396 (12030907)	0.34461 (13010108)	
3735019.6	0.39072 (13112707)	0.37377 (14102807)	0.35609
(16022907)	0.34644 (12030907)	0.32740 (12030907)	

3734969.6	0.36360 (14111807)	0.35108 (13112707)	0.33549
(14102807)	0.32305 (12030907)	0.31402 (12030907)	
3734919.6	0.33828 (14111807)	0.32979 (13112707)	0.31813
(14102807)	0.30256 (14102807)	0.29544 (12030907)	

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:05:29

PAGE 68

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** THE 1ST HIGHEST 1-HR AVERAGE
 CONCENTRATION VALUES FOR SOURCE GROUP: ALL ***
 INCLUDING SOURCE(S): PAREA1 ,
 A0000001 , A0000002 , A0000003 , A0000004 ,
 A0000005 , A0000006 , A0000007 , A0000008 ,
 A0000009 , A0000010 , A0000011 , A0000012 ,
 A0000013 , A0000014 , A0000015 , A0000016 ,
 A0000017 , A0000018 , A0000019 , A0000020 ,
 A0000021 , A0000022 , A0000023 , A0000024 ,
 A0000025 , A0000026 , A0000027 , . . . ,

*** DISCRETE CARTESIAN

RECEPTOR POINTS ***

X-COORD (M)		Y-COORD (M)	CONC	(YYMMDDHH)	X-
COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)		
423808.64	3735782.01	3.86392	(14021007)		
423778.42	3735711.03	3.16432	(16030307)		
423675.73	3735807.74	1.65299	(14021007)		
423822.52	3735853.96	3.21761	(12010207)		
423884.78	3735852.50	3.95299	(12112107)		
423598.82	3735852.10	1.13513	(14021007)		
423550.18	3735806.89	1.01812	(14021007)		
423486.18	3735850.67	0.83943	(14021007)		
423388.42	3735807.38	0.65896	(15011207)		
423265.85	3735853.10	0.49012	(14021007)		
423243.47	3735813.71	0.49232	(15011207)		
423093.67	3735863.32	0.36123	(15011207)		
423190.94	3735810.30	0.45071	(15011207)		
423787.26	3735854.08	2.57452	(16021607)		
424037.75	3735799.11	5.02734	(16020907)		
424038.72	3735764.09	4.86463	(16020907)		
424037.26	3735729.07	5.08985	(12013008)		
424039.21	3735703.29	5.15090	(12013008)		
424037.75	3735675.57	5.05866	(12013008)		
424019.75	3735624.50	4.65415	(12030907)		
423977.74	3735628.22	5.00699	(13012907)		
423929.31	3735627.85	4.96526	(13110707)		
423887.30	3735627.30	4.74384	(14112607)		
423857.76	3735627.85	4.66289	(15022607)		

423815.39	3735653.53	4.08453	(13022807)
423813.92	3735599.60	2.99650	(16022507)
423939.99	3735858.43	3.65079	(15012007)
423977.32	3735859.45	3.84034	(13122307)
423741.06	3735859.42	2.04920	(16021607)
423707.67	3735859.42	1.74039	(16021607)

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
*** AERMET - VERSION 16216 *** ***
*** 11:05:29

PAGE 70

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** THE SUMMARY OF

HIGHEST 1-HR RESULTS ***

MICROGRAMS/M**3 ** CONC OF PM_10 IN **

DATE

NETWORK
GROUP ID AVERAGE CONC (YYMMDDHH)
RECEPTOR (XR, YR, ZELEV, ZHILL, ZFLAG) OF TYPE GRID-ID

ALL HIGH 1ST HIGH VALUE IS 5.24884 ON 15030607: AT (
424022.45, 3735819.57, 49.70, 49.70, 0.00) GC UCART1

*** RECEPTOR TYPES: GC = GRIDCART
GP = GRIDPOLR
DC = DISCCART
DP = DISCPOLR

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con\25_011_Cypress_Con.isc *** 03/27/25
*** AERMET - VERSION 16216 *** ***
*** 11:05:29

PAGE 71

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** Message Summary : AERMOD Model Execution ***

----- Summary of Total Messages -----

A Total of 0 Fatal Error Message(s)
A Total of 2 Warning Message(s)
A Total of 1864 Informational Message(s)

A Total of 43848 Hours Were Processed

A Total of 1500 Calm Hours Identified

A Total of 364 Missing Hours Identified (0.83 Percent)

***** FATAL ERROR MESSAGES *****
*** NONE ***

***** WARNING MESSAGES *****
ME W186 627 MEOPEN: THRESH_1MIN 1-min ASOS wind speed
threshold used 0.50
ME W187 627 MEOPEN: ADJ_U* Option for Stable Low Winds used in
AERMET

*** AERMOD Finishes Successfully ***

APPENDIX B.2 – AERMOD MITIGATED CONSTRUCTION MODEL OUTPUT

```

**
*****
**
** AERMOD Input Produced by:
** AERMOD View Ver. 12.0.0
** Lakes Environmental Software Inc.
** Date: 3/28/2025
** File: C:\Lakes\AERMOD
View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.ADI
**
*****
**
**
*****
** AERMOD Control Pathway
*****
**
**
CO STARTING
  TITLEONE C:\Lakes\AERMOD
View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i
  MODELOPT DFAULT CONC
  AVERTIME 1 PERIOD
  URBANOPT 3136000 Orange_County_Population
  POLLUTID PM_10
  RUNORNOT RUN
  ERRORFIL 25_011_Cypress_Con_Mit.err
CO FINISHED
**
*****
** AERMOD Source Pathway
*****
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
  LOCATION PAREAL      AREAPOLY    423839.784  3735819.287      50.060
** DESCRSRC Project Site Area source
** -----
** Line Source Represented by Area Sources
** LINE AREA Source ID = OFFS1
** DESCRSRC Offsite 1: Project Site to Main Junction
** PREFIX
** Length of Side = 16.00
** Ratio = 10
** Vertical Dimension = 2.46
** Emission Rate = 1.3361E-09
** Nodes = 6
** 423995.998, 3735728.554, 49.46, 2.64
** 423831.613, 3735728.554, 49.45, 2.64
** 423831.614, 3735837.247, 50.33, 2.64
** 423408.242, 3735828.198, 51.83, 2.64
** 423213.812, 3735835.676, 52.51, 2.64

```

```

** 423111.362, 3735835.676, 54.32, 2.64
** -----
LOCATION A0000001      AREA      423995.998 3735736.554 49.55
LOCATION A0000002      AREA      423913.805 3735736.554 50.28
LOCATION A0000003      AREA      423839.613 3735728.554 49.36
LOCATION A0000004      AREA      423831.443 3735845.245 50.20
LOCATION A0000005      AREA      423690.319 3735842.229 50.84
LOCATION A0000006      AREA      423549.195 3735839.212 51.47
LOCATION A0000007      AREA      423408.550 3735836.192 51.67
LOCATION A0000008      AREA      423311.335 3735839.931 52.24
LOCATION A0000009      AREA      423213.812 3735843.676 52.47

```

```

** End of LINE AREA Source ID = OFFS1
** -----

```

```

** Line Source Represented by Area Sources
** LINE AREA Source ID = OFFS2
** DESCRSRC Offsite 2: NB 55
** PREFIX
** Length of Side = 9.50
** Ratio = 10
** Vertical Dimension = 2.46
** Emission Rate = 1.4881E-09
** Nodes = 10
** 423110.031, 3735838.675, 54.32, 2.64
** 423089.731, 3735853.509, 54.30, 2.64
** 423084.266, 3735860.926, 53.65, 2.64
** 423080.753, 3735877.321, 52.62, 2.64
** 423084.266, 3735958.128, 52.92, 2.64
** 423083.485, 3735999.508, 53.29, 2.64
** 423083.095, 3736017.465, 53.76, 2.64
** 423078.411, 3736118.962, 54.63, 2.64
** 423070.213, 3736198.207, 55.88, 2.64
** 423066.699, 3736245.052, 56.39, 2.64

```

```

** -----
LOCATION A0000010      AREA      423112.833 3735842.510 54.31
LOCATION A0000011      AREA      423093.555 3735856.326 53.82
LOCATION A0000012      AREA      423088.911 3735861.921 54.03
LOCATION A0000013      AREA      423085.498 3735877.115 53.89
LOCATION A0000014      AREA      423089.015 3735958.218 53.48
LOCATION A0000015      AREA      423088.234 3735999.611 53.69
LOCATION A0000016      AREA      423087.840 3736017.684 53.83
LOCATION A0000017      AREA      423085.498 3736068.432 54.29
LOCATION A0000018      AREA      423083.135 3736119.451 54.71
LOCATION A0000019      AREA      423074.949 3736198.563 55.78

```

```

** End of LINE AREA Source ID = OFFS2
** -----

```

```

** Line Source Represented by Area Sources
** LINE AREA Source ID = OFFS3
** DESCRSRC Offsite 3: SB 55
** PREFIX
** Length of Side = 9.50
** Ratio = 10
** Vertical Dimension = 2.46
** Emission Rate = 1.4868E-09
** Nodes = 14

```

```

** 423109.698, 3735835.564, 54.46, 2.64
** 422927.576, 3735839.704, 54.17, 2.64
** 422923.127, 3735828.262, 54.03, 2.64
** 422912.956, 3735790.122, 53.23, 2.64
** 422914.863, 3735769.145, 52.86, 2.64
** 422918.041, 3735757.702, 52.56, 2.64
** 422933.933, 3735728.461, 50.80, 2.64
** 422965.717, 3735671.886, 46.85, 2.64
** 422977.795, 3735643.281, 45.93, 2.64
** 422982.244, 3735628.025, 45.54, 2.64
** 422986.058, 3735612.768, 45.26, 2.64
** 422986.694, 3735569.543, 45.75, 2.64
** 422984.151, 3735497.076, 45.31, 2.64
** 422989.873, 3735478.005, 45.16, 2.64

```

```

** -----
LOCATION A0000020      AREA      423109.806 3735840.312 54.38
LOCATION A0000021      AREA      423018.745 3735842.383 47.22
LOCATION A0000022      AREA      422923.149 3735841.426 54.25
LOCATION A0000023      AREA      422918.537 3735829.486 54.05
LOCATION A0000024      AREA      422908.225 3735789.692 53.21
LOCATION A0000025      AREA      422910.286 3735767.873 52.74
LOCATION A0000026      AREA      422913.868 3735755.434 52.43
LOCATION A0000027      AREA      422929.792 3735726.135 51.18
LOCATION A0000028      AREA      422961.341 3735670.039 48.71
LOCATION A0000029      AREA      422973.235 3735641.951 46.62
LOCATION A0000030      AREA      422977.636 3735626.873 47.32
LOCATION A0000031      AREA      422981.309 3735612.699 45.94
LOCATION A0000032      AREA      422981.947 3735569.709 45.81
LOCATION A0000033      AREA      422979.602 3735495.711 46.36

```

```

** End of LINE AREA Source ID = OFFS3

```

```

** Source Parameters **

```

```

SRCPARAM PAREAL      1.24E-07      5.000      4
AREAVERT PAREAL      423839.784 3735819.287 424031.121 3735823.071
AREAVERT PAREAL      424029.605 3735636.728 423839.668 3735636.082

```

```

** LINE AREA Source ID = OFFS1

```

```

SRCPARAM A0000001    1.3361E-09      2.644      82.192      16.000
180.000      2.459
SRCPARAM A0000002    1.3361E-09      2.644      82.192      16.000
180.000      2.459
SRCPARAM A0000003    1.3361E-09      2.644      108.692     16.000      -
89.999      2.459
SRCPARAM A0000004    1.3361E-09      2.644      141.156     16.000
178.776      2.459
SRCPARAM A0000005    1.3361E-09      2.644      141.156     16.000
178.776      2.459
SRCPARAM A0000006    1.3361E-09      2.644      141.156     16.000
178.776      2.459
SRCPARAM A0000007    1.3361E-09      2.644      97.287      16.000      -
177.797      2.459
SRCPARAM A0000008    1.3361E-09      2.644      97.287      16.000      -
177.797      2.459
SRCPARAM A0000009    1.3361E-09      2.644      102.450     16.000
180.000      2.459

```

```

** -----

```

```

** LINE AREA Source ID = OFFS2
  SRCPARAM A0000010      1.4881E-09      2.644      25.142      9.500 -
143.842      2.459
  SRCPARAM A0000011      1.4881E-09      2.644      9.213      9.500 -
126.384      2.459
  SRCPARAM A0000012      1.4881E-09      2.644      16.768      9.500 -
102.095      2.459
  SRCPARAM A0000013      1.4881E-09      2.644      80.883      9.500 -
87.510      2.459
  SRCPARAM A0000014      1.4881E-09      2.644      41.387      9.500 -
91.081      2.459
  SRCPARAM A0000015      1.4881E-09      2.644      17.961      9.500 -
91.245      2.459
  SRCPARAM A0000016      1.4881E-09      2.644      50.802      9.500 -
92.643      2.459
  SRCPARAM A0000017      1.4881E-09      2.644      50.802      9.500 -
92.643      2.459
  SRCPARAM A0000018      1.4881E-09      2.644      79.668      9.500 -
95.906      2.459
  SRCPARAM A0000019      1.4881E-09      2.644      46.976      9.500 -
94.289      2.459

```

** -----

```

** LINE AREA Source ID = OFFS3
  SRCPARAM A0000020      1.4868E-09      2.644      91.084      9.500 -
178.697      2.459
  SRCPARAM A0000021      1.4868E-09      2.644      91.084      9.500 -
178.697      2.459
  SRCPARAM A0000022      1.4868E-09      2.644      12.277      9.500
111.251      2.459
  SRCPARAM A0000023      1.4868E-09      2.644      39.473      9.500
104.931      2.459
  SRCPARAM A0000024      1.4868E-09      2.644      21.064      9.500
84.806      2.459
  SRCPARAM A0000025      1.4868E-09      2.644      11.875      9.500
74.476      2.459
  SRCPARAM A0000026      1.4868E-09      2.644      33.280      9.500
61.477      2.459
  SRCPARAM A0000027      1.4868E-09      2.644      64.892      9.500
60.673      2.459
  SRCPARAM A0000028      1.4868E-09      2.644      31.051      9.500
67.109      2.459
  SRCPARAM A0000029      1.4868E-09      2.644      15.892      9.500
73.740      2.459
  SRCPARAM A0000030      1.4868E-09      2.644      15.726      9.500
75.964      2.459
  SRCPARAM A0000031      1.4868E-09      2.644      43.231      9.500
89.157      2.459
  SRCPARAM A0000032      1.4868E-09      2.644      72.512      9.500
92.010      2.459
  SRCPARAM A0000033      1.4868E-09      2.644      19.910      9.500
73.301      2.459

```

** -----

URBANSRC ALL

```

** Variable Emissions Type: "By Hour / Day (HRDOW)"
** Variable Emission Scenario: "Scenario 1"
** WeekDays:
EMISFACT PAREA1      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA1      HRDOW 1.0 1.0 1.0 1.0 1.0 1.0
EMISFACT PAREA1      HRDOW 1.0 1.0 0.0 0.0 0.0 0.0
EMISFACT PAREA1      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
EMISFACT PAREA1      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA1      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA1      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA1      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
EMISFACT PAREA1      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA1      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA1      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA1      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
EMISFACT A0000001    HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT A0000001    HRDOW 1.0 1.0 1.0 1.0 1.0 1.0
EMISFACT A0000001    HRDOW 1.0 1.0 0.0 0.0 0.0 0.0
EMISFACT A0000001    HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT A0000002    HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT A0000002    HRDOW 1.0 1.0 1.0 1.0 1.0 1.0
EMISFACT A0000002    HRDOW 1.0 1.0 0.0 0.0 0.0 0.0
EMISFACT A0000002    HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT A0000003    HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT A0000003    HRDOW 1.0 1.0 1.0 1.0 1.0 1.0
EMISFACT A0000003    HRDOW 1.0 1.0 0.0 0.0 0.0 0.0
EMISFACT A0000003    HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT A0000004    HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT A0000004    HRDOW 1.0 1.0 1.0 1.0 1.0 1.0
EMISFACT A0000004    HRDOW 1.0 1.0 0.0 0.0 0.0 0.0
EMISFACT A0000004    HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT A0000005    HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT A0000005    HRDOW 1.0 1.0 1.0 1.0 1.0 1.0
EMISFACT A0000005    HRDOW 1.0 1.0 0.0 0.0 0.0 0.0
EMISFACT A0000005    HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT A0000006    HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT A0000006    HRDOW 1.0 1.0 1.0 1.0 1.0 1.0
EMISFACT A0000006    HRDOW 1.0 1.0 0.0 0.0 0.0 0.0
EMISFACT A0000006    HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT A0000007    HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT A0000007    HRDOW 1.0 1.0 1.0 1.0 1.0 1.0
EMISFACT A0000007    HRDOW 1.0 1.0 0.0 0.0 0.0 0.0
EMISFACT A0000007    HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT A0000008    HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT A0000008    HRDOW 1.0 1.0 1.0 1.0 1.0 1.0
EMISFACT A0000008    HRDOW 1.0 1.0 0.0 0.0 0.0 0.0
EMISFACT A0000008    HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT A0000009    HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT A0000009    HRDOW 1.0 1.0 1.0 1.0 1.0 1.0
EMISFACT A0000009    HRDOW 1.0 1.0 0.0 0.0 0.0 0.0
EMISFACT A0000009    HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

```


RE FINISHED

**

** AERMOD Meteorology Pathway

**

**

ME STARTING

SURFFILE "..\..\Met Files\KSNA_V9_ADJU\KSNA_v9.SFC"

PROFFILE "..\..\Met Files\KSNA_V9_ADJU\KSNA_v9.PFL"

SURFDATA 93184 2012 John_Wayne_Airport

UAIRDATA 3190 2012

PROFBASE 17.0 METERS

ME FINISHED

**

** AERMOD Output Pathway

**

**

OU STARTING

RECTABLE ALLAVE 1ST

RECTABLE 1 1ST

** Auto-Generated Plotfiles

PLOTFILE 1 ALL 1ST 25_011_CYPRESS_CON_MIT.AD\01H1GALL.PLT 31

PLOTFILE PERIOD ALL 25_011_CYPRESS_CON_MIT.AD\PE00GALL.PLT 32

SUMMFILE 25_011_Cypress_Con_Mit.sum

OU FINISHED

*** Message Summary For AERMOD Model Setup ***

----- Summary of Total Messages -----

A Total of	0 Fatal Error Message(s)
A Total of	2 Warning Message(s)
A Total of	0 Informational Message(s)

***** FATAL ERROR MESSAGES *****

*** NONE ***

***** WARNING MESSAGES *****

ME W186 627 MEOPEN: THRESH_1MIN 1-min ASOS wind speed
threshold used 0.50
ME W187 627 MEOPEN: ADJ_U* Option for Stable Low Winds used in
AERMET

*** SETUP Finishes Successfully ***

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
*** AERMET - VERSION 16216 *** ***
*** 11:53:56

PAGE 1

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** MODEL SETUP OPTIONS

SUMMARY ***

** Model Options Selected:

- * Model Uses Regulatory DEFAULT Options
- * Model Is Setup For Calculation of Average CONCentration Values.
- * NO GAS DEPOSITION Data Provided.
- * NO PARTICLE DEPOSITION Data Provided.
- * Model Uses NO DRY DEPLETION. DDPLETE = F
- * Model Uses NO WET DEPLETION. WETDPLT = F
- * Stack-tip Downwash.
- * Model Accounts for ELEVated Terrain Effects.
- * Use Calms Processing Routine.
- * Use Missing Data Processing Routine.
- * No Exponential Decay.
- * Model Uses URBAN Dispersion Algorithm for the SBL for 34

Source(s),

- for Total of 1 Urban Area(s):
- Urban Population = 3136000.0 ; Urban Roughness Length = 1.000 m
- * Urban Roughness Length of 1.0 Meter Used.
- * ADJ_U* - Use ADJ_U* option for SBL in AERMET
- * CCVR_Sub - Meteorological data includes CCVR substitutions
- * TEMP_Sub - Meteorological data includes TEMP substitutions
- * Model Assumes No FLAGPOLE Receptor Heights.
- * The User Specified a Pollutant Type of: PM_10

**Model Calculates 1 Short Term Average(s) of: 1-HR
and Calculates PERIOD Averages

**This Run Includes: 34 Source(s); 1 Source Group(s); and
1630 Receptor(s)

with: 0 POINT(s), including
0 POINTCAP(s) and 0 POINTHOR(s)
and: 0 VOLUME source(s)
and: 34 AREA type source(s)
and: 0 LINE source(s)
and: 0 RLINE/RLINEXT source(s)
and: 0 OPENPIT source(s)
and: 0 BUOYANT LINE source(s) with a total of 0
line(s)
and: 0 SWPOINT source(s)

**Model Set To Continue RUNning After the Setup Testing.

**The AERMET Input Meteorological Data Version Date: 16216

**Output Options Selected:

Model Outputs Tables of PERIOD Averages by Receptor

Model Outputs Tables of Highest Short Term Values by Receptor

(RECTABLE Keyword)

Model Outputs External File(s) of High Values for Plotting

(PLOTFILE Keyword)

Model Outputs Separate Summary File of High Ranked Values

(SUMMFILE Keyword)

**NOTE: The Following Flags May Appear Following CONC Values: c for
Calm Hours

m for

Missing Hours

b for

Both Calm and Missing Hours

**Misc. Inputs: Base Elev. for Pot. Temp. Profile (m MSL) = 17.00 ;

Decay Coef. = 0.000 ; Rot. Angle = 0.0

Emission Units = GRAMS/SEC

; Emission Rate Unit Factor = 0.10000E+07

Output Units = MICROGRAMS/M**3

**Approximate Storage Requirements of Model = 3.7 MB of RAM.

**Input Runstream File: aermod.inp

**Output Print File: aermod.out

**Detailed Error/Message File: 25_011_Cypress_Con_Mit.err

**File for Summary of Results: 25_011_Cypress_Con_Mit.sum

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 2
 *** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** AREA SOURCE DATA

X-DIM	Y-DIM	NUMBER OF AREA	EMISSION RATE	COORD (SW CORNER)	BASE	RELEASE
SOURCE	PART.	ORIENT.	INIT.	URBAN	EMISSION RATE	AIRCRAFT
OF AREA	OF AREA	OF AREA	SZ	SOURCE	SCALAR VARY	HEIGHT
ID	CATS.	(GRAMS/SEC	(METER**2)	(METERS)	(METERS)	(METERS)
(METERS)	(METERS)	(DEG.)	(METERS)	(METERS)	(METERS)	(METERS)
BY						
A0000001	0	0.13361E-08	423996.0	3735736.6	49.5	2.64
82.19	16.00	180.00	2.46	YES	HRDOW	NO
A0000002	0	0.13361E-08	423913.8	3735736.6	50.3	2.64
82.19	16.00	180.00	2.46	YES	HRDOW	NO
A0000003	0	0.13361E-08	423839.6	3735728.6	49.4	2.64
108.69	16.00	-90.00	2.46	YES	HRDOW	NO
A0000004	0	0.13361E-08	423831.4	3735845.2	50.2	2.64
141.16	16.00	178.78	2.46	YES	HRDOW	NO
A0000005	0	0.13361E-08	423690.3	3735842.2	50.8	2.64
141.16	16.00	178.78	2.46	YES	HRDOW	NO
A0000006	0	0.13361E-08	423549.2	3735839.2	51.5	2.64
141.16	16.00	178.78	2.46	YES	HRDOW	NO
A0000007	0	0.13361E-08	423408.5	3735836.2	51.7	2.64
97.29	16.00	-177.80	2.46	YES	HRDOW	NO
A0000008	0	0.13361E-08	423311.3	3735839.9	52.2	2.64
97.29	16.00	-177.80	2.46	YES	HRDOW	NO
A0000009	0	0.13361E-08	423213.8	3735843.7	52.5	2.64
102.45	16.00	180.00	2.46	YES	HRDOW	NO
A0000010	0	0.14881E-08	423112.8	3735842.5	54.3	2.64
25.14	9.50	-143.84	2.46	YES	HRDOW	NO
A0000011	0	0.14881E-08	423093.6	3735856.3	53.8	2.64
9.21	9.50	-126.38	2.46	YES	HRDOW	NO
A0000012	0	0.14881E-08	423088.9	3735861.9	54.0	2.64
16.77	9.50	-102.09	2.46	YES	HRDOW	NO
A0000013	0	0.14881E-08	423085.5	3735877.1	53.9	2.64
80.88	9.50	-87.51	2.46	YES	HRDOW	NO
A0000014	0	0.14881E-08	423089.0	3735958.2	53.5	2.64
41.39	9.50	-91.08	2.46	YES	HRDOW	NO
A0000015	0	0.14881E-08	423088.2	3735999.6	53.7	2.64
17.96	9.50	-91.25	2.46	YES	HRDOW	NO
A0000016	0	0.14881E-08	423087.8	3736017.7	53.8	2.64
50.80	9.50	-92.64	2.46	YES	HRDOW	NO

A0000017		0	0.14881E-08	423085.5	3736068.4	54.3	2.64
50.80	9.50	-92.64	2.46	YES	HRDOW	NO	
A0000018		0	0.14881E-08	423083.1	3736119.5	54.7	2.64
79.67	9.50	-95.91	2.46	YES	HRDOW	NO	
A0000019		0	0.14881E-08	423074.9	3736198.6	55.8	2.64
46.98	9.50	-94.29	2.46	YES	HRDOW	NO	
A0000020		0	0.14868E-08	423109.8	3735840.3	54.4	2.64
91.08	9.50	-178.70	2.46	YES	HRDOW	NO	
A0000021		0	0.14868E-08	423018.7	3735842.4	47.2	2.64
91.08	9.50	-178.70	2.46	YES	HRDOW	NO	
A0000022		0	0.14868E-08	422923.1	3735841.4	54.2	2.64
12.28	9.50	111.25	2.46	YES	HRDOW	NO	
A0000023		0	0.14868E-08	422918.5	3735829.5	54.0	2.64
39.47	9.50	104.93	2.46	YES	HRDOW	NO	
A0000024		0	0.14868E-08	422908.2	3735789.7	53.2	2.64
21.06	9.50	84.81	2.46	YES	HRDOW	NO	
A0000025		0	0.14868E-08	422910.3	3735767.9	52.7	2.64
11.88	9.50	74.48	2.46	YES	HRDOW	NO	
A0000026		0	0.14868E-08	422913.9	3735755.4	52.4	2.64
33.28	9.50	61.48	2.46	YES	HRDOW	NO	
A0000027		0	0.14868E-08	422929.8	3735726.1	51.2	2.64
64.89	9.50	60.67	2.46	YES	HRDOW	NO	
A0000028		0	0.14868E-08	422961.3	3735670.0	48.7	2.64
31.05	9.50	67.11	2.46	YES	HRDOW	NO	
A0000029		0	0.14868E-08	422973.2	3735642.0	46.6	2.64
15.89	9.50	73.74	2.46	YES	HRDOW	NO	
A0000030		0	0.14868E-08	422977.6	3735626.9	47.3	2.64
15.73	9.50	75.96	2.46	YES	HRDOW	NO	
A0000031		0	0.14868E-08	422981.3	3735612.7	45.9	2.64
43.23	9.50	89.16	2.46	YES	HRDOW	NO	
A0000032		0	0.14868E-08	422981.9	3735569.7	45.8	2.64
72.51	9.50	92.01	2.46	YES	HRDOW	NO	
A0000033		0	0.14868E-08	422979.6	3735495.7	46.4	2.64
19.91	9.50	73.30	2.46	YES	HRDOW	NO	

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 3
 *** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** AREAPOLY SOURCE DATA

NUMBER SOURCE OF VERTS. ID (METERS)	INIT. PART. SZ CATS. BY	NUMBER EMISSION RATE		LOCATION OF AREA		BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)
		URBAN (GRAMS/SEC SOURCE /METER**2)	EMISSION RATE SCALAR VARY	X (METERS)	Y (METERS)		
PAREAL 4	0 YES	0.12400E-06 HRDOW		423839.8	3735819.3	50.1	5.00

```

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
*** AERMET - VERSION 16216 *** ***
*** 11:53:56

```

```

PAGE 4
*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

```

*** SOURCE IDs DEFINING SOURCE

GROUPS ***

SRCGROUP ID	SOURCE IDs
-----	-----
ALL	PAREA1 , A0000001 , A0000002 , A0000003 ,
A0000004	, A0000005 , A0000006 , A0000007 ,
	A0000008 , A0000009 , A0000010 , A0000011 ,
A0000012	, A0000013 , A0000014 , A0000015 ,
	A0000016 , A0000017 , A0000018 , A0000019 ,
A0000020	, A0000021 , A0000022 , A0000023 ,
	A0000024 , A0000025 , A0000026 , A0000027 ,
A0000028	, A0000029 , A0000030 , A0000031 ,
	A0000032 , A0000033 ,

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 5

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** SOURCE IDs DEFINED AS URBAN

SOURCES ***

URBAN ID	URBAN POP	SOURCE IDs			
-----	-----	-----	-----	-----	-----
A0000003	3136000.	PAREA1	, A0000001	, A0000002	,
A0000007	, A0000004	, A0000005	, A0000006	,	
A0000012	A0000008	, A0000009	, A0000010	, A0000011	,
	, A0000013	, A0000014	, A0000015	,	
A0000020	A0000016	, A0000017	, A0000018	, A0000019	,
	, A0000021	, A0000022	, A0000023	,	
A0000028	A0000024	, A0000025	, A0000026	, A0000027	,
	, A0000029	, A0000030	, A0000031	,	
	A0000032	, A0000033	,		

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 6

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
 AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = PAREA1 ; SOURCE TYPE = AREAPOLY :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 7

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
 AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000001 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 8

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
 AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000002 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 9

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
 AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000003 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 10

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
 AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000004 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 11

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
 AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000005 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

```

*** AERMOD - VERSION 23132 ***      *** C:\Lakes\AERMOD
View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i ***      03/28/25
*** AERMET - VERSION 16216 ***      ***
***      11:53:56

```

PAGE 12

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000006 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 13

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
 AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000007 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 14

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
 AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000008 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 15

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
 AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000009 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 16

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
 AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000010 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 17

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
 AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000011 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 18

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
 AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000012 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 19

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
 AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000013 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 20

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
 AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000014 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 21

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
 AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000015 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 22

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
 AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000016 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 23

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
 AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000017 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 24

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
 AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000018 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 25

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
 AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000019 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

```

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
*** AERMET - VERSION 16216 *** ***
*** 11:53:56

```

PAGE 26

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000020 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 27

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
 AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000021 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 28

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
 AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000022 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 29

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
 AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000023 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 30

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
 AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000024 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 31

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
 AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000025 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 32

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
 AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000026 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 33

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
 AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000027 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 34

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
 AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000028 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 35

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
 AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000029 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 36

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
 AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000030 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 37

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
 AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000031 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

```

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
*** AERMET - VERSION 16216 *** ***
*** 11:53:56

```

PAGE 38

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
AND BY DAY OF WEEK (HRDOW) *

```

SOURCE ID = A0000032 ; SOURCE TYPE = AREA :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

```

```

                                DAY OF WEEK = WEEKDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5
.0000E+00  6 .0000E+00  7 .1000E+01  8 .1000E+01
  9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13
.1000E+01 14 .1000E+01 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

                                DAY OF WEEK = SATURDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5
.0000E+00  6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13
.0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

                                DAY OF WEEK = SUNDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5
.0000E+00  6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13
.0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21
.0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 39

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY
 AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = A0000033 ; SOURCE TYPE = AREA :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.1000E+01	8	.1000E+01			
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	
.1000E+01	14	.1000E+01	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	
.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00			
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	
.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00			
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	
.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00			

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
*** AERMET - VERSION 16216 *** ***
*** 11:53:56

PAGE 40

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** GRIDDED RECEPTOR NETWORK

SUMMARY ***

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

*** X-COORDINATES OF GRID ***
(METERS)

422622.5, 422672.5, 422722.5, 422772.5, 422822.5, 422872.5,
422922.5, 422972.5, 423022.5, 423072.5,
423122.5, 423172.5, 423222.5, 423272.5, 423322.5, 423372.5,
423422.5, 423472.5, 423522.5, 423572.5,
423622.5, 423672.5, 423722.5, 423772.5, 423822.5, 423872.5,
423922.5, 423972.5, 424022.5, 424072.5,
424122.5, 424172.5, 424222.5, 424272.5, 424322.5, 424372.5,
424422.5, 424472.5, 424522.5, 424572.5,

*** Y-COORDINATES OF GRID ***
(METERS)

3734919.6, 3734969.6, 3735019.6, 3735069.6, 3735119.6, 3735169.6,
3735219.6, 3735269.6, 3735319.6, 3735369.6,
3735419.6, 3735469.6, 3735519.6, 3735569.6, 3735619.6, 3735669.6,
3735719.6, 3735769.6, 3735819.6, 3735869.6,
3735919.6, 3735969.6, 3736019.6, 3736069.6, 3736119.6, 3736169.6,
3736219.6, 3736269.6, 3736319.6, 3736369.6,
3736419.6, 3736469.6, 3736519.6, 3736569.6, 3736619.6, 3736669.6,
3736719.6, 3736769.6, 3736819.6, 3736869.6,

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 41

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

* ELEVATION HEIGHTS IN

METERS *

Y-COORD (METERS)		X-COORD			
(METERS)		422622.45	422672.45	422722.45	422772.45
422822.45	422872.45	422922.45	422972.45	423022.45	

3736869.57		59.20	59.80	59.70	59.90
60.10	60.20	60.30	60.30	60.50	
3736819.57		58.70	59.10	58.80	58.90
59.00	59.50	59.90	60.10	60.10	
3736769.57		58.40	59.00	58.70	58.80
58.80	59.10	59.50	59.90	59.50	
3736719.57		58.30	59.00	58.30	58.50
58.70	58.90	59.00	59.70	58.80	
3736669.57		58.00	58.00	58.10	58.20
58.40	58.90	60.10	60.90	58.70	
3736619.57		57.80	57.90	58.10	58.00
58.10	58.10	57.80	58.00	58.10	
3736569.57		57.50	58.00	57.10	57.20
57.50	57.00	57.10	57.30	57.70	
3736519.57		57.20	57.10	57.30	57.00
57.40	57.20	57.50	57.10	57.40	
3736469.57		56.90	57.30	57.10	56.90
57.40	57.20	57.20	56.70	57.20	
3736419.57		56.80	57.20	56.40	56.50
56.20	56.60	56.70	56.40	56.90	
3736369.57		56.50	57.00	56.10	56.10
56.20	56.40	56.60	56.00	56.80	
3736319.57		56.50	56.40	55.90	55.70
55.70	56.00	56.40	55.60	56.50	
3736269.57		56.20	56.30	56.00	56.10
55.70	55.80	56.00	55.30	56.30	
3736219.57		56.00	55.90	55.80	55.20
55.30	55.20	55.50	55.10	56.00	
3736169.57		56.00	55.30	55.10	55.00
55.40	54.90	55.00	54.90	55.40	
3736119.57		55.50	54.80	55.20	54.90
55.20	54.80	54.90	54.70	54.50	

3736069.57		55.10	54.90	55.00	54.70
55.00	54.80	54.80	54.70	53.20	
3736019.57		54.70	54.40	54.20	54.30
54.40	54.40	54.40	54.30	51.70	
3735969.57		54.50	54.40	53.80	53.80
54.00	54.10	54.00	53.90	50.20	
3735919.57		54.20	54.00	53.50	53.20
53.50	53.80	53.80	53.70	48.80	
3735869.57		53.70	53.50	53.30	53.00
53.40	53.40	53.40	53.40	47.50	
3735819.57		53.40	53.30	53.10	53.10
53.20	53.30	53.90	54.40	46.80	
3735769.57		52.40	52.40	52.80	52.90
52.90	53.40	52.20	48.30	46.40	
3735719.57		52.50	52.00	52.40	52.20
51.50	52.30	51.60	47.60	46.20	
3735669.57		51.90	52.50	51.90	51.60
51.90	51.80	52.20	46.80	46.00	
3735619.57		51.40	51.30	51.70	51.80
51.80	51.70	51.60	49.70	45.70	
3735569.57		50.80	51.00	51.50	51.00
51.40	51.10	51.80	51.00	45.40	
3735519.57		50.70	51.00	50.80	50.90
50.80	50.70	51.00	50.70	45.10	
3735469.57		50.60	50.30	50.50	50.50
50.30	50.20	50.60	49.50	44.80	
3735419.57		49.80	50.00	50.30	49.50
49.70	49.90	50.20	47.40	44.50	
3735369.57		50.10	50.20	50.20	49.30
49.50	49.80	50.20	44.20	44.10	
3735319.57		49.20	49.30	49.20	49.20
49.60	49.70	49.90	43.80	43.80	
3735269.57		49.00	49.20	49.30	49.10
50.50	50.60	48.50	43.70	44.80	
3735219.57		47.50	48.80	48.60	49.20
47.80	49.60	50.50	43.40	48.20	
3735169.57		47.70	48.90	48.40	49.30
50.40	50.60	50.30	43.20	48.40	
3735119.57		48.20	48.20	48.00	48.60
47.40	46.20	49.40	43.00	48.60	
3735069.57		47.50	47.70	47.30	48.10
47.40	47.20	48.50	42.80	48.30	
3735019.57		47.60	47.40	47.40	47.70
48.30	48.10	48.40	42.60	47.90	
3734969.57		46.30	47.10	47.00	47.20
47.40	47.80	48.00	42.30	47.80	
3734919.57		45.80	46.70	47.00	47.30
47.50	47.60	44.90	42.00	47.50	

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 42

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

* ELEVATION HEIGHTS IN

METERS *

Y-COORD		X-COORD			
(METERS)		(METERS)			
		423072.45	423122.45	423172.45	423222.45
423272.45	423322.45	423372.45	423422.45	423472.45	
3736869.57		61.00	59.90	60.40	60.10
60.60	60.10	60.60	60.50	61.00	
3736819.57		60.20	59.60	60.20	59.80
60.40	59.90	60.40	59.70	59.10	
3736769.57		59.40	59.40	59.60	59.50
59.80	59.60	59.40	59.00	59.40	
3736719.57		58.70	59.10	59.40	59.30
59.60	59.60	58.80	58.30	57.40	
3736669.57		58.10	60.50	59.60	59.20
58.90	58.80	58.30	57.70	57.90	
3736619.57		57.90	58.00	57.80	58.10
58.40	58.60	57.40	56.80	56.10	
3736569.57		57.70	58.30	57.30	58.30
57.60	58.30	57.00	56.00	55.40	
3736519.57		57.50	57.90	57.00	58.00
57.00	58.20	56.60	55.50	55.10	
3736469.57		57.20	57.50	56.60	57.40
56.50	57.50	56.70	55.20	54.90	
3736419.57		57.00	57.10	56.30	57.00
56.10	56.90	56.80	54.90	54.20	
3736369.57		56.80	56.70	56.00	56.50
55.70	56.20	56.00	54.80	54.10	
3736319.57		56.60	56.40	55.70	56.00
55.20	55.20	55.10	54.80	54.10	
3736269.57		56.40	56.00	55.90	55.80
55.90	55.60	55.40	54.80	53.90	
3736219.57		56.00	54.90	54.70	55.10
55.10	55.30	55.10	54.80	54.00	
3736169.57		55.60	54.40	55.20	54.90
54.90	54.80	54.70	54.60	53.90	
3736119.57		54.80	54.40	54.40	54.50
54.40	54.40	54.30	53.80	53.30	

3736069.57		53.90	54.20	54.40	54.30
54.20	54.10	54.00	53.40	53.00	
3736019.57		52.70	54.40	54.30	53.80
53.90	53.60	53.50	53.00	52.60	
3735969.57		51.30	53.80	53.50	53.60
54.00	53.90	52.70	52.70	52.50	
3735919.57		50.10	53.30	53.40	53.10
53.30	53.50	52.30	52.30	52.10	
3735869.57		49.20	53.00	52.90	52.80
52.70	53.00	52.40	52.00	51.70	
3735819.57		49.10	54.20	53.50	52.40
52.20	52.10	51.90	51.70	51.60	
3735769.57		46.20	48.80	51.80	51.60
51.40	51.90	50.90	51.20	51.10	
3735719.57		47.00	51.20	51.40	50.90
51.10	51.20	51.10	50.80	50.70	
3735669.57		47.50	51.50	51.00	51.00
51.00	51.00	50.50	50.20	50.60	
3735619.57		48.10	50.90	50.60	50.10
49.70	49.60	49.50	49.50	49.90	
3735569.57		51.20	50.90	50.70	50.40
50.20	50.10	49.60	49.30	49.20	
3735519.57		51.10	50.80	50.30	50.10
50.00	49.50	49.10	49.00	48.90	
3735469.57		50.90	50.60	50.20	49.80
49.60	49.80	49.80	49.60	48.40	
3735419.57		50.70	50.20	49.70	49.50
49.60	49.30	49.50	48.70	48.30	
3735369.57		50.30	50.00	49.70	49.40
49.20	48.70	48.70	48.50	48.20	
3735319.57		50.10	49.60	49.20	49.10
48.80	49.00	49.00	48.30	48.00	
3735269.57		49.50	49.40	49.10	48.50
48.40	48.40	48.20	48.00	47.20	
3735219.57		49.40	49.20	48.60	48.20
48.00	47.40	47.60	47.10	47.00	
3735169.57		49.20	48.90	49.00	48.20
48.20	48.00	47.40	46.70	46.80	
3735119.57		48.20	48.40	47.80	47.70
46.80	46.50	46.40	46.50	46.80	
3735069.57		48.20	48.20	47.90	47.60
47.70	47.40	47.10	46.20	46.60	
3735019.57		47.90	47.50	46.80	46.30
46.80	45.90	46.40	45.80	46.10	
3734969.57		47.60	47.50	47.20	46.70
46.10	45.90	45.70	45.50	45.60	
3734919.57		47.30	47.00	46.60	46.30
46.10	45.80	45.80	45.20	45.40	

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 43

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

* ELEVATION HEIGHTS IN

METERS *

Y-COORD (METERS)		X-COORD			
(METERS)		423522.45	423572.45	423622.45	423672.45
423722.45	423772.45	423822.45	423872.45	423922.45	
3736869.57		60.90	59.20	60.10	59.50
60.30	59.40	60.40	59.70	60.40	
3736819.57		58.90	58.30	59.50	58.90
59.90	59.40	59.70	59.50	60.10	
3736769.57		59.30	57.50	58.80	58.40
59.70	59.30	59.40	59.10	59.60	
3736719.57		57.30	56.80	57.50	57.80
59.50	58.90	59.00	58.70	59.10	
3736669.57		57.70	56.10	57.90	58.00
59.20	58.50	58.70	58.60	58.80	
3736619.57		55.80	55.40	57.50	57.90
58.90	58.60	58.70	58.50	58.10	
3736569.57		55.20	54.70	57.20	56.70
58.30	57.60	58.00	57.80	57.60	
3736519.57		54.80	54.50	56.10	55.50
57.10	56.60	57.20	56.50	56.80	
3736469.57		54.70	54.30	55.80	54.60
56.50	55.90	56.50	56.00	56.30	
3736419.57		54.40	53.90	55.10	54.20
56.00	55.50	56.10	56.10	56.10	
3736369.57		54.30	53.60	54.70	54.10
55.40	54.80	55.40	54.90	55.10	
3736319.57		54.20	53.60	54.50	54.00
54.90	54.50	54.80	54.70	54.90	
3736269.57		53.70	53.50	54.40	54.40
54.80	54.40	54.40	54.20	54.00	
3736219.57		53.40	52.80	53.30	53.00
54.30	53.80	53.70	53.40	53.30	
3736169.57		53.40	52.80	53.20	52.50
53.60	53.00	53.50	53.20	53.30	
3736119.57		53.40	52.60	52.90	52.30
53.60	52.80	52.90	52.50	52.20	

3736069.57		52.60	52.30	52.20	52.30
53.20	52.60	50.60	51.70	51.70	
3736019.57		52.50	52.30	52.20	52.30
51.70	51.50	51.20	50.90	51.70	
3735969.57		52.20	52.10	51.90	52.00
51.60	50.80	50.80	50.60	51.00	
3735919.57		52.00	51.70	51.60	51.80
51.20	50.60	50.60	50.50	50.90	
3735869.57		52.00	52.20	51.30	51.30
51.20	50.40	50.40	50.30	50.80	
3735819.57		51.50	51.30	51.20	51.10
50.80	50.60	50.20	49.90	49.90	
3735769.57		51.10	50.70	50.70	50.10
49.90	49.90	49.70	50.30	49.90	
3735719.57		50.40	50.20	50.50	50.10
49.90	49.80	49.50	49.40	50.40	
3735669.57		50.10	51.00	49.60	49.50
49.30	49.10	49.00	49.70	49.20	
3735619.57		49.80	49.70	49.30	49.00
48.60	48.60	48.60	48.90	48.80	
3735569.57		49.30	49.30	49.20	49.00
48.70	48.70	48.20	48.60	48.60	
3735519.57		47.80	46.80	47.40	48.40
48.20	48.00	47.90	48.20	47.60	
3735469.57		48.00	48.10	48.10	48.00
47.80	47.70	47.60	47.70	47.10	
3735419.57		48.00	48.10	47.60	47.70
47.60	47.50	47.20	47.50	47.90	
3735369.57		47.80	47.70	47.90	48.00
47.60	47.80	46.90	46.50	46.60	
3735319.57		47.50	47.30	47.30	47.40
47.30	47.30	46.60	46.80	46.90	
3735269.57		46.40	46.90	47.10	47.20
47.20	47.10	46.30	46.90	46.70	
3735219.57		46.30	46.50	46.40	46.30
46.30	46.20	45.90	45.90	46.00	
3735169.57		46.20	46.80	46.30	46.30
46.10	46.00	45.60	45.50	45.50	
3735119.57		46.30	46.20	45.90	45.80
45.70	45.50	45.40	44.80	45.10	
3735069.57		46.10	45.90	45.80	45.70
45.60	44.80	45.20	45.40	45.50	
3735019.57		46.00	45.80	45.60	45.50
45.30	44.60	45.00	45.10	45.20	
3734969.57		45.70	45.70	45.60	45.50
45.30	45.30	44.80	44.80	44.60	
3734919.57		45.00	44.80	44.70	44.60
44.60	44.90	44.60	42.20	44.50	

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 44

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

* ELEVATION HEIGHTS IN

METERS *

Y-COORD (METERS)		X-COORD			
(METERS)		423972.45	424022.45	424072.45	424122.45
424172.45	424222.45	424272.45	424322.45	424372.45	

3736869.57		59.80	60.00	60.10	60.10
59.70	59.70	60.40	59.70	60.20	
3736819.57		59.40	60.00	59.50	59.60
59.30	59.50	59.70	59.30	60.20	
3736769.57		59.00	59.40	59.00	59.20
59.00	58.90	59.10	59.10	58.90	
3736719.57		58.50	59.00	58.80	58.70
58.60	58.50	58.70	59.10	59.60	
3736669.57		58.40	58.60	58.50	58.50
58.40	58.00	58.20	58.30	58.50	
3736619.57		57.90	58.20	58.30	57.90
58.20	57.90	58.50	58.40	58.50	
3736569.57		57.30	57.60	57.60	58.00
58.30	58.20	58.20	58.50	58.50	
3736519.57		57.00	57.40	57.10	57.00
57.00	57.00	57.00	57.00	57.40	
3736469.57		56.20	56.70	56.30	56.30
56.30	56.50	56.70	56.60	56.30	
3736419.57		56.30	56.30	55.70	55.10
56.10	55.20	56.00	55.20	56.50	
3736369.57		55.20	55.50	55.30	54.50
55.90	55.40	54.40	55.70	56.50	
3736319.57		54.80	54.90	54.80	54.00
55.30	54.10	55.10	54.80	55.70	
3736269.57		54.00	54.30	54.30	53.60
53.90	54.90	54.40	54.90	56.40	
3736219.57		53.60	53.60	53.70	53.70
54.30	54.00	54.10	54.50	56.80	
3736169.57		52.60	53.00	53.30	53.70
54.00	54.00	54.20	54.50	55.90	
3736119.57		51.90	52.40	52.90	53.00
52.90	53.20	53.20	53.90	55.70	

3736069.57		51.30	51.70	52.20	52.50
52.60	52.90	52.80	53.90	55.20	
3736019.57		51.30	51.20	52.10	51.70
52.00	52.10	52.40	54.10	54.90	
3735969.57		50.90	50.70	50.80	51.00
51.20	51.70	54.20	53.50	53.90	
3735919.57		50.30	50.10	50.50	50.40
50.60	51.30	53.90	53.90	54.40	
3735869.57		50.70	49.90	50.90	50.10
50.50	51.50	53.40	53.90	54.10	
3735819.57		49.80	49.70	49.40	49.70
50.20	52.40	52.80	53.40	53.40	
3735769.57		50.10	49.40	48.60	49.20
49.30	52.40	52.60	52.60	52.80	
3735719.57		49.70	49.20	48.30	48.90
49.30	51.90	51.90	52.20	52.10	
3735669.57		49.40	49.10	48.20	48.30
49.30	50.30	50.80	51.20	51.50	
3735619.57		48.70	48.60	48.50	49.10
50.20	50.60	50.60	51.30	51.50	
3735569.57		48.40	48.50	48.40	49.00
50.10	50.20	50.10	50.40	51.00	
3735519.57		48.10	47.80	48.20	48.20
49.40	49.80	49.70	49.90	50.60	
3735469.57		47.50	47.40	48.00	48.50
48.70	49.30	49.50	49.80	49.70	
3735419.57		47.70	47.80	48.00	48.40
48.50	49.00	49.00	49.20	49.50	
3735369.57		46.60	46.70	46.90	47.20
47.70	47.90	47.90	48.30	48.80	
3735319.57		47.00	47.00	47.30	47.30
47.90	48.00	48.40	48.50	48.80	
3735269.57		46.70	46.70	46.90	47.30
47.70	47.10	47.20	47.50	48.00	
3735219.57		46.10	46.20	46.30	46.50
46.60	46.70	47.10	47.70	48.00	
3735169.57		45.90	46.30	46.30	46.30
46.30	46.50	46.50	46.80	47.10	
3735119.57		45.40	46.30	46.10	46.10
46.10	46.40	46.50	46.60	46.90	
3735069.57		45.50	45.50	45.70	45.80
45.80	45.70	45.70	45.80	45.80	
3735019.57		45.20	45.30	45.30	45.40
45.50	45.60	46.00	46.30	46.10	
3734969.57		44.50	44.30	44.40	44.60
44.70	44.90	44.90	45.20	45.50	
3734919.57		44.60	44.30	44.50	44.60
44.70	44.40	44.50	45.10	45.30	

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 45

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

* ELEVATION HEIGHTS IN

METERS *

Y-COORD (METERS)	424422.45	424472.45	424522.45	424572.45
3736869.57	61.00	62.70	63.20	63.10
3736819.57	61.10	62.60	62.40	63.30
3736769.57	60.70	62.10	62.00	62.70
3736719.57	60.60	61.40	62.00	62.10
3736669.57	60.10	61.50	60.90	61.70
3736619.57	60.20	60.90	60.90	60.90
3736569.57	60.00	60.30	60.40	60.40
3736519.57	58.90	59.80	60.40	60.10
3736469.57	58.90	58.90	59.70	60.20
3736419.57	58.40	59.20	59.20	58.30
3736369.57	58.50	58.90	58.40	58.90
3736319.57	58.20	58.20	57.50	58.30
3736269.57	56.70	57.90	57.40	57.30
3736219.57	57.00	57.30	57.30	57.10
3736169.57	56.60	56.70	57.10	56.80
3736119.57	55.90	56.10	56.20	56.60
3736069.57	55.60	55.60	55.90	56.30
3736019.57	55.20	55.20	55.50	55.90
3735969.57	54.90	54.80	54.80	55.50
3735919.57	54.60	54.60	54.60	54.70
3735869.57	54.40	54.30	54.50	53.90
3735819.57	53.30	53.40	54.20	53.70
3735769.57	52.80	53.10	53.50	53.20
3735719.57	52.50	52.60	53.00	52.60
3735669.57	51.80	52.20	52.70	52.10
3735619.57	51.50	51.70	52.00	51.50
3735569.57	51.00	51.10	51.00	50.80
3735519.57	50.50	50.60	50.90	50.30
3735469.57	50.20	49.90	49.80	49.60
3735419.57	49.70	49.50	49.40	49.20
3735369.57	48.70	48.60	48.80	48.70
3735319.57	48.80	48.40	48.20	48.10
3735269.57	48.00	47.70	47.70	47.70
3735219.57	47.90	47.50	47.20	47.20

3735169.57	47.30	47.30	46.80	46.80
3735119.57	47.00	46.50	46.50	46.40
3735069.57	45.90	45.90	45.90	45.90
3735019.57	46.10	45.90	45.70	45.50
3734969.57	45.60	45.50	45.40	45.20
3734919.57	45.70	45.70	45.50	44.90

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 46

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

* HILL HEIGHT SCALES IN

METERS *

Y-COORD (METERS)		X-COORD			
(METERS)		422622.45	422672.45	422722.45	422772.45
422822.45	422872.45	422922.45	422972.45	423022.45	

3736869.57		59.20	59.80	59.70	59.90
60.10	60.20	60.30	60.30	60.50	
3736819.57		58.70	59.10	58.80	58.90
59.00	59.50	59.90	60.10	60.10	
3736769.57		58.40	59.00	58.70	58.80
58.80	59.10	59.50	59.90	59.50	
3736719.57		58.30	59.00	58.30	58.50
58.70	58.90	59.00	59.70	65.70	
3736669.57		58.00	58.00	58.10	58.20
58.40	62.00	65.10	65.90	65.90	
3736619.57		57.80	57.90	58.10	58.00
58.10	62.40	65.70	65.90	65.90	
3736569.57		57.50	58.00	57.10	57.20
57.50	57.00	57.10	65.80	65.80	
3736519.57		57.20	57.10	57.30	57.00
57.40	57.20	57.50	57.10	57.40	
3736469.57		56.90	57.30	57.10	56.90
57.40	57.20	57.20	56.70	57.20	
3736419.57		56.80	57.20	56.40	56.50
56.20	56.60	56.70	56.40	56.90	
3736369.57		56.50	57.00	56.10	56.10
56.20	56.40	56.60	56.00	56.80	
3736319.57		56.50	56.40	55.90	55.70
55.70	56.00	56.40	55.60	56.50	
3736269.57		56.20	56.30	56.00	56.10
55.70	55.80	56.00	55.30	56.30	
3736219.57		56.00	55.90	55.80	55.20
55.30	55.20	55.50	55.10	56.00	
3736169.57		56.00	55.30	55.10	55.00
55.40	54.90	55.00	54.90	55.40	
3736119.57		55.50	54.80	55.20	54.90
55.20	54.80	54.90	54.70	54.50	

3736069.57		55.10	54.90	55.00	54.70
55.00	54.80	54.80	54.70	54.40	
3736019.57		54.70	54.40	54.20	54.30
54.40	54.40	54.40	54.30	54.10	
3735969.57		54.50	54.40	53.80	53.80
54.00	54.10	54.00	53.90	54.20	
3735919.57		54.20	54.00	53.50	53.20
53.50	53.80	53.80	53.70	54.10	
3735869.57		53.70	53.50	53.30	53.00
53.40	53.40	53.40	53.40	54.80	
3735819.57		53.40	53.30	53.10	53.10
53.20	53.30	53.90	54.40	54.80	
3735769.57		52.40	52.40	52.80	52.90
52.90	53.40	52.90	54.80	54.80	
3735719.57		52.50	52.00	52.40	52.20
51.90	52.30	51.60	52.00	46.20	
3735669.57		51.90	52.50	51.90	51.60
51.90	51.80	52.20	52.50	46.00	
3735619.57		51.40	51.30	51.70	51.80
51.80	51.70	51.60	52.20	51.60	
3735569.57		50.80	51.00	51.50	51.00
51.40	51.10	51.80	51.00	51.50	
3735519.57		50.70	51.00	50.80	50.90
50.80	50.70	51.00	50.70	51.40	
3735469.57		50.60	50.30	50.50	50.50
50.30	50.20	50.60	51.00	51.10	
3735419.57		49.80	50.00	50.30	49.50
49.70	49.90	50.20	50.80	50.90	
3735369.57		50.10	50.20	50.20	49.30
49.50	49.80	50.20	50.70	50.60	
3735319.57		49.20	49.30	49.20	49.20
49.60	49.70	49.90	50.30	50.50	
3735269.57		49.00	49.20	49.30	49.10
50.50	50.60	50.80	50.80	50.40	
3735219.57		48.30	48.80	48.60	49.20
50.50	50.30	50.50	50.70	49.40	
3735169.57		48.70	48.90	48.40	49.30
50.40	50.60	50.30	50.70	49.50	
3735119.57		48.20	48.20	48.00	48.60
50.70	50.80	49.40	50.60	48.60	
3735069.57		47.50	47.70	47.30	48.10
48.40	48.20	48.50	49.70	48.30	
3735019.57		47.60	47.40	47.40	47.70
48.30	48.10	48.40	48.70	47.90	
3734969.57		46.30	47.10	47.00	47.20
47.40	47.80	48.00	48.30	47.80	
3734919.57		45.80	46.70	47.00	47.30
47.50	47.60	47.90	48.00	47.50	

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 47

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

* HILL HEIGHT SCALES IN

METERS *

Y-COORD (METERS)		X-COORD			
(METERS)		423072.45	423122.45	423172.45	423222.45
423272.45	423322.45	423372.45	423422.45	423472.45	

3736869.57		61.00	59.90	60.40	60.10
60.60	60.10	60.60	60.50	61.00	
3736819.57		60.20	59.60	60.20	59.80
60.40	59.90	60.40	59.70	59.10	
3736769.57		59.40	59.40	59.60	59.50
59.80	59.60	59.40	59.90	59.40	
3736719.57		58.70	59.10	59.40	59.30
59.60	59.60	58.80	58.30	57.40	
3736669.57		65.90	64.80	62.90	59.20
58.90	58.80	58.30	57.70	57.90	
3736619.57		65.90	64.80	64.50	58.10
58.40	58.60	57.40	56.80	57.00	
3736569.57		57.70	58.30	57.30	58.30
57.60	58.30	57.00	56.00	55.40	
3736519.57		57.50	57.90	57.00	58.00
57.00	58.20	56.60	55.50	55.10	
3736469.57		57.20	57.50	56.60	57.40
56.50	57.50	56.70	55.20	54.90	
3736419.57		57.00	57.10	56.30	57.00
56.10	56.90	56.80	54.90	54.20	
3736369.57		56.80	56.70	56.00	56.50
55.70	56.20	56.00	54.80	54.10	
3736319.57		56.60	56.40	55.70	56.00
55.20	55.20	55.10	54.80	54.10	
3736269.57		56.40	56.00	55.90	55.80
55.90	55.60	55.40	54.80	53.90	
3736219.57		56.00	54.90	54.70	55.10
55.10	55.30	55.10	54.80	54.00	
3736169.57		55.60	54.40	55.20	54.90
54.90	54.80	54.70	54.60	53.90	
3736119.57		54.80	54.40	54.40	54.50
54.40	54.40	54.30	53.80	53.30	

3736069.57		53.90	54.20	54.40	54.30
54.20	54.10	54.00	53.40	53.00	
3736019.57		54.00	54.40	54.30	53.80
53.90	53.60	53.50	53.00	52.60	
3735969.57		53.60	53.80	53.50	53.60
54.00	53.90	52.70	52.70	52.50	
3735919.57		53.80	53.30	53.40	53.10
53.30	53.50	52.30	52.30	52.10	
3735869.57		54.60	53.00	52.90	52.80
52.70	53.00	52.40	52.00	51.70	
3735819.57		54.60	54.20	53.50	52.40
52.20	52.10	51.90	51.70	51.60	
3735769.57		54.60	54.40	51.80	51.60
51.40	51.90	50.90	51.20	51.10	
3735719.57		47.00	51.20	51.40	50.90
51.10	51.20	51.10	50.80	50.70	
3735669.57		51.10	51.50	51.00	51.00
51.00	51.00	50.50	50.20	50.60	
3735619.57		51.40	50.90	50.60	50.10
49.70	49.60	49.50	49.50	52.70	
3735569.57		51.20	50.90	50.70	50.40
50.20	50.10	49.60	49.30	49.20	
3735519.57		51.10	50.80	50.30	50.10
50.00	49.50	49.10	49.00	48.90	
3735469.57		50.90	50.60	50.20	49.80
49.60	49.80	49.80	49.60	48.40	
3735419.57		50.70	50.20	49.70	49.50
49.60	49.30	49.50	48.70	48.30	
3735369.57		50.30	50.00	49.70	49.40
49.20	48.70	48.70	48.50	48.20	
3735319.57		50.10	49.60	49.20	49.10
48.80	49.00	49.00	48.30	48.00	
3735269.57		49.50	49.40	49.10	48.50
48.40	48.40	48.20	48.00	47.20	
3735219.57		49.40	49.20	48.60	48.20
48.00	47.40	47.60	47.10	47.00	
3735169.57		49.20	48.90	49.00	48.20
48.20	48.00	47.40	46.70	46.80	
3735119.57		48.20	48.40	47.80	47.70
46.80	46.50	46.40	46.50	46.80	
3735069.57		48.20	48.20	47.90	47.60
47.70	47.40	47.10	46.20	46.60	
3735019.57		47.90	47.50	46.80	46.30
46.80	45.90	46.40	45.80	46.10	
3734969.57		47.60	47.50	47.20	46.70
46.10	45.90	45.70	45.50	45.60	
3734919.57		47.30	47.00	46.60	46.30
46.10	45.80	45.80	45.20	45.40	

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 48

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

* HILL HEIGHT SCALES IN

METERS *

Y-COORD (METERS)		X-COORD			
(METERS)		423522.45	423572.45	423622.45	423672.45
423722.45	423772.45	423822.45	423872.45	423922.45	

3736869.57		60.90	60.60	60.10	59.50
60.30	59.40	60.40	59.70	60.40	
3736819.57		58.90	58.30	59.50	58.90
59.90	59.40	59.70	59.50	60.10	
3736769.57		59.30	59.00	58.80	58.40
59.70	59.30	59.40	59.10	59.60	
3736719.57		57.30	56.80	57.50	57.80
59.50	58.90	59.00	58.70	59.10	
3736669.57		57.70	56.10	57.90	58.00
59.20	58.50	58.70	58.60	58.80	
3736619.57		55.80	55.40	57.50	57.90
58.90	58.60	58.70	58.50	58.10	
3736569.57		55.20	54.70	57.20	56.70
58.30	57.60	58.00	57.80	57.60	
3736519.57		54.80	54.50	56.10	55.50
57.10	56.60	57.20	56.50	56.80	
3736469.57		54.70	54.30	55.80	56.50
56.50	55.90	56.50	56.00	56.30	
3736419.57		54.40	53.90	55.10	54.20
56.00	55.50	56.10	56.10	56.10	
3736369.57		54.30	53.60	54.70	54.10
55.40	54.80	55.40	54.90	55.10	
3736319.57		54.20	53.60	54.50	54.00
54.90	54.50	54.80	54.70	54.90	
3736269.57		53.70	53.50	54.40	54.40
54.80	54.40	54.40	54.20	54.00	
3736219.57		53.40	52.80	53.30	53.00
54.30	53.80	53.70	53.40	53.30	
3736169.57		53.40	52.80	53.20	52.50
53.60	53.00	53.50	53.20	53.30	
3736119.57		53.40	52.60	52.90	52.30
53.60	52.80	52.90	52.50	52.20	

3736069.57		52.60	52.30	52.20	52.30
53.20	52.60	53.00	51.70	51.70	
3736019.57		52.50	52.30	52.20	52.30
51.70	51.50	51.20	50.90	51.70	
3735969.57		52.20	52.10	51.90	52.00
51.60	50.80	50.80	50.60	51.00	
3735919.57		52.00	51.70	51.60	51.80
51.20	50.60	50.60	50.50	50.90	
3735869.57		52.00	52.20	51.30	51.30
51.20	50.40	50.40	50.30	50.80	
3735819.57		51.50	51.30	51.20	51.10
50.80	50.60	50.20	49.90	49.90	
3735769.57		51.10	50.70	50.70	50.10
49.90	49.90	49.70	50.30	49.90	
3735719.57		50.40	50.20	50.50	50.10
49.90	49.80	49.50	49.40	50.40	
3735669.57		50.10	51.50	49.60	49.50
49.30	49.10	49.00	49.70	49.20	
3735619.57		53.30	49.70	49.30	49.00
48.60	48.60	48.60	48.90	48.80	
3735569.57		49.30	49.30	49.20	49.00
48.70	48.70	48.20	48.60	48.60	
3735519.57		49.10	49.20	49.10	48.40
48.20	48.00	47.90	48.20	47.60	
3735469.57		48.00	48.10	48.10	48.00
47.80	47.70	47.60	47.70	47.10	
3735419.57		48.00	48.10	47.60	47.70
47.60	47.50	47.20	47.50	47.90	
3735369.57		47.80	47.70	47.90	48.00
47.60	47.80	46.90	46.50	46.60	
3735319.57		47.50	47.30	47.30	47.40
47.30	47.30	46.60	46.80	46.90	
3735269.57		46.40	46.90	47.10	47.20
47.20	47.10	46.30	46.90	46.70	
3735219.57		46.30	46.50	46.40	46.30
46.30	46.20	45.90	45.90	46.00	
3735169.57		46.20	46.80	46.30	46.30
46.10	46.00	45.60	45.50	45.50	
3735119.57		46.30	46.20	45.90	45.80
45.70	45.50	45.40	44.80	45.10	
3735069.57		46.10	45.90	45.80	45.70
45.60	44.80	45.20	45.40	45.50	
3735019.57		46.00	45.80	45.60	45.50
45.30	44.60	45.00	45.10	45.20	
3734969.57		45.70	45.70	45.60	45.50
45.30	45.30	44.80	44.80	44.60	
3734919.57		45.00	44.80	44.70	44.60
44.60	44.90	44.60	44.70	44.50	

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 49

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

* HILL HEIGHT SCALES IN

METERS *

Y-COORD (METERS)		X-COORD			
(METERS)		423972.45	424022.45	424072.45	424122.45
424172.45	424222.45	424272.45	424322.45	424372.45	

3736869.57		59.80	60.00	60.10	60.10
59.70	59.70	60.40	59.70	60.20	
3736819.57		59.40	60.00	59.50	59.60
59.30	59.50	59.70	59.30	60.20	
3736769.57		59.00	59.40	59.00	59.20
59.00	58.90	59.10	59.10	58.90	
3736719.57		58.50	59.00	58.80	58.70
58.60	58.50	58.70	59.10	59.60	
3736669.57		58.40	58.60	58.50	58.50
58.40	58.00	58.20	58.30	58.50	
3736619.57		57.90	58.20	58.30	57.90
58.20	57.90	58.50	58.40	58.50	
3736569.57		57.30	57.60	57.60	58.00
58.30	58.20	58.20	58.50	58.50	
3736519.57		57.00	57.40	57.10	57.00
57.00	57.00	57.00	57.00	57.40	
3736469.57		56.20	56.70	56.30	56.30
56.50	56.50	56.70	56.60	58.80	
3736419.57		56.30	56.30	55.70	55.10
56.10	56.00	56.00	55.20	57.50	
3736369.57		55.20	55.50	55.30	54.50
55.90	55.40	54.40	55.70	56.50	
3736319.57		54.80	54.90	54.80	54.00
55.30	54.10	55.10	54.80	56.40	
3736269.57		54.00	54.30	54.30	53.60
53.90	54.90	54.40	54.90	56.40	
3736219.57		53.60	53.60	53.70	53.70
54.30	54.00	54.10	54.50	56.80	
3736169.57		52.60	53.00	53.30	53.70
54.00	54.00	54.20	54.50	55.90	
3736119.57		51.90	52.40	52.90	53.00
52.90	53.20	54.20	53.90	55.70	

3736069.57		51.30	51.70	52.20	52.50
52.60	52.90	54.20	53.90	55.20	
3736019.57		51.30	51.20	52.10	51.70
52.00	52.10	54.40	54.10	54.90	
3735969.57		50.90	50.70	50.80	51.00
51.20	51.70	54.20	53.50	53.90	
3735919.57		50.30	50.10	50.50	50.40
50.60	51.30	53.90	53.90	54.40	
3735869.57		50.70	49.90	50.90	50.10
50.50	51.50	53.40	53.90	54.10	
3735819.57		49.80	49.70	49.40	49.70
50.20	52.40	52.80	53.40	53.40	
3735769.57		50.10	50.30	48.60	49.20
52.50	52.40	52.60	52.60	52.80	
3735719.57		49.70	49.20	48.30	48.90
52.40	51.90	51.90	52.20	52.10	
3735669.57		49.40	49.10	48.20	48.30
49.30	50.30	50.80	51.20	51.50	
3735619.57		48.70	48.60	48.50	49.10
50.20	50.60	50.60	51.30	51.50	
3735569.57		48.40	48.50	48.40	49.00
50.10	50.20	50.10	50.40	51.00	
3735519.57		48.10	47.80	48.20	48.20
49.40	49.80	49.70	49.90	50.60	
3735469.57		47.50	47.40	48.00	48.50
48.70	49.30	49.50	49.80	49.70	
3735419.57		47.70	47.80	48.00	48.40
48.50	49.00	49.00	49.20	49.50	
3735369.57		46.60	46.70	46.90	47.20
47.70	47.90	47.90	48.30	48.80	
3735319.57		47.00	47.00	47.30	47.30
47.90	48.00	48.40	48.50	48.80	
3735269.57		46.70	46.70	46.90	47.30
47.70	47.10	47.20	47.50	48.00	
3735219.57		46.10	46.20	46.30	46.50
46.60	46.70	47.10	47.70	48.00	
3735169.57		45.90	46.30	46.30	46.30
46.30	46.50	46.50	46.80	47.10	
3735119.57		45.40	46.30	46.10	46.10
46.10	46.40	46.50	46.60	46.90	
3735069.57		45.50	45.50	45.70	45.80
45.80	45.70	45.70	45.80	45.80	
3735019.57		45.20	45.30	45.30	45.40
45.50	45.60	46.00	46.30	46.10	
3734969.57		44.50	44.30	44.40	44.60
44.70	44.90	44.90	45.20	45.50	
3734919.57		44.60	44.30	44.50	44.60
44.70	44.40	44.50	45.10	45.30	

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 50

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

* HILL HEIGHT SCALES IN

METERS *

Y-COORD (METERS)	424422.45	424472.45	424522.45	424572.45
3736869.57	61.00	62.70	63.20	63.10
3736819.57	62.40	62.60	63.30	63.30
3736769.57	60.70	62.10	62.00	62.70
3736719.57	60.60	61.40	62.00	62.10
3736669.57	60.10	61.50	60.90	61.70
3736619.57	60.20	60.90	60.90	60.90
3736569.57	60.00	60.30	60.40	60.40
3736519.57	58.90	59.80	60.40	60.10
3736469.57	58.90	58.90	59.70	60.20
3736419.57	58.40	59.20	59.20	59.50
3736369.57	58.50	58.90	58.40	58.90
3736319.57	58.20	58.20	57.50	58.30
3736269.57	56.70	57.90	57.40	57.30
3736219.57	57.00	57.30	57.30	57.10
3736169.57	56.60	56.70	57.10	56.80
3736119.57	55.90	56.10	56.20	56.60
3736069.57	55.60	55.60	55.90	56.30
3736019.57	55.20	55.20	55.50	55.90
3735969.57	54.90	54.80	54.80	55.50
3735919.57	54.60	54.60	54.60	54.70
3735869.57	54.40	54.30	54.50	53.90
3735819.57	53.30	53.40	54.20	53.70
3735769.57	52.80	53.10	53.50	53.20
3735719.57	52.50	52.60	53.00	52.60
3735669.57	51.80	52.20	52.70	52.10
3735619.57	51.50	51.70	52.00	51.50
3735569.57	51.00	51.10	51.00	50.80
3735519.57	50.50	50.60	50.90	50.30
3735469.57	50.20	49.90	49.80	49.60
3735419.57	49.70	49.50	49.40	49.20
3735369.57	48.70	48.60	48.80	48.70
3735319.57	48.80	48.40	48.20	48.10
3735269.57	48.00	47.70	47.70	47.70
3735219.57	47.90	47.50	47.20	47.20

3735169.57	47.30	47.30	47.80	46.80
3735119.57	47.00	47.80	46.50	46.40
3735069.57	45.90	45.90	45.90	45.90
3735019.57	46.10	45.90	45.70	45.50
3734969.57	45.60	45.50	45.40	45.20
3734919.57	45.70	45.70	45.50	44.90

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 51

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** DISCRETE CARTESIAN

RECEPTORS ***

(X-COORD, Y-COORD, ZELEV,

ZHILL, ZFLAG)

(METERS)

(423808.6, 3735782.0,	50.3,	50.3,	0.0);	(
423778.4, 3735711.0,	49.6,	49.6,	0.0);	
(423675.7, 3735807.7,	50.8,	50.8,	0.0);	(
423822.5, 3735854.0,	50.2,	50.2,	0.0);	
(423884.8, 3735852.5,	50.3,	50.3,	0.0);	(
423598.8, 3735852.1,	51.8,	51.8,	0.0);	
(423550.2, 3735806.9,	51.4,	51.4,	0.0);	(
423486.2, 3735850.7,	52.2,	52.2,	0.0);	
(423388.4, 3735807.4,	51.5,	51.5,	0.0);	(
423265.8, 3735853.1,	52.7,	52.7,	0.0);	
(423243.5, 3735813.7,	52.3,	52.3,	0.0);	(
423093.7, 3735863.3,	53.4,	54.1,	0.0);	
(423190.9, 3735810.3,	52.2,	52.2,	0.0);	(
423787.3, 3735854.1,	50.8,	50.8,	0.0);	
(424037.8, 3735799.1,	49.6,	49.6,	0.0);	(
424038.7, 3735764.1,	49.3,	49.3,	0.0);	
(424037.3, 3735729.1,	48.9,	48.9,	0.0);	(
424039.2, 3735703.3,	48.7,	48.7,	0.0);	
(424037.8, 3735675.6,	48.7,	48.7,	0.0);	(
424019.8, 3735624.5,	48.6,	48.6,	0.0);	
(423977.7, 3735628.2,	48.8,	48.8,	0.0);	(
423929.3, 3735627.8,	48.9,	48.9,	0.0);	
(423887.3, 3735627.3,	48.8,	48.8,	0.0);	(
423857.8, 3735627.8,	48.9,	48.9,	0.0);	
(423815.4, 3735653.5,	49.2,	49.2,	0.0);	(
423813.9, 3735599.6,	48.7,	48.7,	0.0);	
(423940.0, 3735858.4,	50.7,	50.7,	0.0);	(
423977.3, 3735859.4,	50.4,	50.4,	0.0);	
(423741.1, 3735859.4,	51.0,	51.0,	0.0);	(
423707.7, 3735859.4,	51.3,	51.3,	0.0);	

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 53

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** UP TO THE FIRST 24 HOURS OF

METEOROLOGICAL DATA ***

Surface file: ..\..\Met Files\KSNA_V9_ADJU\KSNA_v9.SFC
 Met Version: 16216
 Profile file: ..\..\Met Files\KSNA_V9_ADJU\KSNA_v9.PFL
 Surface format: FREE
 Profile format: FREE
 Surface station no.: 93184 Upper air station no.:
 3190
 Name: JOHN_WAYNE_AIRPORT Name:
 UNKNOWN Year: 2012 Year:
 2012

First 24 hours of scalar data

YR	MO	DY	JDY	HR	H0	U*	W*	DT/DZ	ZICNV	ZIMCH	M-O	LEN	Z0
BOWEN	ALBEDO	REF	WS	WD	HT	REF	TA	HT					
12	01	01	1	01	-4.5	0.082	-9.000	-9.000	-999.	56.	11.0	0.12	
2.65	1.00	0.87	62.	5.8	283.8	2.0							
12	01	01	1	02	-3.5	0.073	-9.000	-9.000	-999.	47.	9.9	0.12	
2.65	1.00	0.77	27.	5.8	283.1	2.0							
12	01	01	1	03	-3.5	0.073	-9.000	-9.000	-999.	47.	9.9	0.12	
2.65	1.00	0.77	336.	5.8	283.1	2.0							
12	01	01	1	04	-3.3	0.070	-9.000	-9.000	-999.	45.	9.7	0.12	
2.65	1.00	0.74	34.	5.8	283.1	2.0							
12	01	01	1	05	-3.0	0.068	-9.000	-9.000	-999.	42.	9.4	0.12	
2.65	1.00	0.70	154.	5.8	282.5	2.0							
12	01	01	1	06	-999.0	-9.000	-9.000	-9.000	-999.	-999.	-99999.0	0.12	
2.65	1.00	0.00	0.	5.8	282.0	2.0							
12	01	01	1	07	-2.0	0.059	-9.000	-9.000	-999.	34.	9.0	0.12	
2.65	1.00	0.55	343.	5.8	281.4	2.0							
12	01	01	1	08	-2.6	0.066	-9.000	-9.000	-999.	40.	9.7	0.12	
2.65	0.53	0.69	25.	5.8	281.4	2.0							
12	01	01	1	09	21.6	0.133	0.252	0.010	27.	116.	-9.9	0.12	
2.65	0.31	1.03	344.	5.8	282.5	2.0							
12	01	01	1	10	115.6	0.162	0.713	0.008	114.	156.	-3.3	0.12	
2.65	0.24	1.06	233.	5.8	286.4	2.0							
12	01	01	1	11	160.9	0.126	1.129	0.005	325.	108.	-1.1	0.12	
2.65	0.21	0.67	261.	5.8	291.4	2.0							
12	01	01	1	12	187.0	0.138	1.467	0.005	614.	123.	-1.3	0.12	
2.65	0.20	0.75	252.	5.8	294.9	2.0							
12	01	01	1	13	186.9	0.189	1.755	0.005	1051.	197.	-3.3	0.12	
2.65	0.20	1.23	280.	5.8	297.5	2.0							

12	01	01	1	14	168.3	0.247	1.857	0.005	1383.	295.	-8.1	0.12
2.65	0.21			1.86	268.		5.8	299.2	2.0			
12	01	01	1	15	115.3	0.275	1.688	0.005	1517.	346.	-16.3	0.12
2.65	0.24			2.25	248.		5.8	298.1	2.0			
12	01	01	1	16	41.5	0.262	1.211	0.005	1552.	322.	-39.2	0.12
2.65	0.33			2.32	227.		5.8	295.9	2.0			
12	01	01	1	17	-17.9	0.217	-9.000	-9.000	-999.	244.	52.0	0.12
2.65	0.60			2.18	227.		5.8	292.5	2.0			
12	01	01	1	18	-24.7	0.250	-9.000	-9.000	-999.	300.	68.7	0.12
2.65	1.00			2.50	219.		5.8	288.8	2.0			
12	01	01	1	19	-5.2	0.088	-9.000	-9.000	-999.	91.	12.0	0.12
2.65	1.00			0.94	201.		5.8	287.5	2.0			
12	01	01	1	20	-3.5	0.073	-9.000	-9.000	-999.	47.	10.0	0.12
2.65	1.00			0.77	259.		5.8	287.0	2.0			
12	01	01	1	21	-2.6	0.064	-9.000	-9.000	-999.	39.	9.1	0.12
2.65	1.00			0.65	264.		5.8	286.4	2.0			
12	01	01	1	22	-4.4	0.081	-9.000	-9.000	-999.	55.	10.9	0.12
2.65	1.00			0.86	211.		5.8	285.9	2.0			
12	01	01	1	23	-4.2	0.079	-9.000	-9.000	-999.	53.	10.7	0.12
2.65	1.00			0.84	247.		5.8	284.9	2.0			
12	01	01	1	24	-7.1	0.103	-9.000	-9.000	-999.	80.	14.1	0.12
2.65	1.00			1.09	236.		5.8	283.8	2.0			

First hour of profile data

YR	MO	DY	HR	HEIGHT	F	WDIR	WSPD	AMB_TMP	sigmaA	sigmaW	sigmaV
12	01	01	01	5.8	1	62.	0.87	283.8	99.0	-99.00	-99.00

F indicates top of profile (=1) or below (=0)

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 54

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** THE PERIOD (43848 HRS) AVERAGE
 CONCENTRATION VALUES FOR SOURCE GROUP: ALL ***
 INCLUDING SOURCE(S): PAREA1 ,
 A0000001 , A0000002 , A0000003 , A0000004 ,
 A0000005 , A0000006 , A0000007 , A0000008 ,
 A0000009 , A0000010 , A0000011 , A0000012 ,
 A0000013 , A0000014 , A0000015 , A0000016 ,
 A0000017 , A0000018 , A0000019 , A0000020 ,
 A0000021 , A0000022 , A0000023 , A0000024 ,
 A0000025 , A0000026 , A0000027 , . . . ,

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

** CONC OF PM_10 IN
 MICROGRAMS/M**3 **

Y-COORD (METERS)	X-COORD				
422822.45	422872.45	422922.45	422972.45	423022.45	
3736869.57	0.00008	0.00009	0.00009	0.00009	0.00009
0.00009	0.00009	0.00010	0.00010	0.00010	
3736819.57	0.00009	0.00009	0.00009	0.00009	0.00009
0.00010	0.00010	0.00010	0.00010	0.00010	
3736769.57	0.00009	0.00009	0.00010	0.00010	0.00010
0.00010	0.00010	0.00011	0.00011	0.00011	
3736719.57	0.00010	0.00010	0.00010	0.00010	0.00010
0.00011	0.00011	0.00011	0.00012	0.00012	
3736669.57	0.00010	0.00010	0.00011	0.00011	0.00011
0.00011	0.00012	0.00012	0.00012	0.00013	
3736619.57	0.00011	0.00011	0.00011	0.00011	0.00012
0.00012	0.00012	0.00013	0.00013	0.00014	
3736569.57	0.00011	0.00011	0.00012	0.00012	0.00012
0.00013	0.00013	0.00014	0.00014	0.00015	
3736519.57	0.00011	0.00012	0.00012	0.00012	0.00013
0.00013	0.00014	0.00014	0.00015	0.00016	
3736469.57	0.00012	0.00012	0.00013	0.00013	0.00013
0.00014	0.00015	0.00015	0.00016	0.00017	
3736419.57	0.00012	0.00013	0.00013	0.00013	0.00014
0.00015	0.00015	0.00016	0.00017	0.00018	
3736369.57	0.00012	0.00013	0.00014	0.00014	0.00014
0.00015	0.00016	0.00017	0.00018	0.00019	

3736319.57		0.00012	0.00013	0.00014	0.00015
0.00016	0.00017	0.00018	0.00019	0.00021	
3736269.57		0.00013	0.00013	0.00014	0.00015
0.00016	0.00017	0.00019	0.00020	0.00022	
3736219.57		0.00013	0.00014	0.00014	0.00016
0.00017	0.00018	0.00019	0.00021	0.00025	
3736169.57		0.00013	0.00014	0.00015	0.00016
0.00017	0.00018	0.00020	0.00022	0.00026	
3736119.57		0.00013	0.00014	0.00015	0.00016
0.00017	0.00019	0.00021	0.00023	0.00027	
3736069.57		0.00013	0.00014	0.00015	0.00017
0.00018	0.00019	0.00021	0.00024	0.00028	
3736019.57		0.00014	0.00015	0.00016	0.00017
0.00018	0.00020	0.00022	0.00025	0.00029	
3735969.57		0.00014	0.00015	0.00016	0.00017
0.00019	0.00021	0.00023	0.00026	0.00031	
3735919.57		0.00014	0.00015	0.00016	0.00018
0.00019	0.00022	0.00025	0.00029	0.00034	
3735869.57		0.00015	0.00016	0.00017	0.00018
0.00020	0.00023	0.00029	0.00038	0.00044	
3735819.57		0.00015	0.00016	0.00017	0.00019
0.00021	0.00024	0.00066	0.00038	0.00041	
3735769.57		0.00015	0.00016	0.00018	0.00019
0.00021	0.00026	0.00056	0.00036	0.00035	
3735719.57		0.00015	0.00017	0.00018	0.00020
0.00022	0.00025	0.00036	0.00041	0.00036	
3735669.57		0.00016	0.00017	0.00018	0.00020
0.00022	0.00025	0.00030	0.00056	0.00039	
3735619.57		0.00016	0.00017	0.00018	0.00020
0.00022	0.00024	0.00028	0.00040	0.00041	
3735569.57		0.00016	0.00017	0.00018	0.00020
0.00022	0.00024	0.00027	0.00036	0.00041	
3735519.57		0.00016	0.00017	0.00018	0.00020
0.00022	0.00024	0.00027	0.00037	0.00038	
3735469.57		0.00016	0.00017	0.00018	0.00020
0.00022	0.00024	0.00026	0.00032	0.00032	
3735419.57		0.00016	0.00017	0.00018	0.00020
0.00021	0.00023	0.00026	0.00028	0.00030	
3735369.57		0.00016	0.00017	0.00018	0.00020
0.00021	0.00023	0.00025	0.00027	0.00029	
3735319.57		0.00016	0.00017	0.00018	0.00020
0.00021	0.00023	0.00025	0.00027	0.00029	
3735269.57		0.00016	0.00017	0.00018	0.00019
0.00021	0.00022	0.00024	0.00026	0.00028	
3735219.57		0.00016	0.00017	0.00018	0.00019
0.00021	0.00022	0.00024	0.00026	0.00028	
3735169.57		0.00016	0.00017	0.00018	0.00019
0.00020	0.00022	0.00023	0.00025	0.00027	
3735119.57		0.00016	0.00016	0.00018	0.00019
0.00020	0.00021	0.00023	0.00025	0.00027	
3735069.57		0.00015	0.00016	0.00017	0.00018
0.00020	0.00021	0.00023	0.00024	0.00026	
3735019.57		0.00015	0.00016	0.00017	0.00018
0.00019	0.00021	0.00022	0.00024	0.00026	

3734969.57		0.00015	0.00016	0.00017	0.00018
0.00019	0.00020	0.00022	0.00023	0.00025	
3734919.57		0.00015	0.00016	0.00017	0.00018
0.00019	0.00020	0.00021	0.00023	0.00025	

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 55

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** THE PERIOD (43848 HRS) AVERAGE
 CONCENTRATION VALUES FOR SOURCE GROUP: ALL ***
 INCLUDING SOURCE(S): PAREA1 ,
 A0000001 , A0000002 , A0000003 , A0000004 ,
 A0000005 , A0000006 , A0000007 , A0000008 ,
 A0000009 , A0000010 , A0000011 , A0000012 ,
 A0000013 , A0000014 , A0000015 , A0000016 ,
 A0000017 , A0000018 , A0000019 , A0000020 ,
 A0000021 , A0000022 , A0000023 , A0000024 ,
 A0000025 , A0000026 , A0000027 , . . . ,

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

** CONC OF PM_10 IN
 MICROGRAMS/M**3 **

Y-COORD (METERS)	X-COORD				
423272.45	423322.45	423372.45	423422.45	423472.45	
3736869.57	0.00010	0.00010	0.00010	0.00010	0.00010
0.00010	0.00010	0.00010	0.00010	0.00011	
3736819.57	0.00011	0.00011	0.00011	0.00011	0.00011
0.00011	0.00011	0.00011	0.00011	0.00012	
3736769.57	0.00011	0.00012	0.00012	0.00012	0.00012
0.00012	0.00012	0.00012	0.00012	0.00012	
3736719.57	0.00012	0.00012	0.00012	0.00013	0.00013
0.00013	0.00013	0.00013	0.00013	0.00014	
3736669.57	0.00013	0.00013	0.00013	0.00014	0.00014
0.00014	0.00014	0.00014	0.00015	0.00015	
3736619.57	0.00014	0.00014	0.00014	0.00015	0.00015
0.00015	0.00016	0.00016	0.00016	0.00017	
3736569.57	0.00015	0.00016	0.00016	0.00016	0.00017
0.00017	0.00017	0.00018	0.00018	0.00018	
3736519.57	0.00016	0.00017	0.00017	0.00018	0.00018
0.00019	0.00019	0.00020	0.00020	0.00020	
3736469.57	0.00017	0.00018	0.00018	0.00019	0.00020
0.00021	0.00021	0.00022	0.00022	0.00023	
3736419.57	0.00019	0.00020	0.00020	0.00021	0.00022
0.00023	0.00024	0.00024	0.00025	0.00026	
3736369.57	0.00020	0.00022	0.00022	0.00023	0.00024
0.00025	0.00026	0.00027	0.00028	0.00030	

3736319.57		0.00022	0.00025	0.00026	0.00027
0.00028		0.00029	0.00031	0.00032	0.00034
3736269.57		0.00028	0.00029	0.00028	0.00029
0.00031		0.00032	0.00034	0.00036	0.00038
3736219.57		0.00062	0.00033	0.00031	0.00032
0.00034		0.00036	0.00038	0.00041	0.00044
3736169.57		0.00058	0.00036	0.00033	0.00034
0.00036		0.00039	0.00042	0.00046	0.00050
3736119.57		0.00046	0.00039	0.00035	0.00037
0.00039		0.00043	0.00047	0.00052	0.00057
3736069.57		0.00044	0.00041	0.00037	0.00039
0.00042		0.00046	0.00051	0.00058	0.00065
3736019.57		0.00042	0.00043	0.00039	0.00041
0.00045		0.00050	0.00056	0.00064	0.00073
3735969.57		0.00043	0.00045	0.00042	0.00044
0.00048		0.00054	0.00061	0.00070	0.00081
3735919.57		0.00046	0.00048	0.00045	0.00048
0.00053		0.00059	0.00067	0.00077	0.00091
3735869.57		0.00053	0.00059	0.00058	0.00062
0.00066		0.00072	0.00080	0.00091	0.00107
3735819.57		0.00045	0.00053	0.00057	0.00062
0.00070		0.00079	0.00092	0.00107	0.00121
3735769.57		0.00037	0.00040	0.00044	0.00049
0.00055		0.00063	0.00073	0.00086	0.00103
3735719.57		0.00037	0.00039	0.00043	0.00047
0.00054		0.00061	0.00071	0.00085	0.00103
3735669.57		0.00037	0.00039	0.00042	0.00047
0.00053		0.00061	0.00071	0.00085	0.00103
3735619.57		0.00037	0.00038	0.00042	0.00047
0.00053		0.00061	0.00071	0.00084	0.00102
3735569.57		0.00036	0.00038	0.00042	0.00047
0.00053		0.00061	0.00071	0.00083	0.00101
3735519.57		0.00035	0.00037	0.00041	0.00046
0.00052		0.00060	0.00069	0.00082	0.00098
3735469.57		0.00034	0.00037	0.00041	0.00045
0.00051		0.00059	0.00068	0.00080	0.00095
3735419.57		0.00033	0.00036	0.00040	0.00045
0.00050		0.00058	0.00066	0.00078	0.00092
3735369.57		0.00032	0.00035	0.00039	0.00044
0.00049		0.00056	0.00065	0.00075	0.00088
3735319.57		0.00032	0.00035	0.00039	0.00043
0.00048		0.00055	0.00063	0.00072	0.00084
3735269.57		0.00031	0.00034	0.00038	0.00042
0.00047		0.00053	0.00060	0.00069	0.00080
3735219.57		0.00031	0.00033	0.00037	0.00041
0.00046		0.00051	0.00058	0.00066	0.00076
3735169.57		0.00030	0.00033	0.00036	0.00040
0.00044		0.00050	0.00056	0.00063	0.00072
3735119.57		0.00029	0.00032	0.00035	0.00039
0.00043		0.00048	0.00054	0.00061	0.00068
3735069.57		0.00029	0.00031	0.00034	0.00038
0.00042		0.00047	0.00052	0.00058	0.00064
3735019.57		0.00028	0.00031	0.00034	0.00037
0.00041		0.00045	0.00050	0.00055	0.00061

3734969.57		0.00028	0.00030	0.00033	0.00036
0.00040		0.00044	0.00048	0.00053	0.00057
3734919.57		0.00027	0.00029	0.00032	0.00035
0.00038		0.00042	0.00046	0.00050	0.00054

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 56

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** THE PERIOD (43848 HRS) AVERAGE
 CONCENTRATION VALUES FOR SOURCE GROUP: ALL ***
 INCLUDING SOURCE(S): PAREA1 ,
 A0000001 , A0000002 , A0000003 , A0000004 ,
 A0000005 , A0000006 , A0000007 , A0000008 ,
 A0000009 , A0000010 , A0000011 , A0000012 ,
 A0000013 , A0000014 , A0000015 , A0000016 ,
 A0000017 , A0000018 , A0000019 , A0000020 ,
 A0000021 , A0000022 , A0000023 , A0000024 ,
 A0000025 , A0000026 , A0000027 , . . . ,

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

** CONC OF PM_10 IN
 MICROGRAMS/M**3 **

Y-COORD (METERS)	X-COORD				
423722.45	423772.45	423822.45	423872.45	423922.45	
3736869.57	0.00011	0.00011	0.00012	0.00013	
0.00013	0.00014	0.00015	0.00017	0.00018	
3736819.57	0.00012	0.00012	0.00013	0.00014	
0.00014	0.00015	0.00017	0.00018	0.00020	
3736769.57	0.00013	0.00013	0.00014	0.00015	
0.00015	0.00017	0.00018	0.00020	0.00022	
3736719.57	0.00014	0.00014	0.00015	0.00016	
0.00017	0.00018	0.00020	0.00022	0.00024	
3736669.57	0.00015	0.00016	0.00016	0.00017	
0.00018	0.00020	0.00022	0.00024	0.00026	
3736619.57	0.00017	0.00017	0.00018	0.00019	
0.00020	0.00022	0.00024	0.00026	0.00030	
3736569.57	0.00019	0.00020	0.00020	0.00021	
0.00022	0.00024	0.00026	0.00029	0.00033	
3736519.57	0.00021	0.00022	0.00022	0.00023	
0.00025	0.00027	0.00030	0.00033	0.00038	
3736469.57	0.00024	0.00025	0.00025	0.00027	
0.00028	0.00030	0.00033	0.00038	0.00044	
3736419.57	0.00027	0.00028	0.00028	0.00030	
0.00031	0.00034	0.00038	0.00044	0.00051	
3736369.57	0.00031	0.00032	0.00033	0.00035	
0.00036	0.00040	0.00044	0.00051	0.00060	

3736319.57		0.00035	0.00036	0.00038	0.00040
0.00043		0.00047	0.00052	0.00061	0.00072
3736269.57		0.00040	0.00042	0.00044	0.00047
0.00050		0.00055	0.00062	0.00073	0.00089
3736219.57		0.00047	0.00050	0.00052	0.00056
0.00060		0.00066	0.00075	0.00090	0.00112
3736169.57		0.00054	0.00058	0.00063	0.00068
0.00073		0.00081	0.00093	0.00113	0.00143
3736119.57		0.00063	0.00069	0.00076	0.00083
0.00090		0.00101	0.00118	0.00147	0.00193
3736069.57		0.00073	0.00082	0.00092	0.00103
0.00114		0.00130	0.00159	0.00200	0.00272
3736019.57		0.00084	0.00097	0.00112	0.00129
0.00150		0.00175	0.00215	0.00289	0.00404
3735969.57		0.00096	0.00113	0.00136	0.00163
0.00198		0.00242	0.00311	0.00448	0.00665
3735919.57		0.00108	0.00132	0.00163	0.00205
0.00265		0.00348	0.00482	0.00783	0.01243
3735869.57		0.00127	0.00156	0.00198	0.00260
0.00355		0.00518	0.00833	0.01767	0.02889
3735819.57		0.00142	0.00174	0.00222	0.00299
0.00437		0.00721	0.01557	0.04705	0.07002
3735769.57		0.00127	0.00163	0.00219	0.00311
0.00485		0.00884	0.02220	0.06541	0.09038
3735719.57		0.00128	0.00165	0.00223	0.00322
0.00512		0.00964	0.02404	0.06422	0.09114
3735669.57		0.00128	0.00165	0.00222	0.00319
0.00501		0.00909	0.02131	0.05284	0.06474
3735619.57		0.00127	0.00163	0.00217	0.00305
0.00460		0.00764	0.01454	0.02456	0.02805
3735569.57		0.00124	0.00158	0.00208	0.00284
0.00407		0.00606	0.00887	0.01150	0.01237
3735519.57		0.00120	0.00150	0.00194	0.00258
0.00349		0.00469	0.00602	0.00699	0.00712
3735469.57		0.00116	0.00143	0.00181	0.00231
0.00295		0.00369	0.00438	0.00478	0.00473
3735419.57		0.00110	0.00134	0.00165	0.00204
0.00250		0.00297	0.00334	0.00351	0.00342
3735369.57		0.00105	0.00125	0.00151	0.00181
0.00213		0.00243	0.00263	0.00269	0.00258
3735319.57		0.00099	0.00116	0.00137	0.00160
0.00182		0.00201	0.00213	0.00214	0.00204
3735269.57		0.00093	0.00107	0.00124	0.00141
0.00157		0.00170	0.00176	0.00175	0.00166
3735219.57		0.00087	0.00099	0.00112	0.00125
0.00137		0.00145	0.00148	0.00145	0.00138
3735169.57		0.00081	0.00092	0.00102	0.00112
0.00120		0.00125	0.00126	0.00123	0.00117
3735119.57		0.00076	0.00085	0.00093	0.00100
0.00106		0.00109	0.00109	0.00106	0.00100
3735069.57		0.00071	0.00078	0.00085	0.00090
0.00094		0.00096	0.00095	0.00092	0.00088
3735019.57		0.00067	0.00072	0.00077	0.00081
0.00084		0.00085	0.00084	0.00081	0.00077

3734969.57		0.00062	0.00067	0.00071	0.00074
0.00075		0.00076	0.00075	0.00072	0.00068
3734919.57		0.00058	0.00062	0.00065	0.00067
0.00068		0.00068	0.00067	0.00064	0.00061

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 57

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** THE PERIOD (43848 HRS) AVERAGE
 CONCENTRATION VALUES FOR SOURCE GROUP: ALL ***
 INCLUDING SOURCE(S): PAREA1 ,
 A0000001 , A0000002 , A0000003 , A0000004 ,
 A0000005 , A0000006 , A0000007 , A0000008 ,
 A0000009 , A0000010 , A0000011 , A0000012 ,
 A0000013 , A0000014 , A0000015 , A0000016 ,
 A0000017 , A0000018 , A0000019 , A0000020 ,
 A0000021 , A0000022 , A0000023 , A0000024 ,
 A0000025 , A0000026 , A0000027 , . . . ,

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

** CONC OF PM_10 IN
 MICROGRAMS/M**3 **

Y-COORD (METERS)	X-COORD				
424172.45	424222.45	424272.45	424322.45	424372.45	
3736869.57	0.00020	0.00022	0.00024	0.00026	
0.00029	0.00032	0.00034	0.00037	0.00039	
3736819.57	0.00022	0.00024	0.00027	0.00029	
0.00032	0.00035	0.00038	0.00041	0.00044	
3736769.57	0.00024	0.00027	0.00030	0.00033	
0.00036	0.00040	0.00043	0.00046	0.00049	
3736719.57	0.00027	0.00030	0.00033	0.00037	
0.00041	0.00045	0.00049	0.00052	0.00055	
3736669.57	0.00030	0.00033	0.00038	0.00042	
0.00047	0.00052	0.00056	0.00059	0.00061	
3736619.57	0.00033	0.00038	0.00043	0.00048	
0.00054	0.00059	0.00064	0.00067	0.00069	
3736569.57	0.00038	0.00043	0.00050	0.00056	
0.00062	0.00068	0.00073	0.00077	0.00078	
3736519.57	0.00044	0.00050	0.00058	0.00066	
0.00074	0.00080	0.00085	0.00088	0.00089	
3736469.57	0.00051	0.00059	0.00069	0.00078	
0.00087	0.00094	0.00099	0.00101	0.00101	
3736419.57	0.00060	0.00070	0.00082	0.00094	
0.00104	0.00113	0.00116	0.00117	0.00114	
3736369.57	0.00072	0.00085	0.00100	0.00115	
0.00126	0.00134	0.00137	0.00135	0.00129	

3736319.57		0.00088	0.00106	0.00125	0.00142
0.00154	0.00162	0.00161	0.00156	0.00145	
3736269.57		0.00109	0.00133	0.00158	0.00179
0.00192	0.00195	0.00190	0.00178	0.00162	
3736219.57		0.00140	0.00172	0.00204	0.00227
0.00238	0.00237	0.00224	0.00204	0.00180	
3736169.57		0.00185	0.00229	0.00269	0.00294
0.00299	0.00287	0.00262	0.00231	0.00198	
3736119.57		0.00254	0.00316	0.00364	0.00387
0.00380	0.00348	0.00305	0.00259	0.00215	
3736069.57		0.00365	0.00453	0.00509	0.00518
0.00481	0.00418	0.00349	0.00284	0.00229	
3736019.57		0.00553	0.00678	0.00729	0.00701
0.00607	0.00495	0.00392	0.00305	0.00240	
3735969.57		0.00907	0.01075	0.01090	0.00953
0.00754	0.00569	0.00419	0.00320	0.00247	
3735919.57		0.01649	0.01833	0.01676	0.01275
0.00900	0.00626	0.00437	0.00322	0.00242	
3735869.57		0.03511	0.03584	0.02635	0.01606
0.00998	0.00644	0.00433	0.00310	0.00231	
3735819.57		0.07631	0.07049	0.03675	0.01773
0.00997	0.00605	0.00404	0.00286	0.00213	
3735769.57		0.09625	0.08027	0.03741	0.01655
0.00888	0.00528	0.00353	0.00252	0.00189	
3735719.57		0.09109	0.07387	0.03163	0.01324
0.00709	0.00432	0.00296	0.00214	0.00163	
3735669.57		0.06518	0.05083	0.02034	0.00905
0.00525	0.00345	0.00244	0.00181	0.00141	
3735619.57		0.02662	0.01930	0.01009	0.00588
0.00385	0.00271	0.00200	0.00153	0.00122	
3735569.57		0.01131	0.00871	0.00596	0.00411
0.00295	0.00220	0.00169	0.00133	0.00107	
3735519.57		0.00648	0.00526	0.00402	0.00305
0.00234	0.00183	0.00145	0.00117	0.00097	
3735469.57		0.00429	0.00361	0.00292	0.00235
0.00189	0.00154	0.00126	0.00104	0.00087	
3735419.57		0.00310	0.00267	0.00224	0.00186
0.00155	0.00130	0.00110	0.00093	0.00079	
3735369.57		0.00235	0.00206	0.00177	0.00151
0.00129	0.00111	0.00096	0.00083	0.00072	
3735319.57		0.00187	0.00166	0.00145	0.00126
0.00110	0.00096	0.00084	0.00074	0.00065	
3735269.57		0.00152	0.00136	0.00121	0.00106
0.00094	0.00084	0.00074	0.00066	0.00059	
3735219.57		0.00127	0.00115	0.00102	0.00091
0.00082	0.00073	0.00066	0.00060	0.00054	
3735169.57		0.00108	0.00098	0.00088	0.00080
0.00072	0.00065	0.00059	0.00054	0.00049	
3735119.57		0.00093	0.00085	0.00077	0.00070
0.00064	0.00058	0.00053	0.00049	0.00045	
3735069.57		0.00081	0.00075	0.00068	0.00062
0.00057	0.00052	0.00048	0.00045	0.00041	
3735019.57		0.00072	0.00066	0.00061	0.00056
0.00051	0.00048	0.00044	0.00041	0.00038	

3734969.57		0.00064	0.00059	0.00055	0.00051
0.00047		0.00043	0.00040	0.00038	0.00035
3734919.57		0.00058	0.00054	0.00050	0.00046
0.00043		0.00040	0.00037	0.00035	0.00033

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 58

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** THE PERIOD (43848 HRS) AVERAGE
 CONCENTRATION VALUES FOR SOURCE GROUP: ALL ***
 INCLUDING SOURCE(S): PAREA1 ,
 A0000001 , A0000002 , A0000003 , A0000004 ,
 A0000005 , A0000006 , A0000007 , A0000008 ,
 A0000009 , A0000010 , A0000011 , A0000012 ,
 A0000013 , A0000014 , A0000015 , A0000016 ,
 A0000017 , A0000018 , A0000019 , A0000020 ,
 A0000021 , A0000022 , A0000023 , A0000024 ,
 A0000025 , A0000026 , A0000027 , . . . ,

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

MICROGRAMS/M**3 ** CONC OF PM_10 IN **

Y-COORD (METERS)	X-COORD				
(METERS)	424422.45	424472.45	424522.45	424572.45	
3736869.57	0.00041	0.00042	0.00043	0.00043	
3736819.57	0.00045	0.00046	0.00047	0.00047	
3736769.57	0.00050	0.00051	0.00051	0.00051	
3736719.57	0.00056	0.00057	0.00056	0.00055	
3736669.57	0.00062	0.00062	0.00062	0.00060	
3736619.57	0.00070	0.00069	0.00067	0.00065	
3736569.57	0.00078	0.00076	0.00073	0.00070	
3736519.57	0.00087	0.00084	0.00079	0.00075	
3736469.57	0.00097	0.00092	0.00086	0.00080	
3736419.57	0.00108	0.00101	0.00093	0.00085	
3736369.57	0.00119	0.00110	0.00100	0.00090	
3736319.57	0.00132	0.00119	0.00107	0.00095	
3736269.57	0.00145	0.00128	0.00113	0.00099	
3736219.57	0.00157	0.00136	0.00118	0.00103	
3736169.57	0.00169	0.00144	0.00123	0.00106	
3736119.57	0.00179	0.00150	0.00126	0.00107	
3736069.57	0.00187	0.00154	0.00128	0.00108	
3736019.57	0.00191	0.00156	0.00128	0.00107	
3735969.57	0.00193	0.00155	0.00127	0.00105	
3735919.57	0.00188	0.00150	0.00122	0.00101	
3735869.57	0.00178	0.00141	0.00115	0.00095	
3735819.57	0.00164	0.00130	0.00106	0.00088	
3735769.57	0.00147	0.00117	0.00096	0.00080	

3735719.57		0.00128	0.00104	0.00086	0.00073
3735669.57		0.00112	0.00092	0.00077	0.00066
3735619.57		0.00099	0.00082	0.00070	0.00060
3735569.57		0.00089	0.00075	0.00064	0.00055
3735519.57		0.00081	0.00069	0.00059	0.00051
3735469.57		0.00074	0.00063	0.00055	0.00048
3735419.57		0.00068	0.00059	0.00052	0.00046
3735369.57		0.00063	0.00055	0.00049	0.00043
3735319.57		0.00058	0.00051	0.00046	0.00041
3735269.57		0.00053	0.00048	0.00043	0.00039
3735219.57		0.00049	0.00044	0.00040	0.00037
3735169.57		0.00045	0.00041	0.00038	0.00034
3735119.57		0.00042	0.00038	0.00035	0.00032
3735069.57		0.00038	0.00036	0.00033	0.00031
3735019.57		0.00036	0.00033	0.00031	0.00029
3734969.57		0.00033	0.00031	0.00029	0.00027
3734919.57		0.00031	0.00029	0.00027	0.00026

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 59

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** THE PERIOD (43848 HRS) AVERAGE
 CONCENTRATION VALUES FOR SOURCE GROUP: ALL ***
 INCLUDING SOURCE(S): PAREA1 ,
 A0000001 , A0000002 , A0000003 , A0000004 ,
 A0000005 , A0000006 , A0000007 , A0000008 ,
 A0000009 , A0000010 , A0000011 , A0000012 ,
 A0000013 , A0000014 , A0000015 , A0000016 ,
 A0000017 , A0000018 , A0000019 , A0000020 ,
 A0000021 , A0000022 , A0000023 , A0000024 ,
 A0000025 , A0000026 , A0000027 , . . . ,

*** DISCRETE CARTESIAN

RECEPTOR POINTS ***

** CONC OF PM_10 IN
 MICROGRAMS/M**3 **

X-COORD (M)	Y-COORD (M)	CONC	X-
423808.64	3735782.01	0.01574	
423778.42	3735711.03	0.01055	
423675.73	3735807.74	0.00306	
423822.52	3735853.96	0.01028	
423884.78	3735852.50	0.03070	
423598.82	3735852.10	0.00195	
423550.18	3735806.89	0.00149	
423486.18	3735850.67	0.00127	
423388.42	3735807.38	0.00084	
423265.85	3735853.10	0.00079	
423243.47	3735813.71	0.00061	
423093.67	3735863.32	0.00076	
423190.94	3735810.30	0.00053	
423787.26	3735854.08	0.00680	
424037.75	3735799.11	0.07017	
424038.72	3735764.09	0.07041	
424037.26	3735729.07	0.06628	
424039.21	3735703.29	0.05787	
424037.75	3735675.57	0.04682	
424019.75	3735624.50	0.02185	
423977.74	3735628.22	0.03089	
423929.31	3735627.85	0.03267	
423887.30	3735627.30	0.02981	
423857.76	3735627.85	0.02493	

	423815.39	3735653.53	0.01726
423813.92	3735599.60	0.01084	
	423939.99	3735858.43	0.03952
423977.32	3735859.45	0.04267	
	423741.06	3735859.42	0.00435
423707.67	3735859.42	0.00342	

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 60

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** THE 1ST HIGHEST 1-HR AVERAGE
 CONCENTRATION VALUES FOR SOURCE GROUP: ALL ***
 INCLUDING SOURCE(S): PAREA1 ,
 A0000001 , A0000002 , A0000003 , A0000004 ,
 A0000005 , A0000006 , A0000007 , A0000008 ,
 A0000009 , A0000010 , A0000011 , A0000012 ,
 A0000013 , A0000014 , A0000015 , A0000016 ,
 A0000017 , A0000018 , A0000019 , A0000020 ,
 A0000021 , A0000022 , A0000023 , A0000024 ,
 A0000025 , A0000026 , A0000027 , . . . ,

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

MICROGRAMS/M**3 ** CONC OF PM_10 IN **

Y-COORD (METERS)	X-COORD		
422722.45	422622.45	422772.45	422822.45
3736869.6	0.08272 (14010808)	0.08844 (14010808)	0.09142
(14010808)	0.09273 (14010808)	0.10093 (12010207)	
3736819.6	0.07955 (14010808)	0.08678 (14010808)	0.09166
(14010808)	0.09539 (14010808)	0.09688 (14010808)	
3736769.6	0.08445 (16021607)	0.08364 (14010808)	0.09071
(14010808)	0.09695 (14010808)	0.10107 (14010808)	
3736719.6	0.09683 (16021607)	0.09307 (16021607)	0.08671
(14010808)	0.09531 (14010808)	0.10259 (14010808)	
3736669.6	0.10689 (16021607)	0.10474 (16021607)	0.10078
(16021607)	0.09474 (16021607)	0.10052 (14010808)	
3736619.6	0.11408 (16021607)	0.11514 (16021607)	0.11427
(16021607)	0.11036 (16021607)	0.10455 (16021607)	
3736569.6	0.11706 (16021607)	0.12265 (16021607)	0.12171
(16021607)	0.12191 (16021607)	0.12005 (16021607)	
3736519.6	0.11569 (16021607)	0.12230 (16021607)	0.12845
(16021607)	0.13090 (16021607)	0.13341 (16021607)	
3736469.6	0.11580 (15012707)	0.12069 (16021607)	0.12880
(16021607)	0.13534 (16021607)	0.14259 (16021607)	
3736419.6	0.11988 (15012707)	0.12569 (15012707)	0.12597
(15012707)	0.13300 (16021607)	0.14104 (16021607)	
3736369.6	0.11815 (15012707)	0.12723 (15012707)	0.13041
(15012707)	0.13543 (15012707)	0.13914 (15012707)	

3736319.6	0.11219 (15012707)	0.12161 (15012707)	0.12923
(15012707)	0.13692 (15012707)	0.14428 (15012707)	
3736269.6	0.11046 (12121407)	0.11592 (12121407)	0.12293
(15012707)	0.13463 (15012707)	0.14417 (15012707)	
3736219.6	0.10768 (12121407)	0.11469 (12121407)	0.12142
(12121407)	0.12594 (12121407)	0.13522 (15012707)	
3736169.6	0.12079 (14021007)	0.12053 (14021007)	0.12123
(14021007)	0.10449 (14021007)	0.13449 (12121407)	
3736119.6	0.12919 (14021007)	0.10646 (14021007)	0.13635
(14021007)	0.11455 (14021007)	0.14269 (14021007)	
3736069.6	0.13128 (14021007)	0.11007 (14021007)	0.11556
(14021007)	0.12122 (14021007)	0.12697 (14021007)	
3736019.6	0.10379 (14021007)	0.11000 (14021007)	0.11658
(14021007)	0.12359 (14021007)	0.13099 (14021007)	
3735969.6	0.09937 (14021007)	0.10611 (14021007)	0.11338
(14021007)	0.12127 (14021007)	0.12977 (14021007)	
3735919.6	0.10289 (15011207)	0.10752 (15011207)	0.11245
(15011207)	0.11773 (15011207)	0.12345 (14021007)	
3735869.6	0.10867 (15011207)	0.11423 (15011207)	0.12029
(15011207)	0.12694 (15011207)	0.13430 (15011207)	
3735819.6	0.11072 (15011207)	0.11682 (15011207)	0.12354
(15011207)	0.13102 (15011207)	0.13951 (15011207)	
3735769.6	0.10889 (15011207)	0.11502 (15011207)	0.12177
(15011207)	0.12928 (15011207)	0.13775 (15011207)	
3735719.6	0.10655 (12010607)	0.11246 (12010607)	0.11889
(12010607)	0.12607 (12010607)	0.13404 (12010607)	
3735669.6	0.10864 (12010607)	0.11445 (12010607)	0.12090
(12010607)	0.12798 (12010607)	0.13582 (12010607)	
3735619.6	0.10707 (12011208)	0.11335 (12011208)	0.12024
(12011208)	0.12782 (12011208)	0.13621 (12011208)	
3735569.6	0.11011 (12011208)	0.11613 (12011208)	0.12269
(12011208)	0.12985 (12011208)	0.13763 (12011208)	
3735519.6	0.10913 (12011208)	0.11447 (12011208)	0.12015
(12011208)	0.12628 (12011208)	0.13320 (16030307)	
3735469.6	0.10525 (16030307)	0.10992 (16030307)	0.11484
(16030307)	0.12002 (16030307)	0.12581 (12112807)	
3735419.6	0.10032 (12112807)	0.10478 (12112807)	0.10938
(12112807)	0.11407 (12112807)	0.11886 (12112807)	
3735369.6	0.09539 (12112807)	0.09946 (13022807)	0.10684
(13022807)	0.11466 (13022807)	0.12297 (13022807)	
3735319.6	0.09727 (13022807)	0.10358 (13022807)	0.11015
(13022807)	0.11695 (13022807)	0.12394 (13022807)	
3735269.6	0.09926 (13022807)	0.10463 (13022807)	0.11005
(13022807)	0.11545 (13022807)	0.12076 (13022807)	
3735219.6	0.09845 (13022807)	0.10267 (13022807)	0.10669
(13022807)	0.11182 (16021007)	0.11883 (16021007)	
3735169.6	0.09513 (13022807)	0.10012 (16021007)	0.10583
(16021007)	0.11143 (16021007)	0.11669 (16021007)	
3735119.6	0.09508 (16021007)	0.09963 (16021007)	0.10388
(16021007)	0.10774 (16021007)	0.11092 (16021007)	
3735069.6	0.09336 (16021007)	0.09654 (16021007)	0.09921
(16021007)	0.10130 (16021007)	0.10256 (16021007)	
3735019.6	0.08949 (16021007)	0.09123 (16021007)	0.09236
(16021007)	0.09278 (16021007)	0.09507 (13112507)	

3734969.6	0.08376 (16021007)	0.08421 (16021007)	0.08497
(13112507)	0.08875 (13112507)	0.09185 (13112507)	
3734919.6	0.07673 (16021007)	0.07997 (13112507)	0.08293
(13112507)	0.08523 (13112507)	0.08893 (15123008)	

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 61

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** THE 1ST HIGHEST 1-HR AVERAGE
 CONCENTRATION VALUES FOR SOURCE GROUP: ALL ***
 INCLUDING SOURCE(S): PAREA1 ,
 A0000001 , A0000002 , A0000003 , A0000004 ,
 A0000005 , A0000006 , A0000007 , A0000008 ,
 A0000009 , A0000010 , A0000011 , A0000012 ,
 A0000013 , A0000014 , A0000015 , A0000016 ,
 A0000017 , A0000018 , A0000019 , A0000020 ,
 A0000021 , A0000022 , A0000023 , A0000024 ,
 A0000025 , A0000026 , A0000027 , . . . ,

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

MICROGRAMS/M**3 ** CONC OF PM_10 IN
 **

Y-COORD (METERS)	X-COORD		
422972.45	422872.45	422922.45	423072.45

3736869.6	0.11337 (12010207)	0.12351 (12010207)	0.12983
(12010207)	0.13198 (12010207)	0.12930 (12010207)	
3736819.6	0.10705 (12010207)	0.12072 (12010207)	0.13153
(12010207)	0.13775 (12010207)	0.13892 (12010207)	
3736769.6	0.10327 (14010808)	0.11479 (12010207)	0.12957
(12010207)	0.13932 (12010207)	0.14495 (12010207)	
3736719.6	0.10778 (14010808)	0.11000 (14010808)	0.12383
(12010207)	0.13665 (12010207)	0.14718 (12010207)	
3736669.6	0.10940 (14010808)	0.11746 (14010808)	0.12130
(14010808)	0.13161 (12010207)	0.14539 (12010207)	
3736619.6	0.10581 (14010808)	0.11404 (14010808)	0.12097
(14010808)	0.12432 (14010808)	0.14050 (12010207)	
3736569.6	0.11383 (16021607)	0.11016 (14010808)	0.12059
(14010808)	0.12913 (14010808)	0.13295 (14010808)	
3736519.6	0.13115 (16021607)	0.12723 (16021607)	0.11881
(16021607)	0.12955 (14010808)	0.13870 (14010808)	
3736469.6	0.14463 (16021607)	0.14434 (16021607)	0.13924
(16021607)	0.13327 (16021607)	0.13880 (14010808)	
3736419.6	0.15009 (16021607)	0.15542 (16021607)	0.15593
(16021607)	0.15568 (16021607)	0.14944 (16021607)	
3736369.6	0.15032 (16021607)	0.16123 (16021607)	0.16588
(16021607)	0.17365 (16021607)	0.17340 (16021607)	

3736319.6	0.15139 (15012707)	0.15867 (16021607)	0.16800
(16021607)	0.18290 (16021607)	0.19054 (16021607)	
3736269.6	0.15480 (15012707)	0.16468 (15012707)	0.16831
(15012707)	0.18353 (16021607)	0.19759 (16021607)	
3736219.6	0.14818 (15012707)	0.16266 (15012707)	0.17324
(15012707)	0.18943 (15012707)	0.19555 (15012707)	
3736169.6	0.11623 (15012707)	0.12727 (15012707)	0.13884
(15012707)	0.18699 (15012707)	0.20466 (15012707)	
3736119.6	0.12202 (14021007)	0.12532 (14021007)	0.13243
(15012707)	0.14687 (15012707)	0.16494 (15012707)	
3736069.6	0.13278 (14021007)	0.13858 (14021007)	0.14433
(14021007)	0.15018 (14021007)	0.15800 (14021007)	
3736019.6	0.13879 (14021007)	0.14695 (14021007)	0.15545
(14021007)	0.16456 (14021007)	0.17564 (14021007)	
3735969.6	0.13901 (14021007)	0.14906 (14021007)	0.15990
(14021007)	0.17176 (14021007)	0.18590 (14021007)	
3735919.6	0.13329 (14021007)	0.14430 (14021007)	0.15668
(14021007)	0.17037 (14021007)	0.18698 (14021007)	
3735869.6	0.14239 (15011207)	0.15074 (15011207)	0.16004
(15011207)	0.17041 (15011207)	0.18507 (15011207)	
3735819.6	0.14967 (15011207)	0.15921 (15011207)	0.16847
(15011207)	0.18040 (15011207)	0.19435 (15011207)	
3735769.6	0.14780 (15011207)	0.15491 (15011207)	0.16580
(15011207)	0.17796 (15011207)	0.19191 (15011207)	
3735719.6	0.14313 (12010607)	0.15520 (12010607)	0.16099
(12010607)	0.17272 (12010607)	0.18641 (12010607)	
3735669.6	0.14463 (12010607)	0.15500 (12010607)	0.16277
(12010607)	0.17437 (12010607)	0.18789 (12010607)	
3735619.6	0.14558 (12011208)	0.15615 (12011208)	0.16993
(12011208)	0.17750 (12011208)	0.19187 (12011208)	
3735569.6	0.14621 (12011208)	0.15570 (12011208)	0.16704
(12011208)	0.17418 (12011208)	0.18669 (12011208)	
3735519.6	0.14083 (16030307)	0.14934 (16030307)	0.16022
(16030307)	0.16437 (16030307)	0.17471 (12112807)	
3735469.6	0.13270 (12112807)	0.13999 (12112807)	0.14737
(12112807)	0.15534 (13022807)	0.17106 (13022807)	
3735419.6	0.12763 (13022807)	0.13815 (13022807)	0.14920
(13022807)	0.16107 (13022807)	0.17457 (13022807)	
3735369.6	0.13168 (13022807)	0.14082 (13022807)	0.14978
(13022807)	0.15934 (13022807)	0.16951 (13022807)	
3735319.6	0.13101 (13022807)	0.13809 (13022807)	0.14445
(13022807)	0.15459 (16021007)	0.16673 (16021007)	
3735269.6	0.12610 (16021007)	0.13495 (16021007)	0.14321
(16021007)	0.15167 (16021007)	0.15970 (16021007)	
3735219.6	0.12584 (16021007)	0.13241 (16021007)	0.13770
(16021007)	0.14314 (16021007)	0.14683 (16021007)	
3735169.6	0.12140 (16021007)	0.12537 (16021007)	0.12775
(16021007)	0.12991 (16021007)	0.13306 (13112507)	
3735119.6	0.11328 (16021007)	0.11493 (16021007)	0.11488
(13112507)	0.12165 (13112507)	0.12614 (13112507)	
3735069.6	0.10291 (16021007)	0.10710 (13112507)	0.11060
(13112507)	0.11713 (15123008)	0.12885 (15123008)	
3735019.6	0.09914 (13112507)	0.10231 (13112507)	0.10906
(15123008)	0.11953 (15123008)	0.12841 (15123008)	

3734969.6	0.09407 (13112507)	0.10285 (15123008)	0.11065
(15123008)	0.11864 (15123008)	0.12450 (15123008)	
3734919.6	0.09667 (15123008)	0.10362 (15123008)	0.10944
(15123008)	0.11484 (15123008)	0.12047 (16022507)	

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 62

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** THE 1ST HIGHEST 1-HR AVERAGE
 CONCENTRATION VALUES FOR SOURCE GROUP: ALL ***
 INCLUDING SOURCE(S): PAREA1 ,
 A0000001 , A0000002 , A0000003 , A0000004 ,
 A0000005 , A0000006 , A0000007 , A0000008 ,
 A0000009 , A0000010 , A0000011 , A0000012 ,
 A0000013 , A0000014 , A0000015 , A0000016 ,
 A0000017 , A0000018 , A0000019 , A0000020 ,
 A0000021 , A0000022 , A0000023 , A0000024 ,
 A0000025 , A0000026 , A0000027 , . . . ,

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

MICROGRAMS/M**3 ** CONC OF PM_10 IN **

Y-COORD (METERS)	X-COORD		
423222.45	423172.45	423272.45	423322.45
3736869.6	0.11846 (12010207)	0.10570 (12010207)	0.10422
(12102907)	0.11074 (12102907)	0.11303 (12121308)	
3736819.6	0.13260 (12010207)	0.12306 (12010207)	0.10728
(12010207)	0.11399 (12102907)	0.11707 (12102907)	
3736769.6	0.14501 (12010207)	0.13908 (12010207)	0.12627
(12010207)	0.11459 (12102907)	0.12222 (12102907)	
3736719.6	0.15409 (12010207)	0.15389 (12010207)	0.14517
(12010207)	0.13030 (12010207)	0.12584 (12102907)	
3736669.6	0.16450 (12010207)	0.16690 (12010207)	0.16285
(12010207)	0.15126 (12010207)	0.13323 (12010207)	
3736619.6	0.15725 (12010207)	0.16791 (12010207)	0.17366
(12010207)	0.17060 (12010207)	0.15773 (12010207)	
3736569.6	0.15400 (12010207)	0.16831 (12010207)	0.18454
(12010207)	0.18493 (12010207)	0.18126 (12010207)	
3736519.6	0.14462 (14010808)	0.16396 (12010207)	0.18716
(12010207)	0.19457 (12010207)	0.20265 (12010207)	
3736469.6	0.15026 (14010808)	0.15374 (12010207)	0.18162
(12010207)	0.19822 (12010207)	0.21573 (12010207)	
3736419.6	0.14958 (14010808)	0.15931 (14010808)	0.17015
(12010207)	0.19508 (12010207)	0.22137 (12010207)	
3736369.6	0.16784 (16021607)	0.15866 (14010808)	0.17519
(14010808)	0.18436 (12010207)	0.21754 (12010207)	

3736319.6	0.19219 (16021607)	0.18637 (16021607)	0.17855
(16021607)	0.18736 (14010808)	0.20367 (12010207)	
3736269.6	0.20678 (16021607)	0.21270 (16021607)	0.21233
(16021607)	0.20533 (16021607)	0.20989 (14010808)	
3736219.6	0.16647 (16021607)	0.17865 (16021607)	0.23359
(16021607)	0.23836 (16021607)	0.23547 (16021607)	
3736169.6	0.17069 (15012707)	0.22260 (16021607)	0.19771
(16021607)	0.21229 (16021607)	0.22369 (16021607)	
3736119.6	0.17404 (15012707)	0.18865 (15012707)	0.20239
(15012707)	0.21914 (16021607)	0.23970 (16021607)	
3736069.6	0.16876 (15012707)	0.18773 (15012707)	0.20743
(15012707)	0.22716 (15012707)	0.24578 (15012707)	
3736019.6	0.17947 (14021007)	0.18741 (14021007)	0.20032
(15012707)	0.22627 (15012707)	0.25380 (15012707)	
3735969.6	0.19456 (14021007)	0.20785 (14021007)	0.22151
(14021007)	0.23522 (14021007)	0.24857 (14021007)	
3735919.6	0.19905 (14021007)	0.21657 (14021007)	0.23586
(14021007)	0.25690 (14021007)	0.27967 (14021007)	
3735869.6	0.19288 (14021007)	0.21263 (14021007)	0.23504
(14021007)	0.26072 (14021007)	0.29021 (14021007)	
3735819.6	0.20997 (15011207)	0.22676 (15011207)	0.24630
(15011207)	0.26902 (15011207)	0.29546 (15011207)	
3735769.6	0.20824 (15011207)	0.22681 (15011207)	0.24821
(15011207)	0.27329 (15011207)	0.30285 (15011207)	
3735719.6	0.20235 (12010607)	0.22026 (12010607)	0.24108
(12010607)	0.26553 (12010607)	0.29459 (12010607)	
3735669.6	0.20331 (12010607)	0.22091 (12011208)	0.24301
(12011208)	0.26888 (12011208)	0.29946 (12011208)	
3735619.6	0.20790 (12011208)	0.22580 (12011208)	0.24615
(12011208)	0.26931 (12011208)	0.29593 (12011208)	
3735569.6	0.20046 (16030307)	0.21569 (16030307)	0.23252
(16030307)	0.25109 (16030307)	0.27153 (16030307)	
3735519.6	0.18658 (12112807)	0.19924 (12112807)	0.22090
(13022807)	0.24686 (13022807)	0.27562 (13022807)	
3735469.6	0.18772 (13022807)	0.20577 (13022807)	0.22509
(13022807)	0.24541 (13022807)	0.26628 (13022807)	
3735419.6	0.18801 (13022807)	0.20170 (13022807)	0.21615
(16021007)	0.23746 (16021007)	0.25843 (16021007)	
3735369.6	0.18144 (16021007)	0.19673 (16021007)	0.21155
(16021007)	0.22510 (16021007)	0.23618 (16021007)	
3735319.6	0.17766 (16021007)	0.18758 (16021007)	0.19581
(16021007)	0.20144 (16021007)	0.20697 (13112507)	
3735269.6	0.16600 (16021007)	0.17047 (16021007)	0.17243
(16021007)	0.18230 (13112507)	0.20498 (15123008)	
3735219.6	0.14869 (16021007)	0.15464 (13112507)	0.16468
(15123008)	0.18450 (15123008)	0.20211 (15123008)	
3735169.6	0.13950 (13112507)	0.15130 (15123008)	0.16723
(15123008)	0.18116 (15123008)	0.19223 (16022507)	
3735119.6	0.13935 (15123008)	0.15235 (15123008)	0.16339
(15123008)	0.17258 (16022507)	0.18742 (16022507)	
3735069.6	0.13957 (15123008)	0.14844 (15123008)	0.15638
(16022507)	0.16894 (16022507)	0.17763 (16022507)	
3735019.6	0.13556 (15123008)	0.14248 (16022507)	0.15309
(16022507)	0.16065 (16022507)	0.16371 (16022507)	

3734969.6	0.13072 (16022507)	0.13986 (16022507)	0.14634
(16022507)	0.14922 (16022507)	0.16002 (12121307)	
3734919.6	0.12840 (16022507)	0.13409 (16022507)	0.13679
(16022507)	0.14500 (12121307)	0.15335 (12121307)	

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 63

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** THE 1ST HIGHEST 1-HR AVERAGE
 CONCENTRATION VALUES FOR SOURCE GROUP: ALL ***
 INCLUDING SOURCE(S): PAREA1 ,
 A0000001 , A0000002 , A0000003 , A0000004 ,
 A0000005 , A0000006 , A0000007 , A0000008 ,
 A0000009 , A0000010 , A0000011 , A0000012 ,
 A0000013 , A0000014 , A0000015 , A0000016 ,
 A0000017 , A0000018 , A0000019 , A0000020 ,
 A0000021 , A0000022 , A0000023 , A0000024 ,
 A0000025 , A0000026 , A0000027 , . . . ,

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

MICROGRAMS/M**3 ** CONC OF PM_10 IN
 **

Y-COORD (METERS)	X-COORD
423472.45	423372.45 423422.45 423572.45

3736869.6 (12112107)	0.11725 (12121308) 0.13826 (12112107) 0.16239
3736819.6 (12112107)	0.17639 (12112107) 0.17234 (12112107) 0.15865
3736769.6 (12112107)	0.12290 (12121308) 0.13369 (12112107) 0.15872
3736719.6 (12112107)	0.17599 (12112107) 0.12896 (12121308) 0.15221
3736669.6 (12112107)	0.12550 (12121308) 0.18648 (12112107) 0.14910
3736619.6 (12121308)	0.18240 (12112107) 0.13448 (12121308) 0.14740
3736569.6 (12121308)	0.13016 (12102907) 0.19246 (12112107) 0.15175
3736519.6 (12102907)	0.17838 (12112107) 0.13827 (12121308) 0.16026
3736469.6 (12010207)	0.13522 (12102907) 0.19721 (12112107) 0.15464
3736419.6 (12010207)	0.18161 (12112107) 0.14330 (12102907) 0.17792
3736369.6 (12010207)	0.13666 (12102907) 0.20054 (12112107) 0.20137
	0.16159 (12010207) 0.14765 (12102907) 0.18367 (12112107)
	0.17169 (12112107) 0.16597 (12010207) 0.18367 (12112107)
	0.18697 (12010207) 0.17520 (12112107) 0.18367 (12112107)
	0.15132 (12112107) 0.19434 (12010207) 0.18367 (12112107)
	0.21215 (12010207) 0.18006 (12112107) 0.18367 (12112107)
	0.15104 (12112107) 0.18222 (12010207) 0.18367 (12112107)
	0.23305 (12010207) 0.18313 (12112107) 0.18367 (12112107)
	0.16571 (12010207) 0.19931 (12010207) 0.18367 (12112107)
	0.24063 (12010207) 0.18367 (12112107) 0.18367 (12112107)
	0.19416 (12010207) 0.18367 (12112107) 0.18367 (12112107)

3736319.6	0.23750 (12010207)	0.21307 (12010207)	0.22344
(12010207)	0.22378 (12010207)	0.21239 (12010207)	
3736269.6	0.23002 (12010207)	0.22142 (12010207)	0.24187
(12010207)	0.25268 (12010207)	0.25025 (12010207)	
3736219.6	0.23220 (14010808)	0.22223 (12010207)	0.25378
(12010207)	0.27778 (12010207)	0.28865 (12010207)	
3736169.6	0.23022 (16021607)	0.23001 (16021607)	0.25617
(12010207)	0.29505 (12010207)	0.32349 (12010207)	
3736119.6	0.25722 (16021607)	0.26941 (16021607)	0.27334
(16021607)	0.30000 (12010207)	0.34917 (12010207)	
3736069.6	0.27169 (16021607)	0.29831 (16021607)	0.31934
(16021607)	0.33044 (16021607)	0.35851 (12010207)	
3736019.6	0.28170 (15012707)	0.30895 (16021607)	0.34884
(16021607)	0.38401 (16021607)	0.40791 (16021607)	
3735969.6	0.28098 (15012707)	0.32153 (15012707)	0.36366
(15012707)	0.41125 (16021607)	0.46977 (16021607)	
3735919.6	0.30413 (14021007)	0.32945 (14021007)	0.36314
(15012707)	0.42784 (15012707)	0.49764 (15012707)	
3735869.6	0.32431 (14021007)	0.36355 (14021007)	0.40835
(14021007)	0.45879 (14021007)	0.51456 (14021007)	
3735819.6	0.32637 (15011207)	0.36166 (15011207)	0.41449
(14021007)	0.48337 (14021007)	0.56940 (14021007)	
3735769.6	0.33830 (15011207)	0.38145 (15011207)	0.43493
(15011207)	0.50253 (15011207)	0.59004 (15011207)	
3735719.6	0.32959 (12010607)	0.37245 (12010607)	0.42574
(12010607)	0.49363 (12010607)	0.58235 (12010607)	
3735669.6	0.33601 (12011208)	0.38019 (12011208)	0.43439
(12011208)	0.50203 (12011208)	0.58803 (12011208)	
3735619.6	0.32732 (16030307)	0.36484 (16030307)	0.40913
(16030307)	0.46128 (16030307)	0.54712 (13022807)	
3735569.6	0.30227 (13022807)	0.34724 (13022807)	0.39929
(13022807)	0.45878 (13022807)	0.52653 (16021007)	
3735519.6	0.30710 (13022807)	0.34092 (13022807)	0.38239
(16021007)	0.43265 (16021007)	0.48060 (16021007)	
3735469.6	0.29536 (16021007)	0.32680 (16021007)	0.35585
(16021007)	0.37950 (16021007)	0.41380 (15123008)	
3735419.6	0.27787 (16021007)	0.29351 (16021007)	0.30299
(16021007)	0.34833 (15123008)	0.39847 (15123008)	
3735369.6	0.24349 (16021007)	0.25826 (15123008)	0.29845
(15123008)	0.33287 (15123008)	0.37598 (16022507)	
3735319.6	0.22934 (15123008)	0.25924 (15123008)	0.28388
(15123008)	0.31707 (16022507)	0.34007 (16022507)	
3735269.6	0.22783 (15123008)	0.24587 (15123008)	0.27248
(16022507)	0.29041 (16022507)	0.31729 (12121307)	
3735219.6	0.21579 (16022507)	0.23777 (16022507)	0.25255
(16022507)	0.27167 (12121307)	0.28999 (12121307)	
3735169.6	0.21017 (16022507)	0.22226 (16022507)	0.23599
(12121307)	0.25334 (12121307)	0.26263 (15122908)	
3735119.6	0.19766 (16022507)	0.20701 (12121307)	0.22353
(12121307)	0.23033 (12121307)	0.24386 (15122908)	
3735069.6	0.18348 (12121307)	0.19852 (12121307)	0.20666
(12121307)	0.21534 (15122908)	0.22492 (15022607)	
3735019.6	0.17773 (12121307)	0.18612 (12121307)	0.19065
(15122908)	0.20070 (15122908)	0.20832 (15022607)	

3734969.6	0.16854 (12121307)	0.17127 (12121307)	0.18069
(15122908)	0.18728 (15022607)	0.19278 (15013007)	
3734919.6	0.15713 (12121307)	0.16276 (15122908)	0.16888
(15122908)	0.17473 (15022607)	0.18197 (16021107)	

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 64

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** THE 1ST HIGHEST 1-HR AVERAGE
 CONCENTRATION VALUES FOR SOURCE GROUP: ALL ***
 INCLUDING SOURCE(S): PAREA1 ,
 A0000001 , A0000002 , A0000003 , A0000004 ,
 A0000005 , A0000006 , A0000007 , A0000008 ,
 A0000009 , A0000010 , A0000011 , A0000012 ,
 A0000013 , A0000014 , A0000015 , A0000016 ,
 A0000017 , A0000018 , A0000019 , A0000020 ,
 A0000021 , A0000022 , A0000023 , A0000024 ,
 A0000025 , A0000026 , A0000027 , . . . ,

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

MICROGRAMS/M**3 ** CONC OF PM_10 IN **

Y-COORD (METERS)	X-COORD		
423722.45	423622.45	423672.45	423822.45

3736869.6	0.16397 (12112107)	0.16201 (12010508)	0.16020
(15011907)	0.15068 (15011907)	0.17568 (15012007)	
3736819.6	0.17710 (12112107)	0.16897 (12010508)	0.16979
(12010508)	0.16176 (15011907)	0.18239 (15012007)	
3736769.6	0.18974 (12112107)	0.17600 (12010508)	0.18150
(12010508)	0.17349 (15011907)	0.19085 (15012007)	
3736719.6	0.19879 (12112107)	0.18709 (12112107)	0.19378
(12010508)	0.18523 (15011907)	0.19969 (15012007)	
3736669.6	0.21558 (12112107)	0.20697 (12112107)	0.20619
(12010508)	0.19771 (15011907)	0.20962 (15012007)	
3736619.6	0.22765 (12112107)	0.22673 (12112107)	0.21891
(12010508)	0.21297 (15011907)	0.22149 (15012007)	
3736569.6	0.23911 (12112107)	0.24061 (12112107)	0.23056
(12010508)	0.22785 (12010508)	0.23181 (15012007)	
3736519.6	0.24397 (12112107)	0.25297 (12112107)	0.25160
(12112107)	0.24337 (12010508)	0.24265 (15012007)	
3736469.6	0.25158 (12112107)	0.21773 (12112107)	0.27687
(12112107)	0.26116 (12010508)	0.25511 (15012007)	
3736419.6	0.25404 (12112107)	0.23459 (12112107)	0.30357
(12112107)	0.28187 (12010508)	0.27695 (15011907)	
3736369.6	0.22186 (12112107)	0.25156 (12112107)	0.32985
(12112107)	0.26040 (12112107)	0.30356 (12010508)	

3736319.6	0.22769 (12112107)	0.26789 (12112107)	0.29251
(12112107)	0.29422 (12112107)	0.28423 (12010508)	
3736269.6	0.23237 (12010207)	0.28249 (12112107)	0.32054
(12112107)	0.33294 (12112107)	0.31976 (12010508)	
3736219.6	0.28147 (12010207)	0.29396 (12112107)	0.34910
(12112107)	0.37705 (12112107)	0.36588 (12112107)	
3736169.6	0.33336 (12010207)	0.31834 (12010207)	0.37658
(12112107)	0.42661 (12112107)	0.42951 (12112107)	
3736119.6	0.38310 (12010207)	0.39025 (12010207)	0.39997
(12112107)	0.48081 (12112107)	0.50732 (12112107)	
3736069.6	0.42245 (12010207)	0.46365 (12010207)	0.46307
(12010207)	0.53764 (12112107)	0.60287 (12112107)	
3736019.6	0.43947 (12010207)	0.52626 (12010207)	0.57662
(12010207)	0.59300 (12112107)	0.71893 (12112107)	
3735969.6	0.51744 (16021607)	0.55818 (12010207)	0.68330
(12010207)	0.74330 (12010207)	0.86045 (12112107)	
3735919.6	0.58607 (16021607)	0.68021 (16021607)	0.74755
(12010207)	0.94520 (12010207)	1.03383 (12112107)	
3735869.6	0.61454 (15012707)	0.74973 (15012707)	0.94073
(16021607)	1.12845 (16021607)	1.46809 (12010207)	
3735819.6	0.67780 (14021007)	0.81646 (14021007)	0.99962
(15020607)	1.38358 (16021607)	2.14140 (16021607)	
3735769.6	0.70683 (15011207)	0.86947 (15011207)	1.10977
(15011207)	1.50940 (15011207)	2.34546 (15011207)	
3735719.6	0.70204 (12010607)	0.87033 (12010607)	1.12622
(15011207)	1.54875 (15011207)	2.37862 (15011207)	
3735669.6	0.70299 (16030307)	0.86071 (16030307)	1.08687
(16030307)	1.50273 (13022807)	2.31482 (13022807)	
3735619.6	0.66372 (13022807)	0.80953 (13022807)	1.01255
(16021007)	1.28724 (16021007)	1.86380 (16022507)	
3735569.6	0.62040 (16021007)	0.71671 (16021007)	0.83250
(15123008)	1.08233 (16022507)	1.31938 (12121307)	
3735519.6	0.52080 (16021007)	0.62219 (15123008)	0.75649
(16022507)	0.89008 (12121307)	1.00379 (15022607)	
3735469.6	0.48913 (15123008)	0.57382 (16022507)	0.65339
(12121307)	0.72370 (15122908)	0.81195 (16021107)	
3735419.6	0.45661 (16022507)	0.50587 (12121307)	0.56139
(12121307)	0.61316 (15022607)	0.66449 (16021107)	
3735369.6	0.40647 (12121307)	0.45493 (12121307)	0.48664
(15122908)	0.53001 (16021107)	0.55800 (14112607)	
3735319.6	0.37627 (12121307)	0.39819 (15122908)	0.42835
(15022607)	0.46191 (16021107)	0.48127 (14112607)	
3735269.6	0.33537 (12121307)	0.35728 (13011807)	0.38122
(16021107)	0.40144 (14121808)	0.41746 (14112607)	
3735219.6	0.30518 (15122908)	0.32212 (15022607)	0.34420
(16021107)	0.35303 (14112607)	0.36730 (14021108)	
3735169.6	0.27785 (13011807)	0.29153 (16021107)	0.30883
(14121808)	0.31869 (14112607)	0.32545 (14021108)	
3735119.6	0.25460 (15022607)	0.26957 (16021107)	0.27760
(14121808)	0.28770 (14112607)	0.28984 (14021108)	
3735069.6	0.23306 (15013007)	0.24746 (16021107)	0.25106
(14120107)	0.26048 (14021108)	0.26033 (15012307)	
3735019.6	0.21868 (16021107)	0.22692 (14121808)	0.23148
(14112607)	0.23828 (14021108)	0.23579 (15012307)	

3734969.6	0.20404 (16021107)	0.20769 (14121808)	0.21418
(14112607)	0.21860 (14021108)	0.21528 (14021307)	
3734919.6	0.18946 (14121808)	0.19133 (14120107)	0.19793
(14112607)	0.20053 (14021108)	0.19991 (16010108)	

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 65

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** THE 1ST HIGHEST 1-HR AVERAGE
 CONCENTRATION VALUES FOR SOURCE GROUP: ALL ***
 INCLUDING SOURCE(S): PAREA1 ,
 A0000001 , A0000002 , A0000003 , A0000004 ,
 A0000005 , A0000006 , A0000007 , A0000008 ,
 A0000009 , A0000010 , A0000011 , A0000012 ,
 A0000013 , A0000014 , A0000015 , A0000016 ,
 A0000017 , A0000018 , A0000019 , A0000020 ,
 A0000021 , A0000022 , A0000023 , A0000024 ,
 A0000025 , A0000026 , A0000027 , . . . ,

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

MICROGRAMS/M**3 ** CONC OF PM_10 IN **

Y-COORD (METERS)	X-COORD		
423972.45	423872.45	423922.45	424072.45

3736869.6	0.18311 (15012007)	0.17856 (15012007)	0.17052
(13010307)	0.17369 (14120407)	0.18132 (14022007)	
3736819.6	0.19306 (15012007)	0.18858 (15012007)	0.17954
(13010307)	0.18408 (14120407)	0.19061 (14022007)	
3736769.6	0.20316 (15012007)	0.19898 (15012007)	0.18947
(13010307)	0.19345 (14120407)	0.20082 (14022007)	
3736719.6	0.21428 (15012007)	0.21044 (15012007)	0.20001
(13010307)	0.20437 (14120407)	0.21302 (14022007)	
3736669.6	0.22797 (15012007)	0.22398 (15012007)	0.21338
(13010307)	0.21884 (14022007)	0.22574 (14022007)	
3736619.6	0.24321 (15012007)	0.23721 (15012007)	0.22644
(13010307)	0.23476 (14022007)	0.23993 (14022007)	
3736569.6	0.25688 (15012007)	0.25294 (15012007)	0.24054
(13010307)	0.25131 (14022007)	0.25236 (14022007)	
3736519.6	0.26829 (15012007)	0.26895 (15012007)	0.25821
(13010307)	0.27216 (14022007)	0.26693 (14022007)	
3736469.6	0.28661 (15012007)	0.28921 (15012007)	0.27523
(13010307)	0.29216 (14022007)	0.28072 (14022007)	
3736419.6	0.31204 (15012007)	0.31483 (15012007)	0.30103
(13010307)	0.31679 (14022007)	0.29703 (14022007)	
3736369.6	0.27428 (15012007)	0.33819 (15012007)	0.32283
(14120407)	0.34156 (14022007)	0.31778 (13122307)	

3736319.6	0.30328 (15012007)	0.30923 (15012007)	0.29808
(14022007)	0.30655 (14022007)	0.29245 (13122307)	
3736269.6	0.33785 (15012007)	0.34740 (15012007)	0.33702
(14022007)	0.34245 (14022007)	0.32991 (13122307)	
3736219.6	0.37969 (15012007)	0.39427 (15012007)	0.38479
(14022007)	0.38530 (14022007)	0.37370 (13122307)	
3736169.6	0.43076 (15012007)	0.45276 (15012007)	0.44468
(14022007)	0.43691 (14022007)	0.42482 (13122307)	
3736119.6	0.49457 (15012007)	0.52810 (15012007)	0.52107
(14022007)	0.50357 (13122307)	0.48427 (13122307)	
3736069.6	0.57595 (15012007)	0.62704 (15012007)	0.62107
(14022007)	0.60286 (13122307)	0.57085 (16031007)	
3736019.6	0.72187 (12112107)	0.76155 (15012007)	0.75604
(14022007)	0.73210 (13122307)	0.69236 (13121707)	
3735969.6	0.92847 (12112107)	0.95296 (15012007)	0.94639
(14022007)	0.90494 (13122307)	0.84258 (13121707)	
3735919.6	1.22990 (12112107)	1.24010 (15012007)	1.23757
(13122307)	1.18486 (13121707)	1.05429 (15030607)	
3735869.6	1.73118 (12112107)	1.71764 (15012007)	1.79343
(13122307)	1.68483 (13121707)	1.38130 (15030607)	
3735819.6	2.47120 (12112107)	2.48336 (13122307)	2.63798
(13122307)	2.69063 (15030607)	1.73243 (14022107)	
3735769.6	2.30270 (15011207)	2.16812 (13122307)	2.28313
(13122307)	2.49945 (16020907)	1.82344 (13121708)	
3735719.6	2.28375 (15011207)	1.93835 (13012907)	2.24126
(12013008)	2.58857 (12013008)	1.95178 (12013008)	
3735669.6	2.31656 (13022807)	2.30299 (13012907)	2.38059
(13012907)	2.51756 (13012308)	1.88743 (12013008)	
3735619.6	2.29219 (16021107)	2.37000 (14021307)	2.38615
(13012907)	2.25204 (12030907)	1.58910 (13012308)	
3735569.6	1.49580 (16021107)	1.58237 (16010108)	1.53656
(13110707)	1.44307 (13123108)	1.24433 (12030907)	
3735519.6	1.10513 (14112607)	1.16814 (16010108)	1.13016
(13110707)	1.08763 (13123108)	0.96034 (13112707)	
3735469.6	0.85999 (14112607)	0.91145 (16010108)	0.88158
(13110707)	0.84669 (13123108)	0.77261 (14111807)	
3735419.6	0.68905 (14021108)	0.73981 (16010108)	0.71511
(13110707)	0.67496 (13120207)	0.66290 (13123108)	
3735369.6	0.56928 (15010707)	0.61287 (16010108)	0.59370
(13110707)	0.56716 (14112707)	0.56237 (13123108)	
3735319.6	0.49156 (16010108)	0.52072 (16010108)	0.50470
(13110707)	0.48790 (14112707)	0.47729 (13123108)	
3735269.6	0.43036 (16010108)	0.44939 (16010108)	0.43544
(13110707)	0.42500 (15020507)	0.40748 (13120207)	
3735219.6	0.38018 (16010108)	0.39288 (16010108)	0.38055
(13110707)	0.37343 (15020507)	0.35738 (13120207)	
3735169.6	0.33943 (16010108)	0.34755 (16010108)	0.33658
(13110707)	0.33104 (15020507)	0.31859 (14112707)	
3735119.6	0.30534 (16010108)	0.31051 (16010108)	0.30042
(13110707)	0.29548 (15020507)	0.28886 (14112707)	
3735069.6	0.27717 (16010108)	0.28005 (16010108)	0.27050
(13110707)	0.26616 (13110707)	0.26267 (14112707)	
3735019.6	0.25280 (16010108)	0.25413 (16010108)	0.24510
(13110707)	0.24310 (13110707)	0.24039 (15020507)	

3734969.6	0.23183 (16010108)	0.23197 (16010108)	0.22336
(13110707)	0.22293 (13110707)	0.22059 (15020507)	
3734919.6	0.21300 (16010108)	0.21303 (16010108)	0.20483
(13110707)	0.20556 (13110707)	0.20327 (15020507)	

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 66

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** THE 1ST HIGHEST 1-HR AVERAGE
 CONCENTRATION VALUES FOR SOURCE GROUP: ALL ***
 INCLUDING SOURCE(S): PAREA1 ,
 A0000001 , A0000002 , A0000003 , A0000004 ,
 A0000005 , A0000006 , A0000007 , A0000008 ,
 A0000009 , A0000010 , A0000011 , A0000012 ,
 A0000013 , A0000014 , A0000015 , A0000016 ,
 A0000017 , A0000018 , A0000019 , A0000020 ,
 A0000021 , A0000022 , A0000023 , A0000024 ,
 A0000025 , A0000026 , A0000027 , . . . ,

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

MICROGRAMS/M**3 ** CONC OF PM_10 IN
 **

Y-COORD (METERS)	X-COORD
424222.45	424172.45
424272.45	424322.45

3736869.6	0.17148
(13122307)	
3736819.6	0.18264
(13122307)	
3736769.6	0.19227
(13122307)	
3736719.6	0.20247
(13122307)	
3736669.6	0.21174
(13122307)	
3736619.6	0.22259
(13122307)	
3736569.6	0.23479
(13122307)	
3736519.6	0.23772
(13122307)	
3736469.6	0.25392
(16031007)	
3736419.6	0.27663
(16031007)	
3736369.6	0.30780
(16031007)	

3736319.6	0.28768 (13122307)	0.33627 (16031007)	0.27398
(13121707)	0.31586 (13121707)	0.24038 (16121407)	
3736269.6	0.31607 (13122307)	0.31291 (16031007)	0.30081
(13121707)	0.27460 (16121407)	0.26684 (15032607)	
3736219.6	0.35370 (16031007)	0.34997 (13121707)	0.32565
(13121707)	0.30458 (15032607)	0.29527 (15030607)	
3736169.6	0.40926 (16031007)	0.39169 (13121707)	0.35408
(16121407)	0.34330 (15030607)	0.32215 (15030607)	
3736119.6	0.47197 (13121707)	0.43069 (13121707)	0.40742
(15032607)	0.38243 (15030607)	0.34388 (13111407)	
3736069.6	0.54402 (13121707)	0.49270 (15032607)	0.46435
(15030607)	0.41317 (13111407)	0.36149 (12010408)	
3736019.6	0.61328 (13121707)	0.58107 (15030607)	0.51070
(13111407)	0.44208 (12010408)	0.40130 (15122907)	
3735969.6	0.75838 (15030607)	0.65686 (13111407)	0.55732
(12010408)	0.49247 (15122907)	0.44254 (14022107)	
3735919.6	0.89820 (13111407)	0.73371 (12010408)	0.63180
(14022107)	0.54930 (14022107)	0.47568 (16020907)	
3735869.6	1.04643 (15122907)	0.85616 (14022107)	0.70438
(16020907)	0.59115 (13010908)	0.49864 (13010908)	
3735819.6	1.23218 (16020907)	0.93020 (13010908)	0.76141
(13121708)	0.63843 (13121708)	0.54081 (13121708)	
3735769.6	1.31532 (13101507)	1.01109 (13101507)	0.80880
(13101507)	0.66423 (13101507)	0.55722 (13101507)	
3735719.6	1.36568 (12013008)	1.01808 (12013008)	0.80406
(12011008)	0.66063 (12011008)	0.55582 (12011008)	
3735669.6	1.35119 (12013008)	1.05096 (12013008)	0.84607
(12013008)	0.69643 (12013008)	0.58380 (12013008)	
3735619.6	1.21486 (13012308)	0.93416 (12010608)	0.74513
(15012108)	0.63020 (15012108)	0.55063 (12013008)	
3735569.6	0.98756 (13110807)	0.84383 (13012308)	0.71356
(13012308)	0.59602 (12010608)	0.49833 (12010608)	
3735519.6	0.84451 (12030907)	0.70198 (13110807)	0.62425
(15123108)	0.55793 (13012308)	0.48813 (13012308)	
3735469.6	0.69796 (12030907)	0.62871 (12030907)	0.53420
(13010108)	0.48887 (13110807)	0.44441 (13012308)	
3735419.6	0.59797 (13112707)	0.54733 (12030907)	0.49328
(13010108)	0.43013 (13010108)	0.39883 (13110807)	
3735369.6	0.50853 (14111807)	0.47644 (13112707)	0.44377
(12030907)	0.40269 (13010108)	0.35669 (13010108)	
3735319.6	0.45785 (13123108)	0.42093 (14111807)	0.39096
(14102807)	0.36965 (12030907)	0.33821 (13010108)	
3735269.6	0.40806 (13123108)	0.37132 (15010608)	0.35400
(13112707)	0.32820 (16022907)	0.31369 (12030907)	
3735219.6	0.36033 (13123108)	0.34120 (13123108)	0.31842
(14111807)	0.30128 (14102807)	0.28421 (12030907)	
3735169.6	0.31718 (13123108)	0.31270 (13123108)	0.28738
(15010608)	0.27628 (13112707)	0.26149 (14102807)	
3735119.6	0.28145 (13120207)	0.28417 (13123108)	0.26742
(13123108)	0.25253 (14111807)	0.24252 (13112707)	
3735069.6	0.25505 (13120207)	0.25673 (13123108)	0.24969
(13123108)	0.23171 (15010608)	0.22349 (14111807)	
3735019.6	0.23110 (13120207)	0.23109 (13123108)	0.23135
(13123108)	0.21703 (13123108)	0.20691 (14111807)	

3734969.6	0.21157 (14112707)	0.20997 (13120207)	0.21290
(13123108)	0.20533 (13123108)	0.19242 (15010608)	
3734919.6	0.19711 (14112707)	0.19420 (13120207)	0.19511
(13123108)	0.19289 (13123108)	0.18073 (13123108)	

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 67

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** THE 1ST HIGHEST 1-HR AVERAGE
 CONCENTRATION VALUES FOR SOURCE GROUP: ALL ***
 INCLUDING SOURCE(S): PAREA1 ,
 A0000001 , A0000002 , A0000003 , A0000004 ,
 A0000005 , A0000006 , A0000007 , A0000008 ,
 A0000009 , A0000010 , A0000011 , A0000012 ,
 A0000013 , A0000014 , A0000015 , A0000016 ,
 A0000017 , A0000018 , A0000019 , A0000020 ,
 A0000021 , A0000022 , A0000023 , A0000024 ,
 A0000025 , A0000026 , A0000027 , . . . ,

*** NETWORK ID: UCART1 ; NETWORK

TYPE: GRIDCART ***

MICROGRAMS/M**3 ** CONC OF PM_10 IN **

Y-COORD (METERS)	X-COORD		
424472.45	424372.45	424422.45	424572.45
3736869.6	0.14986 (16031007)	0.16392 (16031007)	0.16950
(16031007)	0.17048 (13121707)	0.15966 (13121707)	
3736819.6	0.16555 (16031007)	0.17600 (16031007)	0.18010
(13121707)	0.17385 (13121707)	0.15934 (15010808)	
3736769.6	0.17703 (16031007)	0.18499 (16031007)	0.18826
(13121707)	0.17518 (13121707)	0.16763 (16121407)	
3736719.6	0.19383 (16031007)	0.19715 (13121707)	0.19267
(13121707)	0.17463 (15010808)	0.17717 (16121407)	
3736669.6	0.20232 (16031007)	0.20677 (13121707)	0.19570
(13121707)	0.18647 (16121407)	0.18280 (16121407)	
3736619.6	0.21691 (13121707)	0.21515 (13121707)	0.19870
(16121407)	0.19721 (16121407)	0.18319 (15032607)	
3736569.6	0.23087 (13121707)	0.21785 (13121707)	0.21257
(16121407)	0.20093 (16121407)	0.20133 (15030607)	
3736519.6	0.23488 (13121707)	0.22489 (16121407)	0.22096
(16121407)	0.21566 (15030607)	0.21989 (15030607)	
3736469.6	0.23409 (13121707)	0.24106 (16121407)	0.22727
(15032607)	0.23754 (15030607)	0.23264 (15030607)	
3736419.6	0.25291 (16121407)	0.24758 (16121407)	0.25709
(15030607)	0.25171 (15030607)	0.23301 (13111407)	
3736369.6	0.26911 (16121407)	0.27826 (15030607)	0.27751
(15030607)	0.25848 (13111407)	0.23836 (13111407)	

3736319.6	0.28847 (15030607)	0.30531 (15030607)	0.28693
(13111407)	0.25769 (13111407)	0.23091 (13021507)	
3736269.6	0.32929 (15030607)	0.31140 (13111407)	0.29198
(13111407)	0.25273 (13021507)	0.24654 (12010408)	
3736219.6	0.35516 (13111407)	0.32491 (13111407)	0.28381
(13021507)	0.27849 (12010408)	0.26651 (15122907)	
3736169.6	0.36422 (13111407)	0.31813 (13021507)	0.31317
(12010408)	0.30179 (15122907)	0.27844 (15122907)	
3736119.6	0.36430 (12010408)	0.35389 (12010408)	0.33540
(15122907)	0.30482 (15122907)	0.29642 (14022107)	
3736069.6	0.40769 (15122907)	0.37965 (15122907)	0.35116
(14022107)	0.33204 (14022107)	0.30543 (14022107)	
3736019.6	0.36104 (14022107)	0.40840 (14022107)	0.36947
(14022107)	0.34162 (16020907)	0.31854 (16020907)	
3735969.6	0.39398 (14022107)	0.35118 (16020907)	0.31803
(13010908)	0.28844 (13010908)	0.31820 (13010908)	
3735919.6	0.41921 (13010908)	0.36972 (13010908)	0.32414
(15012907)	0.29663 (13121708)	0.27399 (13121708)	
3735869.6	0.44010 (13121708)	0.39350 (13121708)	0.35217
(13121708)	0.31570 (13121708)	0.28376 (13121708)	
3735819.6	0.46258 (13121708)	0.40779 (13101507)	0.36315
(13101507)	0.32545 (13101507)	0.29357 (13101507)	
3735769.6	0.47534 (13101507)	0.41127 (13101507)	0.35993
(13101507)	0.31812 (13101507)	0.28426 (12011008)	
3735719.6	0.47664 (12011008)	0.41495 (12011008)	0.36584
(12011008)	0.32589 (12011008)	0.29300 (12011008)	
3735669.6	0.49673 (12013008)	0.42795 (12013008)	0.37266
(12013008)	0.32755 (12013008)	0.29033 (12013008)	
3735619.6	0.48474 (12013008)	0.42899 (12013008)	0.38163
(12013008)	0.34123 (12013008)	0.30666 (12013008)	
3735569.6	0.43876 (15012108)	0.39206 (15012108)	0.34971
(15012108)	0.32104 (12013008)	0.29517 (12013008)	
3735519.6	0.42553 (12010608)	0.36975 (12010608)	0.32674
(12030507)	0.29987 (15012108)	0.27558 (15012108)	
3735469.6	0.40643 (13012308)	0.36254 (13012308)	0.32475
(12010608)	0.28925 (12010608)	0.25999 (12030507)	
3735419.6	0.36736 (15123108)	0.34057 (13012308)	0.31371
(13012308)	0.28349 (13012308)	0.25906 (12010608)	
3735369.6	0.33282 (13110807)	0.30813 (15123108)	0.28934
(15123108)	0.27181 (13012308)	0.25189 (13012308)	
3735319.6	0.30295 (13010108)	0.28291 (13110807)	0.26660
(13110807)	0.25102 (15123108)	0.23625 (13012308)	
3735269.6	0.28934 (13010108)	0.26148 (13010108)	0.24379
(13110807)	0.23326 (13110807)	0.21936 (15123108)	
3735219.6	0.27093 (12030907)	0.25159 (13010108)	0.22902
(13010108)	0.21280 (13110807)	0.20602 (13110807)	
3735169.6	0.24935 (12030907)	0.23687 (12030907)	0.22147
(13010108)	0.20286 (13010108)	0.18771 (13110807)	
3735119.6	0.22875 (14102807)	0.22102 (12030907)	0.20933
(12030907)	0.19701 (13010108)	0.18153 (13010108)	
3735069.6	0.21423 (14102807)	0.20291 (16022907)	0.19745
(12030907)	0.18678 (12030907)	0.17688 (13010108)	
3735019.6	0.20050 (13112707)	0.19180 (14102807)	0.18277
(16022907)	0.17782 (12030907)	0.16802 (12030907)	

3734969.6	0.18658 (14111807)	0.18015 (13112707)	0.17215
(14102807)	0.16584 (12030907)	0.16119 (12030907)	
3734919.6	0.17361 (14111807)	0.16925 (13112707)	0.16326
(14102807)	0.15526 (14102807)	0.15168 (12030907)	

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
 View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
 *** AERMET - VERSION 16216 *** ***
 *** 11:53:56

PAGE 68

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** THE 1ST HIGHEST 1-HR AVERAGE
 CONCENTRATION VALUES FOR SOURCE GROUP: ALL ***
 INCLUDING SOURCE(S): PAREA1 ,
 A0000001 , A0000002 , A0000003 , A0000004 ,
 A0000005 , A0000006 , A0000007 , A0000008 ,
 A0000009 , A0000010 , A0000011 , A0000012 ,
 A0000013 , A0000014 , A0000015 , A0000016 ,
 A0000017 , A0000018 , A0000019 , A0000020 ,
 A0000021 , A0000022 , A0000023 , A0000024 ,
 A0000025 , A0000026 , A0000027 , . . . ,

*** DISCRETE CARTESIAN

RECEPTOR POINTS ***

MICROGRAMS/M**3		** CONC OF PM_10 IN	
		**	
X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)
COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)
423808.64	3735782.01	1.98397	(14021007)
423778.42	3735711.03	1.62369	(16030307)
423675.73	3735807.74	0.84862	(14021007)
423822.52	3735853.96	1.65275	(12010207)
423884.78	3735852.50	2.02642	(12112107)
423598.82	3735852.10	0.58592	(14021007)
423550.18	3735806.89	0.52304	(14021007)
423486.18	3735850.67	0.43430	(14021007)
423388.42	3735807.38	0.34059	(15011207)
423265.85	3735853.10	0.25537	(14021007)
423243.47	3735813.71	0.25558	(15011207)
423093.67	3735863.32	0.18837	(15011207)
423190.94	3735810.30	0.23370	(15011207)
423787.26	3735854.08	1.32402	(16021607)
424037.75	3735799.11	2.57748	(16020907)
424038.72	3735764.09	2.49445	(16020907)
424037.26	3735729.07	2.61175	(12013008)
424039.21	3735703.29	2.64276	(12013008)
424037.75	3735675.57	2.59441	(12013008)
424019.75	3735624.50	2.38643	(12030907)
423977.74	3735628.22	2.56664	(13012907)
423929.31	3735627.85	2.54557	(13110707)
423887.30	3735627.30	2.43193	(14112607)
423857.76	3735627.85	2.39040	(15022607)

423815.39	3735653.53	2.09374	(13022807)
423813.92	3735599.60	1.53618	(16022507)
423939.99	3735858.43	1.87146	(15012007)
423977.32	3735859.45	1.96866	(13122307)
423741.06	3735859.42	1.05440	(16021607)
423707.67	3735859.42	0.89603	(16021607)

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
*** AERMET - VERSION 16216 *** ***
*** 11:53:56

PAGE 70

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** THE SUMMARY OF

HIGHEST 1-HR RESULTS ***

MICROGRAMS/M**3

** CONC OF PM_10 IN
**

DATE

NETWORK

GROUP ID AVERAGE CONC (YYMMDDHH)
RECEPTOR (XR, YR, ZELEV, ZHILL, ZFLAG) OF TYPE GRID-ID

ALL HIGH 1ST HIGH VALUE IS 2.69063 ON 15030607: AT (
424022.45, 3735819.57, 49.70, 49.70, 0.00) GC UCART1

*** RECEPTOR TYPES: GC = GRIDCART
GP = GRIDPOLR
DC = DISCCART
DP = DISCPOLR

*** AERMOD - VERSION 23132 *** *** C:\Lakes\AERMOD
View\25_011_Cypress_Con_Mit\25_011_Cypress_Con_Mit.i *** 03/28/25
*** AERMET - VERSION 16216 *** ***
*** 11:53:56

PAGE 71

*** MODELOPTs: RegDEFAULT CONC ELEV URBAN ADJ_U*

*** Message Summary : AERMOD Model Execution ***

----- Summary of Total Messages -----

A Total of 0 Fatal Error Message(s)
A Total of 2 Warning Message(s)
A Total of 1864 Informational Message(s)

A Total of 43848 Hours Were Processed

A Total of 1500 Calm Hours Identified

A Total of 364 Missing Hours Identified (0.83 Percent)

***** FATAL ERROR MESSAGES *****
*** NONE ***

***** WARNING MESSAGES *****
ME W186 627 MEOPEN: THRESH_1MIN 1-min ASOS wind speed
threshold used 0.50
ME W187 627 MEOPEN: ADJ_U* Option for Stable Low Winds used in
AERMET

*** AERMOD Finishes Successfully ***

APPENDIX C.1 – ESTIMATION OF PROJECT CONSTRUCTION DPM EMISSIONS

Cypress Grove Project

Construction DPM Emissions
Data Source: CalEEMod Project Output

CalEEMod Default Construction Vehicle Trip Length

Work Schedule	8 hrs/day	5 days per week	Vehicle	Distance (miles)
Onsite DPM Construction Emissions			Haul Truck	20
Size of the Construction Area:	8.54 acres	acres	Vendor Truck	10.2
Size of the Construction Area:	34,560 m ²		Worker	18.5

Unit Emission Rate:	2.89347E-05 g/m ² -sec					
Roll-On Chassis PM10E						
Activity	Start Date	End Date	DPM Emissions (lb/day)	Work Days	DPM Emissions (lb)	DPM Emissions (tons)
Demolition	6/1/2026	7/10/2026	0.81	75	67.97	0.023993
Site Preparation	7/11/2026	7/24/2026	1.85	10	18.61	0.009905
Grading	7/25/2026	8/21/2026	1.04	20	20.76	0.010381
Building Construction - 2026	8/22/2026	12/31/2026	0.41	94	38.48	0.019240
Building Construction - 2027	1/1/2027	7/9/2027	0.36	136	49.59	0.024793
Paving	7/10/2027	8/6/2027	0.20	20	5.96	0.002991
Architectural Coating	8/7/2027	9/10/2027	0.03	25	0.63	0.000317
			4.9028	380	134.033	0.333

Year	Annual DPM Emissions (tons/year)	# Construction Work Days	Average Daily DPM Emissions (lb/day)	Average Hourly DPM Emissions (lb/hr)	Average Hourly DPM Emissions (g/sec)	Average Hourly DPM Area Emission (g/m²-sec)
2026	0.072909	199	0.7328	0.0916	0.0116	3.342E-07
2027	0.028092	181	0.3104	0.0388	0.0049	1.414E-07
					0.016	

Offsite DPM Construction Emissions

Activity	Start Date	End Date	Work Days	Daily Max Chassis PM10E			Daily Max Chassis PM10E		
				Offsite DPM Haul Truck (lb/day)	Offsite DPM Haul Truck (pounds)	Offsite DPM Haul Truck (tons)	Offsite DPM Vendor Truck (lb/day)	Offsite DPM Vendor Truck (pounds)	Offsite DPM Vendor Truck (tons)
Demolition	6/1/2026	7/10/2026	75	0.1108	8.3115	0.00415575	0.0000	0	0
Site Preparation	7/11/2026	7/24/2026	10	0.0000	0	0.0000	0	0	0
Grading	7/25/2026	8/21/2026	20	0.2370	4.73938633	0.002369969	0.0000	0	0
Building Construction - 2026	8/22/2026	12/31/2026	94	0.0000	0	0	0.0035	0.327648335	0.000163824
Building Construction - 2027	1/1/2027	7/9/2027	136	0.0000	0	0	0.0035	0.47644429	0.000237022
Paving	7/10/2027	8/6/2027	20	0.0000	0	0	0.0000	0	0
Architectural Coating	8/7/2027	9/10/2027	25	0.0000	0	0	0.0000	0	0
			380	0.3478	13.05143863	0.006325719	0.0070	0.801492784	0.000400846

Offsite DPM Emissions (at the CalEEMod Default Trip Distance)

Year	# of Construction Days	Haul Trucks				Vendor Trucks				Worker Vehicles
		Annual Emissions (tons/year)	Average Daily (lb/day)	Average Hourly (lb/hr)	Average Hourly (g/sec)	Annual Emissions (tons/year)	Average Daily (lb/day)	Average Hourly (lb/hr)	Average Hourly (g/sec)	
2026	199	0.006525719	0.065585119	0.00819814	0.001033877	0.000163824	0.001644474	0.000205809	0.00002395	0
2027	181	0	0	0	0	0.000237022	0.00261903	0.000237379	4.12861E-05	0

CalEEMod Construction Vehicle Trip Length

Vehicle	Distance (miles)	meters
Haul Truck	20	3218E+04
Vendor Truck	10.2	1.642E+04
Worker	18.5	2.977E+04

Travel Routes

	Meters	Miles	Percent of Trips
Offsite 1: Project Site to 17th Ave Junction	993.6	0.617394417	100%
Offsite 2: Junction to NB 55	419.6	0.260727352	50%
Offsite 2: Junction to SB 55	363.4	0.35008053	50%

Offsite Scaled DPM Emissions to AERMOD Trip Distance

Year	Haul Trucks (lb/sec)	Vendor Trucks (lb/sec)	Worker Vehicles (lb/sec)	Total	
				(g/sec)	(lb/hr)
2026 (From CalEEMod)	1.024E-03	3.936E-05	0.000E+00	1.024E-03	3.936E-05
2026 (Scaled for Distance and Distribution)	3.192E-05	1.071E-06	0.000E+00	3.349E-05	2.655E-04
Offsite 1: Project Site to 17th Ave Junction	6.739E-06	1.227E-06	0.000E+00	8.066E-06	6.396E-05
Offsite 2: Junction to NB 55	9.049E-06	1.782E-06	0.000E+00	1.083E-05	8.588E-05
2027 (From CalEEMod)	0.000E+00	4.129E-05	0.000E+00	0.000E+00	0.000E+00
2027 (Scaled for Distance and Distribution)	0.000E+00	2.499E-06	0.000E+00	2.499E-06	1.982E-05
Offsite 1: Project Site to 17th Ave Junction	0.000E+00	2.111E-06	0.000E+00	2.111E-06	1.674E-05
Offsite 2: Junction to NB 55	0.000E+00	2.834E-06	0.000E+00	2.834E-06	2.247E-05

Weighted Average Emissions	
Offsite 1	1.873E-05 g/sec
Offsite 2	3.229E-06 g/sec
Offsite 3	7.021E-06 g/sec

6.37E-03

APPENDIX C.2 – ESTIMATION OF MITIGATED PROJECT CONSTRUCTION DPM
EMISSIONS

Cypress Grove Project

Construction DPM Emissions
Data Source: CalEEMod Project Output

CalEEMod Default Construction Vehicle Trip Length

Work Schedule	8 hrs/day	5 days per week	Vehicle	Distance (miles)
Onsite DPM Construction Emissions			Haul Truck	30
Size of the Construction Area:	8.54 acres	acres	Vendor Truck	10.2
Size of the Construction Area:	34,560 m ²		Worker	18.5

Activity	Start Date	End Date	Daily Max Onsite PM10E		Work Days	DPM Emissions (lb)	DPM Emissions (tons)
			DPM Emissions (lb/day)	Days			
Demolition	6/1/2026	7/10/2026	0.22	75	16.77	0.0088383	
Site Preparation	7/11/2026	7/24/2026	0.84	10	8.35	0.004177	
Grading	7/25/2026	8/21/2026	0.56	20	11.13	0.005566	
Building Construction - 2026	8/22/2026	12/31/2026	0.29	94	28.92	0.013461	
Building Construction - 2027	1/1/2027	7/9/2027	0.25	136	33.81	0.016906	
Paving	7/10/2027	8/6/2027	0.20	20	5.96	0.002981	
Architectural Coating	8/7/2027	9/10/2027	0.23	25	6.63	0.003317	
			2.4741	380	103.587	0.273	

Year	Annual DPM Emissions (tons/year)	# Construction Work Days	Average Daily DPM Emissions (lb/day)	Average Hourly DPM Emissions (lb/hr)	Average Hourly DPM Emissions (g/sec)	Average Hourly DPM Area Emission (g/m ² -sec)
2026	0.031589	199	0.3175	0.0397	0.0050	1.448E-07
2027	0.020204	181	0.2233	0.0279	0.0035	1.018E-07
				0.0029		

Offsite DPM Construction Emissions

Activity	Start Date	End Date	Work Days	Daily Max Onsite PM10E			Daily Max Onsite PM10E			Offsite DPM Vendor Trucks (tons)	Offsite DPM Vendor Trucks (lb/day)	Offsite DPM Worker Vehicles (lb/day)	Offsite DPM Worker Vehicles (tons)
				Offsite DPM Haul Truck (lb/day)	Offsite DPM Haul Truck (pounds)	Offsite DPM Haul Truck (tons)	Offsite DPM Vendor Truck (lb/day)	Offsite DPM Vendor Truck (pounds)	Offsite DPM Vendor Truck (tons)				
Demolition	6/1/2026	7/10/2026	75	0.11	8.3115	0.00415575	0.0000	0	0.0000	0	0	0	
Site Preparation	7/11/2026	7/24/2026	10	0.00	0	0	0.0000	0	0	0	0	0	
Grading	7/25/2026	8/21/2026	20	0.24	4.739938633	0.002369969	0.0000	0	0	0	0	0	
Building Construction - 2026	8/22/2026	12/31/2026	94	0.00	0	0	0.0035	0.37948335	0.000163824	0.0000	0	0	
Building Construction - 2027	1/1/2027	7/9/2027	136	0.0000	0	0	0.0035	0.474944429	0.000237022	0.0000	0	0	
Paving	7/10/2027	8/6/2027	20	0.0000	0	0	0.0000	0	0	0.0000	0	0	
Architectural Coating	8/7/2027	9/10/2027	25	0.0000	0	0	0.0000	0	0	0.0000	0	0	
			380	0.3478	13.05143863	0.006525719	0.0070	0.801492784	0.000400846	0.0000	0	0	

Offsite DPM Emissions (at the CalEEMod Default Trip Distance)

Year	# of Construction Days	Haul Trucks				Vendor Trucks				Worker Vehicles			
		Annual Emissions (tons/year)	Average Daily (lb/day)	Average Hourly (lb/hr)	Average Hourly (g/sec)	Annual Emissions (tons/year)	Average Daily (lb/day)	Average Hourly (lb/hr)	Average Hourly (g/sec)	Annual Emissions (tons/year)	Average Daily (lb/day)	Average Hourly (lb/hr)	Average Hourly (g/sec)
2026	199	0.006525719	0.065585119	0.00819814	0.001033877	0.000163824	0.001646474	0.000205809	0.00002395	0	0	0	0
2027	181	0	0	0	0	0.000237022	0.00261903	0.000227379	4.12861E-05	0	0	0	0

CalEEMod Construction Vehicle Trip Length

Vehicle	Distance (miles)	meters
Haul Truck	30	3218E+04
Vendor Truck	10.2	1.642E+04
Worker	18.5	2.977E+04

Travel Routes

Route	Meters	Miles	Percent of Trips
Offsite 1: Project Site to 17th Ave Junction	993.6	0.617394417	100%
Offsite 2: Junction to NB 55	419.6	0.260727352	50%
Offsite 3: Junction to SB 55	563.4	0.35008053	50%

Offsite Scaled DPM Emissions to AERMOD Trip Distance

Year	Haul Trucks (lb/sec)	Vendor Trucks (lb/sec)	Worker Vehicles (lb/sec)	Total (lb/sec)	Total (lb/hr)	Total (lb/day)
2026 (From CalEEMod)	1.024E-03	3.993E-05	0.000E+00			
2026 (Scaled for Distance and Distribution)	3.192E-05	1.271E-06	0.000E+00	3.349E-05	2.655E-04	2.124E-03
Offsite 1: Project Site to 17th Ave Junction	6.739E-06	1.227E-06	0.000E+00	8.066E-06	6.396E-05	5.117E-04
Offsite 2: Junction to NB 55	9.049E-06	1.782E-06	0.000E+00	1.083E-05	8.588E-05	6.870E-04
2027 (From CalEEMod)	0.000E+00	4.129E-05	0.000E+00			
2027 (Scaled for Distance and Distribution)	0.000E+00	2.499E-06	0.000E+00	2.499E-06	1.982E-05	1.585E-04
Offsite 1: Project Site to 17th Ave Junction	0.000E+00	2.111E-06	0.000E+00	2.111E-06	1.674E-05	0.000E+00
Offsite 2: Junction to NB 55	0.000E+00	2.834E-06	0.000E+00	2.834E-06	2.247E-05	0.000E+00

Weighted Average Emissions	
Offsite 1	1.873E-05 g/sec
Offsite 2	3.229E-06 g/sec
Offsite 3	7.021E-06 g/sec

6.37E-03

APPENDIX D.1 – ESTIMATION OF CONSTRUCTION HEALTH RISK

Conifer Self Storage Project

Exposure Durations During Construction

	Start	End	Days	% Year
Calendar Construction Days	6/1/2026	11/12/2027	529	1.45
3rd Trimester (2026)	6/1/2026	9/1/2026	92	0.25
0-1 year (2026)	9/1/2026	12/31/2026	121	0.33
0-1 year (2027)	1/1/2027	11/12/2027	315	0.86
			Total:	1.45

Cypress Grove Residential

Annual DPM Concentrations at Maximum Impacted Sensitive and Worker Receptor

Onsite Unit Emission Source Rate

Size of Construction Area 34,560 m2
 Unit EmissionRate: 2.89349E-05 g/m2-sec > Plugged this into Area Source 19586.78507

Inputs:

Actual Onsite Emission Source			
Year	Average Hourly Emission Rate (g/m2-sec)	Weighted Avg (g/m2-sec)	
2026	3.3423E-07	Area Source: 2.42E-07	
2027	1.41585E-07		

Offsite Unit Emission Source:			
Year	Average Hourly Emission Rate (g/sec)		New 60mi Inputs (g/sec)
		0.001 g/sec	
		Offsite 1:Project Site to 17th Ave Junction	1.87267E-05 g/sec
		Offsite 2: Junction to NB 55	5.22932E-06 g/sec
		Offsite 2: Junction to SB 55	7.02145E-06 g/sec

Results:

Max=school	0
Max=Residential	0.1369
Max^	0.1369
Max=Worker	0.05977

Receptor	Cancer Risk (per million)		Exceeds Significance Threshold?
	Maximum Lifetime Proposed Project Risk	Significance Threshold	
Maximum Impacted Sensitive Receptor – Infant to Adult (30 years)	14.95	10	No
Maximum Impacted Sensitive Receptor – Adult	0.57	10	No
Maximum Impacted Worker Receptor	0.21	10	No
Receptor	Chronic Non-Cancer Hazard Index		Exceeds Significance Threshold?
	Maximum Lifetime Proposed Project Risk	Significance Threshold	
Maximum Impacted Sensitive Receptor – Infant to Adult (30 years)	0.03	1	No
Maximum Impacted Sensitive Receptor – Adult	0.03	1	No
Maximum Impacted Worker Receptor	0.01	1	No

5mph

APPENDIX D.2 – ESTIMATION OF MITIGATED CONSTRUCTION HEALTH RISK

Cypress Grove Residential

Annual DPM Concentrations at Maximum Impacted Sensitive and Worker Receptor

Onsite Unit Emission Source Rate

Size of Construction Area 34,560 m2
 Unit EmissionRate: 2.89349E-05 g/m2-sec > Plugged this into Area Source 19586.78507

Inputs:

Actual Onsite Emission Source			
Year	Average Hourly Emission Rate (g/m2-sec)	Weighted Avg (g/m2-sec)	
2026	3.3423E-07	Area Source:	
2027	1.41585E-07	1.24E-07	

Offsite Unit Emission Source:			
Year	Average Hourly Emission Rate (g/sec)		New 60mi Inputs (g/sec)
		0.001 g/sec	
		Offsite 1:Project Site to 17th Ave Junction	1.23405E-05 g/sec
		Offsite 2: Junction to NB 55	3.88087E-06 g/sec
		Offsite 2: Junction to NB 56	- g/sec

Results:

Max=school	0
Max=Residential	0.07041
Max^	0.07041
Max=Worker	0.0307

Receptor	Cancer Risk (per million)		Exceeds Significance Threshold?
	Maximum Lifetime Proposed Project Risk	Significance Threshold	
Maximum Impacted Sensitive Receptor – Infant to Adult (30 years)	7.69	10	No
Maximum Impacted Sensitive Receptor – Adult	0.29	10	No
Maximum Impacted Worker Receptor	0.11	10	No
Receptor	Chronic Non-Cancer Hazard Index		Exceeds Significance Threshold?
	Maximum Lifetime Proposed Project Risk	Significance Threshold	
Maximum Impacted Sensitive Receptor – Infant to Adult (30 years)	0.01	1	No
Maximum Impacted Sensitive Receptor – Adult	0.01	1	No
Maximum Impacted Worker Receptor	0.01	1	No

5mph

